



**DR. VIRAMBHAI RAJABHAI GODHANIYA  
COLLEGE OF ARTS, COMMERCE, HOME SCIENCE  
AND INFORMATION TECHNOLOGY FOR GIRLS,  
PORBANDAR.**

**NAME OF WORK : CONSTRUCTION OF CLASS ROOMS AT  
VIRAMBHAI R. GODHANIYA COLLEGE OF  
ARTS, COMMERCE, HOMESCIENCE & IT FOR  
GIRLS, PORBANDAR.**

**TENDER PAPERS**

**The Principal, Dr. V. R. Godhaniya College  
of Arts, Commerce, Home Science and IT for Girls,  
PORBANDAR – 360 575.  
PHONE NO. (0286) 2247709.**

## FORM B-1

**DR. VIRAMBHAI RAJABHAI GODHANIYA**  
College of Arts, Commerce, Home Science and I. T. For Girls,  
Porbandar.

### PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS

Name of work : **CONSTRUCTION OF CLASS ROOMS AT VIRAMBHAI  
R. GODHANIYA COLLEGE OF ARTS, COMMERCE,  
HOMESCIENCE & IT FOR GIRLS, PORBANDAR.**

**ADDRESS: GODHANIYA COLLEGE CAMPUS, OPP.  
KHIJDI PLOT, PORABANDAR, Dist. PORBANDAR,  
GUJARAT - 360575**

Issued to –

**The Principal,**  
Dr. V. R. Godhaniya College  
of Arts, Commerce, Home Science  
and IT for Girls, Porbandar

**OPENED BY RUSA-2 Component 9 Committee, Dr. V. R. Godhaniya College  
ON DATE 12th March 2019 Hrs. 11:00 a.m.**

**Chairman**  
**RUSA-2 Component 9 Committee,**  
Dr. V. R. Godhaniya College  
of Arts, Commerce, Home Science  
and IT for Girls, Porbandar

## MEMORANDUM OF WORKS IN BRIEF

- 1) Name of work **CONSTRUCTION OF CLASS ROOMS AT VIRAMBHAI R. GODHANIYA COLLEGE OF ARTS,COMMERCE, HOMESCIENCE & IT FOR GIRLS, PORBANDAR. At Godhaniya College Campus, Opp. Khijdi Plot, Porabandar, Dist. Porbandar, Gujarat - 360575**
- 2) Estimated Cost - Rs. 81,95,300.00
- 3) Earnest Money - Rs. 82,000.00
- 4) Validity period of tender offered (120) days from the stipulated date of opening of price bid but no modification shall be allowed after downloading of tender.
- 5) Security Deposit-
- (i) In the form of Term deposit of Scheduled Bank. Rs. 6,15,000.00  
(for minimum one year time limit.)  
(7.5% of Est. Cost.)
- (ii) To deducted from bills (2.5% of Est. Rs. 2,05,000.00  
Cost.)
- Total **Rs. 8,20,000.00**
- 6) Time allowed for completion of the work from the date of written order to commence 11 Months
- 7) Other details
- (i) Date on or before which the tender must be submitted. Dt 11th March 2019 Up to 18:00 Hrs
- (ii) Mode of sending the tender
- a) Online through e-tendering only.  
b) Tenders sent by post will be Out right rejected.
- (iii) Description essential to be made on bid
- a)Name of Work **CONSTRUCTION OF CLASS ROOMS AT VIRAMBHAI R. GODHANIYA COLLEGE OF ARTS,COMMERCE, HOMESCIENCE & IT FOR GIRLS, PORBANDAR.**  
b) Last date of Receiving the tender  
Dt. 11th March 2019 up to 18:00 Hrs.  
c) Pre-bid Meeting to be held on 5th March 2019 at 11.00 a.m. at Virambhai R. Godhaniya College Of Arts,Commerce, Homescience & It For Girls, Porbandar.
- (iv) Mode of quoting rate in Schedule "B" In figures as well as words  
|

**NOTICE INVITING ON-LINE TENDER**  
**TENDER NOTICE NO VRG/Tender/18-19/002**

<b>(A) Details of Tender Item:</b>						
Sr. No.	Name of Work	Estimated Tender Value Rs.	EMD	Tender Fee In Rs.	Class of contractor	Time Limit
1	2	3	4	5	6	7
1	<b>Construction Of Class Rooms At Virambhai R. Godhaniya College Of Arts, Commerce, Home science &amp; It For Girls, Porbandar.</b>	81,95,300.00	82000.00	2000.00	<b>Conditions as per tender documents</b>	<b>11 Month</b>
<b>(B) Schedule for e-tendering is fixed as under:</b>						
<b>(i)</b>	Up loading of Tender Documents	On Website from Date:- <b><u>25-2-2019</u></b>				
<b>(ii)</b>	Site Visit (If any)	during office hours before 11-03-2019				
<b>(iii)</b>	Pre-bid Conference	05-03-2019 at 11.00 Am				
<b>(iv)</b>	Downloading of tender documents	<b><u>25-2-2019</u></b> to <b><u>11-3-2019</u></b> Up to 18:00 Hrs				
<b>(v)</b>	On line Submission price-bid.	<b><u>25-2-2019</u></b> to <b><u>11-3-2019</u></b> Up to 18 Hrs				
<b>(vi)</b>	Submission of EMD and Tender fee during office hours	For the purpose of realization, Demand Draft, against E.M.D & TENDER FEE, is to be sent in original to <b>The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar</b> through R.P.A.D./Speed Post/Courier/Hand Delivery before 12-03-2019, 11:00 Hrs. with super scribing the name of work on cover. If contractor fails to submit E.M.D & TENDER FEE within scheduled time then his tender will be canceled. Demand Draft for E.M.D and tender fee, shall be submitted online in electronic format by scanning while uploading the bid. This submission shall mean that E.M.D. Tender fee and relevant documents are received. <u>Accordingly offer of those shall be opened</u> whose E.M.D, Tender fee, are received electronically <u>in the Preliminary stage itself.</u>				
<b>(vii)</b>	Online Tender( Price Bid ) opening Date	<b>12-3-2019 @12.00</b>				

Girls' College  
Porbandar



## NOTICE INVITING TENDERS

1. Tenders are inviting for the work **CONSTRUCTION OF CLASS ROOMS AT VIRAMBHAI R. GODHANIYA COLLEGE OF ARTS, COMMERCE, HOMESCIENCE & IT FOR GIRLS, PORBANDAR. FOR DR. VIRAMBHAI RAJABHAI GODHANIYA College of Arts, Commerce, Home Science And I. T. For Girls, Porbandar, Dist. PORBANDAR.** The work is estimated to cost of Rs. 81,95,300.00 This estimate however, is given as a rough guide.
2. The work are required to be completed within **11 (ELEVEN)** months as per the terms of the contract conditions.
3. The contractor who fulfills all the conditions mentioned below will be permitted to tender:
  - 1) Minimum average turnover of Rs. 50 lacs in past 3 years. This must be supported by CA Certificate with UDIN.
  - 2) The contractor must have permanent establishment in Porbandar District for minimum past 3 years.
  - 3) The contractor must have a Civil Engineer on payroll or under contract for minimum past 3 years.
  - 4) The contractor must produce certificate of experience from minimum 3 customers where new construction involved amount exceeding. Rs. 40 lacs per contract.
  - 5) The contractor must have following registrations proved by relevant certificates/documents:
    - a. GST Registration.
    - b. PAN Card.
    - c. PF Registration
    - d. Profession Tax Registration (Of both Employer and Employee)
    - e. Shop & Establishment Registration.
  - 6) The contractor must attend (either in person or through authorised representative) pre-bid meeting and carry out site visit before pre-bid meeting. For site visit the contractor or authorised representative must visit between 9.00 a.m. to 1.00 p.m. on Monday to Friday.

Not more than one tender shall be submitted by a contractor or by a firm of contractors. No two or more concerns in which an individual is interested as a proprietor and/ or a partner shall tender for the execution of the same work .if they do so, all such tender shall be liable to be rejected.

4. Tender documents shall be submitted to **www.nprocure.com**.
5. Tender documents consisting of condition, specification, Schedule(s) of quantities of the various classes of work to be done, the conditions of contract etc; could be down loaded free of cost, but tender fees of **Rs. 2,000/-** shall have to remit during **on or before 16.00 hours of the last date of uploading.**
6. Copies of other drawings and documents pertain to tender and signed for the purpose of identification by the Accepting Officer or his accredited representative will be open for inspection by tenderer at the following officer or his accredited representative will be open for inspection by tender at the following office during working hours on or before 06/03/2019 16.00 hours:

**Virambhai R. Godhaniya College Of Arts, Commerce, Homescience & It For Girls, Porbandar**

7. Tenderer are advised to visit the site sufficiently in advance of the date fixed for submission of the tender. A tenderer shall be deemed to have full knowledge of all the relevant documents samples, site etc; whether he inspects them or not.
8. Submission of a tender by tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specification of the work to be done and of conditions and rates at which stores, tool and plant etc. will be issued to him, by Tenderee and local conditions and other factors bearing on the execution of the works.
9. A tender should quote in figures as well as in words the rate(s) tendered. The amount for each item should be worked out and the requisite total given. Special care shall be taken to write rates in figures as well as in words and the amount in figures only and in such a way that interpolation is not possible. The total amount shall be written both in figures and in words. In case of figures the words Rs. should be written before the figure of rupees and the words 'paise' after the decimal figure e.g. Rs. 2.15 p. and in case of words the words 'Rupees' should precede and the words 'paise' should be written at the end. Unless the rate is in whole rupees and followed by the word 'only', it should invariably be upto two places of decimal.
10. All rates shall be quoted on the tender form.
11. The tender for the works shall not be witnessed by a contractor or contractors who himself / themselves has/have tendered or who may and has/have tender for the same works. Failure to observe this condition shall render the tender of the contractor tendering, as well as of those witnessing the tender, liable to rejection.
12. Tender Documents shall be received by Hand delivery /Register Post A/D by The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar upto Office Hours upto the 11/03/2019 ( date ) and shall be opened at 11.00 hours on 12/03/2019 in the presence of tenders who may be present.
13. In the case of contractors who have not furnished standing security, the tender shall have to furnish earnest money of **Rs. 82,000.00** (Rupees Eighty two thousand only) by way of a Demand Draft/Pay order of a Scheduled bank issued in favour of The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar.
14. A tenderer shall submit the tender which satisfied each and every condition laid down in this notice and tender documents, failing which the tender will be liable to be rejected.
15. The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar or any member of the RUSA-2 Component 9 Committee of Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar does not bind himself/themselves to accept the lowest or any tender or to give any reasons for the decision.
16. This notice of tender shall form part of the contract documents  
For and behalf of Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar

**Date:** .....

**Signature**.....  
**Designation**.Principal

**Dr. Virambhai Rajabhai Godhaniya College  
of Arts, Commerce, Homescience And It For Girls, Porbandar  
ITEM TENDER AND CONTRACT FOR WORKS**

ADDITIONAL INSTUCTIONS TO PERSONS TENDERING

1. **Competency of Tender** – No contract will be awarded except to responsible bidders capable of performing the class of works contemplated. Before the award of the contract, any bidder may be required to show that he has the necessary facilities, experience, ability and financial resources to perform the work in satisfactory manner within in the time stipulated. Contractor may be required to furnish the department with the statement as to their experience and their financial status.
2. Tender will be deemed to have inspected the site and to have satisfied as to the nature of all works, all existing roads, water-way and other means of communication and access to and from the site and work and the building that may be required for temporary purpose in connection with the construction , completion and maintenance of the works and must make his own inquiries as to work, yard sites and depot, and dumps and as to acquisition of such additional sites and areas as may be necessary for temporary purpose for constructing, completing and maintaining the works.
- 2.1 The tenders shall be received only under “**ONLINE THROUGH E-tendering**” No other system, namely receiving of tenders by Hand Delivery ‘or’ by Express Delivery ‘or’ in person, should be adopted under any circumstances .  
I : Late tenders ( i.e. tender received after the specified time of opening ), delayed tenders (i.e. tenders received before the time of opening but after due date and time of receipt of tenders ) and post tenders offers shall not be opened and considered at all.  
II : The tenders received after time & the date specified in the tender notice shall not be received by the concerned office,  
III : Necessary records should be maintained for refusal of such tenders in the registers for receiving tenders and should be initialed by the Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar.
- 3 **Payment:-** The tender must understand clearly that the rates quoted are for completed works and include all costs due to labour, scaffolding plant, supervision, service works, power, royalties and octroi etc. , and to include all extras to cover the cost of night work if and when required and no claim for additional payment beyond the price/rates quoted will be entertained and the tenderer will not be entitled subsequently to make any claim on the ground of misrepresentation or on the ground that he was supplied with information given by any person (whether the member is the employee of College or not ) . Any failure on his part to obtain all necessary information for the purpose of making his tender and filling the several prices and rates therein shall not relieve him from any risks or liabilities arising out of or consequent upon the submission of the tender.
4. **Tender Forms** – Every ‘blank’ in the form of the tender and in the schedule must be filled up by the tenderer and must return the document sent herewith.
5. Bidders can prepare and edit their offers number of times before tender submission date and time. After tender submission date and time, bidder can not edit their submitted offer in any case. No written or online request in this regard shall be granted.



**Contractors to please read this Carefully :**

1. The percentage in Schedule 'B' must be given in words and figures. Amount thus worked out must also be entered in column and grand total of amount must be struck out by the tenderer.
2. If the tender is taken in favour of the company, a power of attorney in favour of the person who may have signed the tender for the company must accompany the tender.
3. ----Deleted----
4. Demand Draft/Pay order for earnest money Rs. 82,000/- (Rupees Eighty Two Thousand Only) must accompany the tender. Tenderer may pay earnest money Demand Draft/Pay order drawn in favour of The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar. Earnest money by cheque & Bank Guarantee shall not be accepted. If the contractor do not turn up to pay the Security Deposit and execute contract agreement within specified (or extended) time after intimation to him about acceptance of this offer, the earnest money paid for this work will be forfeited and tenderer's tender shall be rejected and then according to aforesaid provision of tender, action to blacklist the contractor will be initiated without Delay.
5. The contractor shall have to furnish latest available Income Tax Assessment Order before his tender is accepted and intimate assessment number and ward under which he is assessed.
6. Copies of certificate as regards previous experience , if any, must accompany the tender.
7. Declaration showing all works on hand with the Contractor and the value of works that remains to be executed in each case must accompany the tender.
8. All pages of Schedule 'A' and 'B' and specifications should be initialed by the Contractor.
9. All corrections, erasures and overwriting should be initialed by the Contractor.
10. Discrepancies and adjustment of Errors :  
Any error in quantity or amount in Schedule 'B' showing items of works to be carried out shall be adjusted in accordance with the following rules.
  - a) In the event of a discrepancy between description in words and figures quoted by a tenderer in the rates column, the description in words shall prevail.
  - b) In the event of an error occurring in the 'amount' column of the Schedule 'B' showing items Of work, as a result of wrong multiplication of the unit rate and quantity; the unit rate shall be regarded as firm and multiplication shall be amended on the basis of the rate.
  - c) All errors in totalling in 'amount' column in carrying forward totals shall be corrected.
  - d) Any rounding of amount against "items" or in "totals" shall be ignored.The tendered sum so altered shall for the purpose of the tender be substituted for the sum originally tendered and considered for acceptance.
10. (i) It may please be noted that the tender will be considered as invalid, especially, if the requirements as per instruction No.1 to 10 above are not complied with before submitting the tender. Also please read carefully the face sheet and 'General Rules and Directions for the guidance of contractor's of this form.



10.(ii) Right is reserved to reject any or all tender(s) without assigning any reason (s) therefore.

10-A The tender documents shall have to be filled in.

11. In addition to the above, the tender will also be liable to be rejected outright if-

i) The tenderer proposes any alteration in the work specified or in the time allowed for carrying out the work or any condition or correction made in any code or mode or Schedule 'B' or specifications.

ii) Any of the page of the tender is/ are removed or replaced

iii) All corrections , additions or pasted slips are not initialed by the tenderer.

iv) Any erasure is made by him in the tender and.

v) The tenderer or in the case of a firm, each partner or the person holding the power of attorney thereof does not sign or signature is /are not attested by a witness on page of the tender in the space provided for the purpose.

**Tender documents for work of :** Construction Of Class Rooms At Virambhai R. Godhaniya College Of Arts,Commerce, Homescience & It For Girls, Porbandar

### **DECLARATION FORM**

- (i) I/We hereby declare that I/We have visited the site and fully acquainted myself/ourselves with the local situations regarding materials, labour and other factors pertaining to the work before submitting this tender.
- (ii) I /We hereby declare that I/We have carefully studied the conditions of contract, specifications and other documents of this work and agree for execute the same accordingly.

### **DECLARATION CERTIFICATE**

- (iii) I/We hereby declare that my/our near relative are not working in Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar or any instutution working under Shree Maldevji Odedara Smarak Trust, Porbandar. at today.

Girls' College  
Porbandar

### General Rules and Directions for the Guidance of Contractors

1. All works proposed to be executed by the contractor shall be notified in a form of invitation to tender pasted on a board hung up in the office of the The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar and signed by the The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar.

This form will state work to be carried out as well as the date of submitting and opening tenders and the time allowed for carrying out the work , also the amount of earnest money to be deposited with the tender and the amount of the security deposit to be paid by the successful tenderer and percentage, if any, to be deducted from bill. It will also state whether a refund of quarry fees, royalties, octroi dues and ground rents will be granted. Copies of the specifications, designs and drawing and estimated rates, and any other documents, required in connection with work which shall be signed by The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar for the purpose of identification shall also be open for inspection by Contractor at the office of The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar during office hours.

- . Where the works are proposed to be executed according to the specifications recommended by a contractor and approved by a competent authority on behalf of the Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar, such specifications with designs and drawing shall form part of the accepted tender.
2. In the event of tender being submitted by a firm. It must be signed separated by each partner thereof or in event of the absence of any partner it shall be signed on his behalf by person holding a power of attorney authorising him to do so. Details of partner will be furnished in Annexure along with the copy of partnership deed.
3. Receipts for payment made on account of any work, when executed by a firm , shall also be signed by all the partners except where the Contractors are described in their tender as a firm in which case the receipts shall be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the usual printed form including the column total according to estimated quantities stating at what rate he is willing to undertake each item of the work. Tender which proposes any alteration in the works specified in the said form of invitation to tender or in the time allowed for carrying out the work or which contain any other condition of any sort , will be liable to rejection. No single tender shall include more than one work but contractors who wish to tender for two or more works shall submit a separate tender for each,
5. The following rule shall apply to all the works
  - (a) It is not desirable to make any alteration in the works specified in the said tender form of invitation to tender or in the time allowed for carrying out the work or any other conditions of any sort. If any price-bid contains any conditions the same shall have to be rejected outright. Document of payment of earnest money and Tender fees shall be submitted together.
  - (b) The tenders i.e. Price-bids and technical bids in separate should be submitted simultaneously by the '**Online through E-Tendering Only**'. The 'Technical and Price' bids shall contain adequate cross reference wherever necessary to ensure clear and proper correlation of them with two bids without any ambiguity whatsoever.
  - (c) The bidders shall clearly indicate deviation (s) from specifications or the tender conditions very explicitly in the appropriate section and submit a copy of the same with the technical bid. It should be very clearly understood by all tenderer that the technical bid should be restricted

only to technical matters and stipulations of conditions, if any by tender having financial implications. The price of main tender should not be disclosed in the technical bid.

(d) The technical bid will be opened first on 12/03/2019 at 11.00 AM in the presence of those bidders who remain present. The date and time of opening of price bids will be determined by the officer who opens the tender, and the same will be intimated to the bidders if required after the technical-bid proposals are opened and analysed and all clarifications/price variations, if any obtained.

(e) The conditions specified in technical-bid should invariably be accompanied by proper financial evaluation with mode of calculation specifying assumptions, quantities, rate and ceiling amounts for each condition and shall also accompany the information in the form stating (a) Sr.No (b) Description of the condition (c) Financial evaluation, (d) Ceiling amount to be added in price-bid, in case condition is not accepted.

(f) Ceiling amounts shall be binding on the contractors and are liable to be added to the tender amount.

(g) It is necessary that the contractor or his authorised representative remains present at the time of opening of technical-bid as specified in (e) above, so that wanting details and clarifications in respect of conditions can be furnished by him or conditions withdrawn on the spot by him. If the technical-bid is incomplete in respect of any of the details referred to in sub-clauses above and the contractor does not furnish the wanting details as required above on the spot in the presence of other bidders after opening the technical –bid, the tender would be liable to rejection .

(h) The evaluation as given by the contractor as modified by tender opening authority with the ceiling limit will then be intimated to all the bidders who remain present and then , if convenient, the price-bid shall be opened on the same day and the combined evaluation of the tender of price-bid and the technical – bid would be worked out. Not further opportunity shall be given to the contractors to modify/withdraw conditions at that stage as the price-bid would be known to all, The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar however , reserves the right to negotiate about the tender(s) further with any or all the contractors. In case the Price-bids cannot be opened on the same day then another date will be intimated to the tenderer as in para (e) above.

6. The officer competent to dispose off the tenders shall have the right of rejecting all or any of the tenders.
7. No receipt for any payment alleged to have been made by a Contractor in regard to any matter relating to this tender or the contract shall be valid and binding on, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar unless it is signed by the Principal.
8. The memorandum of the work to be tendered for and the schedule of materials to be supplied by the Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar and there rates shall be filled in and completed by the office of the Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar before the tender form is issued. If a form issued to an intending tenderer has not been so filled in and completed, he shall request the said principal to have it done before he completes and delivers his tender.
9. Under no circumstances shall any Contractor be entitled to claim enhanced rate for any items in this contract.
10. All corrections and additions or pasted slips should be initialed.
11. The measurements of work will be taken according to the usual method in use in the Public Works Department or as specified in technical specification and no proposals to adopt alternative methods will be accepted. The Principal's decision as to what is the usual method in use in the Public Works Department will be final.
12. The Insurance Company's bond will not be accepted against the security deposit.



13. In the event of any error or discrepancy in write up of tender documents the contractor will not take any undue advantage of such error or discrepancy and Principal shall have powers to interpret and decide correct meaning of contradictory erroneous writing.
14. The contractor shall have to furnish PAN and intimate I.T. ward number which he is assessed.
15. The Contractor will have to construct a shed for storing controlled and valuable materials issued to him under schedule 'A' of the agreement at work-site having double locking arrangement . The materials will then be taken for use in the presence of the Department person. No materials will be allowed to be removed from the site of work.
16. No foreign exchange will be released by the College for the purpose of plant and machinery required for the execution of the work contracted for.
17. Controlled materials (Essentiality Certificate)
  - (i) As regard controlled materials, the College will help to arrange for the permit as far as possible and help the Contractor in securing the same. All incidental charges met with in procuring these materials shall be borne by the Contractor himself. Though the College will help to arrange for the permit as far as possible and help the Contractor in obtaining the materials, it shall not accept any responsibility for any loss on account of delay caused to the Contractor while obtaining the same.
  - (ii)The contractor shall submit to the Principal on close of every calendar month the monthly returns in the prescribed forms as to the receipts and actual use of the controlled materials during the month.
  - (iii) The contractor shall permit the Principal or his representative to inspect the stock of the controlled materials stored by him at any time whenever the Principal or his representative so desire (s).
18. The tender for the work shall remain open for period (120\*) days from the actual date of down loading of the price bids for this work and that the tenderer shall not be allowed to withdraw or modify the offer on his own after downloading of price bid. If any tenderer withdraws or make any modifications or additions in the terms and conditions of his tender not acceptable to the the Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar, then the College shall without prejudice to any right remedy, be at liberty to forfeit in full the said earnest money absolutely.
19. In the tender/agreement wherever word "Bank" is used, it shall be construed as "Scheduled Bank".
20. The buildings under the contract will not be occupied by the contractor for use of his labourers, staff or for any other purpose, in case of breach of this condition market rent will be recovered for the area unauthorized occupied.
21. Contractor shall give true information in Annexures. In spite of the lower bid, a tender may be rejected on grounds of capacity to complete the work in given time or other technical factors.

### **TENDER FOR WORK**

I/ We hereby tender for the execution for the The Principal, Dr. V. R. Godhaniya College of Arts, Commerce, Home Science and IT for Girls, Porbandar (hereinbefore and hereinafter referred to as the Principal) of the work specified in the underwritten memorandum within the time specified in such memorandum at the tendered rates specified in Schedule 'B' (memorandum showing item of works to be carried out ) and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in this tender and in Clause 13 of the annexed conditions of contract and agree that when materials for the work are provided by The College , such materials and the rates to be paid for them shall be as provided in schedule 'A' hereto.

---

\* Strike out which ever is not applicable

+ In figures as well as words



## TERMS & CONDITIONS OF CONTRACT

### CLAUSE 1 : Security Deposit :

The person/persons whose tender is accepted (hereinafter called the "Contractor" which expression shall, unless excluded by, or repugnant to the context include his Legal heirs, executors, administrators and assigns) shall (a) Deposit with the Principal a sum sufficient to make up the full security deposit specified in the tender in fixed deposit receipts of Term Deposits of Scheduled Bank in the name of The Principal within a period of 10 days from the date of receipt of the Notification of his tender , or (b) (i) deposit seventy five percentage of the total security deposits as specified in the tender form with the Principal in Fixed deposit receipt of scheduled bank within a period of ten days form the date of receipt of notification of acceptance of his tender . if the security deposit is not paid within the above specified time, no work order will be issued till the issue about delay is finally decided by the competent authority . (b) (ii) The Principal shall be deemed to have been authorised to deduct the balance of twenty five percentage of the security deposit as specified in the tender form from the amounts that become payable to the contractor for the work done under the contract from time to time, such deduction shall not exceed ten percentage of the amount so payable and the whole amount paid in cash or by way of deduction shall be held by The College by way of security deposit. For the works whose estimated amount is more than rupees fifteen lacs, the Contractor shall have to give the performance bond of any schedule bank equivalent to five percentage of the estimated amount put to tender along with the initial security deposits. All compensation, Liquidated damages or other sums or money payable by the contractor to the College under the terms of this contract shall be deducted from or recouped by the realization of a sufficient part of his security deposit, or from the interest arising there from or from any sums which may due or may become due by the College to the Contractor on any account whatsoever and whether in respect of this contract, any other contract, or otherwise. In the event of his security deposit being reduced by reason of any such deduction or recipient as aforesaid, the contractor shall within ten days thereafter, make good in cash the shortfall in the amount of the security deposit. If the full amount of the security deposit to be paid as above within the period specified above, is not paid the tender/contract already accepted shall be considered as cancelled and legal steps shall be taken against the contractor for recovery of the amounts.

Fifty percentage of the security deposit shall become refundable within Fifteen days after the final completion certificate is issued as per above referred clause. All dues under this contract or other contract, or otherwise, shall be recovered from the aforesaid amount of fifty percentage of the said security deposit and the balance shall be refunded within 15 days after the final certificate is issued as per above referred clause. The remaining fifty percentage of the security deposit shall be refunded after expiry of the Defect Liability period as per clause 17 and 17-A after deducting there from the amount of expenses, if any, due to the College under this contract.

### CLAUSE 2 : Liquidated damages for delay :-

(i ) If the Contractor fails to complete the work under contract by the stipulated date, he shall pay liquidated damages of at the rate of 0.1 percentage of the contract value per day from the date of delaying the said work upto the date of completion and handing over to the the College.

(ii ) However also if the contractor fails to complete any part of the work as designed in Schedule (c) by the time indicated against such part, he shall pay Liquidated damages per day from the date of delaying the said part of the work up to the date of completion of the said designated part at the rates shown in the said schedule of the contract value of such part for such failure till the said designated part. is completed.

(iii) The aggregate maximum of liquidated damages payable under clause No.2 Shall not exceed 0.10 Percentage of contract value per day and shall be subject to the maximum amount of ten percentage of the estimated amount put to tender.

---

(iv) Delays requiring payment of ten percentage liquidated damages of the amount put to tender for performance shall be sufficient causes for termination of contract and for forfeiture of security deposit in respect of works estimated to cost more than Rs.15 lacs, for. Performance and registration of the contractor shall also be kept in abeyance for three years from the date as fixed in all cases.

**CLAUSE 3 : Default by Contractor :**

If the Contractor shall neglect or fail to proceed with the work with due diligence or if he violates any of the provision of the Contract, the Principal shall give the Contractor a notice, identifying deficiencies in performance and demanding corrective action. Such notice shall clearly state that it is given under the provision of this clause. After service of such notice, the contractor shall not remove any plant, equipment and material from the site. The College shall have a lien on all such plant, equipment and material from the date of such notice till the said deficiencies have been corrected as mentioned in the said notice.

If the contractor fails to take satisfactory corrective action within ten days after receipt of such notice, the Principal on behalf of College shall terminate the contract in whole. In case the entire contract is terminated, the amount of security deposit with the value of the work done but not paid for, shall stand forfeited to the College. The plants, equipment and materials, held under this clause shall then be at the disposal of the College to recover the amount equivalent to the liquidated damages and registration of the contractor shall be kept in abeyance for three years from the date as fixed in all such cases.

The Principal if necessary shall direct that a part or the whole of such plant, equipment and material be removed from the site within a stipulated period. If the Contractor fails to do so, the Principal shall cause them or any part of them to be sold holding the net proceeds of such sale to the credit of the Contractor. After settlement of accounts, the lien by the College of the contractor's remaining plant equipment and balances of materials shall be released.

Termination of the contract in whole shall be an adequate authority for the Principal to demand discharge of the obligations from the guarantors of the security for the performance.

**CLAUSE 4 :**

If the progress of any particular portion of the work under Contract is unsatisfactory, the Principal shall, notwithstanding that the general progress of the work is satisfactory, in accordance with Clause 2 be entitled to take necessary action under Clause 3 after giving the Contractor ten day's notice in writing and the contractor shall have no claim whatsoever for any compensation for any loss caused to him due to such action.

**CLAUSE 5 :**

In any case in which any of powers conferred upon the Principal by clause-3 hereof shall have become exercisable and the same shall not have been exercised, the non-exercise thereof shall not constitute a waiver of any of the conditions hereof and such powers shall not with standing be exercisable at any future date.

**CLAUSE 5 A:**

In the event of the Principal taking action under clause 3, he may if so desire take possession of all or any tools, plants, machineries materials and stores in or upon the work or the site thereof or belonging to the contractor or procured by him and intended to be used for the execution of the work or any part thereof, by paying or allowing for the same in account at the contract rate or in case of contract rates not being applicable at such reasonable rate, as may be comparable to current market rates where ascertainable of similar articles and comparable condition, to be certified by the Principal. In the alternative the Principal may by notice in writing to the contractor or his clerk of the works foreman or other authorised agent require him to remove such tools, plants, machineries, materials or stores from the premises within a time to be specified in such

notice and in the event of the contractor failing to comply with any such requisition, the Principal may remove them at the contractor's expenses or shall remove them by auction or private sale at the risk and cost of the contractor in all respects, and the certificate of the Principal as to the expenses of any such removal and the amount of the proceeds and expenses of any such removal shall be final and conclusive against the contractor.

**CLAUSE 6: Extension of time :**

If the contractor shall desire an extension of the time for completion of the work on the ground of his having been unavoidably hindered in its execution or any other ground he shall apply in writing to the Principal before the expiration of the period stipulated in the tender or before the expiration of 30 days from the date on which he was hindered whichever is earlier and the Principal may, if in his opinion, believe that there are reasonable grounds for granting an extension, grant such extension as he thinks necessary or proper. The decision of the Principal in this matter shall be final

**CLAUSE 7 :**

The Principal shall nominate a Qualified engineer (here in after referred as "the Engineer") to supervise the work and give completion certificate. As soon as the work is completed the contractor shall give a notice of such completion to the Principal and on receipt of such notice the Principal shall direct the engineer to inspect the work and if he is satisfied that the work is completed in all respect then :-

(i) For all works costing upto Rs.50 lakhs (amount put to tender) the final measurements shall be recorded within 45 days from the date of physical completion of the work and the final bill shall be prepared within 45 days from the date of recording final measurement., The completion certificate shall be issued within one month from the date of final measurement subject to the contractor fulfilling his obligation as provided in the contract and subject to the work being complete in all respects.

(ii) In respect of works costing more than Rs.50 lakhs (amount put on tender), the final measurements shall be recorded within 75 days from the date of physical completion of the work and the final bill shall be prepared within 75 days from the date of recording final measurements subject to the contractor fulfilling his obligations as provided in the contract and subject to the work being complete in all respects.

When separate period of completion have been specified for items or groups of items, the Engineer shall issue separate completion certificate for such items or groups of items .

No certificate of completion shall be issued nor shall the work be considered to be complete till the contractor shall have removed from the premises, on which the work has been executed, all scaffolding, sheds and surplus materials, except such as are required for rectification of defects; rubbish and all huts and sanitary arrangements required for his workmen on the site in connection with the execution of the work, as shall have been erected by the contractor for the workmen and cleared all dirt form all parts of building(s) in, upon or around which the work has been executed or of which he may have possession for the purpose of the execution thereof and cleared floors, gutters and drains, cased doors and sashes, oiled locks and fastenings labeled keys clearly and handed them over to the Principal or his representative and made the whole premises fit for immediate occupation or use to the satisfaction of the Engineer . if the contractor shall fail to comply with any of the requirements of these conditions as aforesaid, on or before the date of completion of the works, the Principal may , at the expenses of the contractor, fulfill such requirements and dispose of the scaffolding, or surplus materials and rubbish etc. as he thinks fit and the contractor shall have no claim in respect of any such scaffolding or surplus materials except for any sum actually released by the sale thereof less the Cost of fulfilling the requirements and any other amount that may be due from the contractor. If the expenses of fulfilling such requirements is more than the amount realised such disposal as aforesaid the contractor shall forthwith, on demand, pay such excess. The Principal shall also have the rights to adjust the amount of excess against any amounts that may be payable to the contractor.



**CLAUSE 8:**

No payment shall be made for any work, estimated to cost less than rupees one thousand till after the whole of the said work shall have been completed and a certificate of completion given. But in the case of works estimated to cost more than rupees one thousand, the contractor shall on submitting a monthly bill therefore, be entitled to receive payment proportionate to the part of the work then approved and passed by the Engineer, whose certificate of such approval and passing of the sum so payable shall be final and conclusive against the contractor., All such intermediate payments shall be regarded as payments by way of advance against the final payments only and not as payments for work actually done and completed and shall not preclude the Engineer from requiring bad, unsound, imperfect or unskilled work to be removed and taken away and reconstructed or re-erected, nor shall any such payment be considered as an admission of the due performance of the contractor or any part thereof in any respect or the accruing of any claims, nor shall it conclude, determine, or affect in any way the power of the Principal as to the final settlement and adjustment of the accounts or otherwise or in any other way vary or effect the contract. The final bill shall be submitted by the contractor within one month of the completion of the work , otherwise the Engineer's certificate of the measurements and of the total amount payable for the work shall be final and binding on all parties.

**CLAUSE 9 :**

The rates for items of works shall be valid only when the items concerned is accepted as having been completed fully in accordance with the sectional specifications. In cases where the items of work are accepted as not so completed, the Principal may make payment on account of such items at such reduced rates as he may consider reasonable in preparation of final or on account bill.

**CLAUSE 10 : Bills to be submitted monthly :**

A bill shall be submitted by the contractor each month on or before the date fixed by the Principal for all works executed in the previous month and Principal shall take or cause to be taken the requisite measurements for the purpose of having the same verified and the claim, so far as it is admissible, shall be adjusted, if possible, within ten days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid, the Principal may depute a subordinate to measure up the said work in the presence of the contractor or his duly authorised agent whose counter-signature to the measurement list shall be sufficient warrant and the Principal may prepare a bill from such list which shall be binding on the contractor in all respects.

**CLAUSE 11 :**

The contractor shall submit all the bills on the printed forms to be had on application at the office of the Principal. The charges to be made in the bills shall always be entered at the rates specified in the agreement or at the partly reduced rates subject to the approval by the Engineer in the case of items not completed/executed as per agreements or in the case of any extra work ordered in pursuance of these conditions and not mentioned or provided for in the tender, at the rate here in after provided for such work .

**CLAUSE 12 :**

For materials provided in schedule-A and consumed in excess quantities, the rates provided in Schedule A shall be increased/executed corresponding to the increased/decrease in the new rate payable for excess quantity as compared to the tender-rates. The rate for materials provident in extra items will be the issue rates plus storage charge ruling on the date of issue of such quantity of materials.



### CLAUSE 13:

(1) The contractor shall execute the whole and every part of the work in the most substantial and workman-like manner and both as regards materials and in other respects in strict accordance with specifications.

The contractor shall also confirm exactly, fully and faithfully to the design, drawings and instructions in writing for the work signed by the Principal. The design and the drawings shall be lodged in the office of the site Principal to which the contractor shall be entitled to have access for the purpose of inspection at such office during office hours.

Where the instructions referred to above are not contained in separate letters addressed to the contractor the same shall be recorded in the work-order book, which shall be maintained and kept on the site of the work. The contractor shall be required to sign such entries in the work-order book in token of having noted the instructions. However, if the contractor fails to sign the work-order book for any reason whatsoever, the entry of the instructions in the work-order book shall be deemed to be the due notice to him of the said instructions. The work-order book shall be open for inspections to the contractor on the site of the work during office hours.

(2) The contractor will be entitled to receive one copy of the accepted tender along with the work order free of cost and will also be entitled to receive three sets of contract and working drawings according to the progress of work as and when needed, free of cost.

(3) The several documents forming the contract are essential parts of the contract and requirements occurring in one is binding as though occurring in all. They are intended to be mutually explanatory and complimentary and to describe and provide for a complete work.

In the event of any discrepancy in the several documents forming the contract or in any one documents, the following order of precedence should apply.

**(a) Dimension and quantities :** (i) Drawings (ii) Schedule-B of the Tender form (iii) specification.

On drawings, figures dimensions, unless obviously incorrect, will be followed in preference to scaled dimensions.

**(b) Description :** (i) Schedule-B of the Tender form :- (ii) Drawings (iii) Specifications.

In the case of effective description or ambiguity, the Principal is entitled to issue further instructions directing in what manner the work is to be carried out. The contractor cannot take any advantage of any apparent error or omission in drawings or specifications and the Principal shall be entitled to make corrections and interpretations as necessary to fulfill the plans and specifications.

### CLAUSE 14.1 :

The Engineer shall have power to make any alterations in or addition to the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work and the contractor shall be bound to carry out the work in accordance with any instructions in this connection which may be given to him in writing signed by the Principal and such alteration shall not invalidate the contract and additional work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work and at the same rate as out by the contractor on the same conditions in all respects on which he agreed to do the main work and at the same rate as are specified in the tender for the main work.

**14.2.** Except that when the quantity of any item exceeds the quantity as in the tender by more than 10 % the contractor will be paid for the quantity in excess of 10 % at the rate entered in the SOR of the year during which the excess in quantity is first executed or tender rate whichever is less.

**14.3.** If the additional or altered work includes any class of work for which no rate is specified in this contract, then such class of work shall be carried out.

(i) At the rate derived from the item within the contract which is comparable to the one involving additional or altered class of work, where there are more than one comparable items, the item of the contract which is nearest in comparison with regard to class or classes of the work involved shall be selected and the decision of the Engineer as to the nearest comparable item shall be final and binding on the contractor.

(ii) If the rate cannot be derived in accordance with (i) above, such class of works shall be carried out at the rate entered in the Schedule of Rates of the Division for the year in which the tender was received, increased or decreased by the percentage by which the tender amount is more or less as compared to the amount arrived at the rates in the "Schedule of Rates" of the Division in the year in which the tender was received. If the Schedule of rates of the Division does not contain all the items the percentage increase or decrease of the tender shall be calculated considering such items which were included in the "Schedule of Rates" of the Division for the year and for materials consumed on such item the rate to be charged would be the basic rate taken into account for fixing the rate in S.O.R. referred to above instead of the rate stipulated in schedule 'A'.

(iii) If it is not possible to arrive at the rate from (i) and (ii) above, such class of work shall be carried out at the rate decided by the competent authorities on the basis of detailed rate analysis after hearing the contractor before a Committee of Rusa-2 Component 9 of the College.

**14.4** If the additional or altered work, for which no rate is entered in the "Schedule of Rates" of the Division is ordered to be carried out before the rate is agreed upon, then the contractor shall within seven days of the date of receipt by him of the order to carry out the work, inform the Principal of the rate, which it is his intention to charge for such class of work and if the Engineer in charge does not agree to this rates, he shall by notice in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider it advisable, provided always that if the contractor shall commence work or incur any expenditure in regard thereof before the rates shall have been determined as lastly herein before mentioned, then in such cases he shall only be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rate as aforesaid according to such rate or rates as shall be fixed by the Principal. In the event of the dispute, the decision of the Committee of Rusa-2 Component 9 of the College shall be final.

Where, however, the work is to be executed according to the designs, drawings and specifications recommended by the contractor and accepted by the competent authority, the alternation above referred to shall be within the scope of such designs, drawings and specifications appended to the tenders.

The time limit for the completion of the work shall be extended in the proportion that the increase in the cost occasioned by alternations bears to the cost of the original contract work and the certificate of the Engineer to such proportion shall be final and conclusive.

**14.5** For excess in item of well sinking the rates for sinking in depth beyond the designed depth shall be as per the rate quoted by the contractor in the statement of variation, if no rates of variation in sinking are quoted the rate payable shall be the tender rate for sinking at designed level increased by the difference of schedule of rate for sinking at designed depth and sinking at final depth.

**CLAUSE 15: No claim for any payment of compensation for change or restriction of work**

If at any time after the execution of the contract documents the Principal shall for any reason whatsoever, require the whole or part of the work, as specified in the tender, be stopped for any period or shall not require the whole or part of the work to be carried out at all or to be carried out by the contractor, he shall give notice in writing, stating the fact to the Contractor who shall thereupon suspend or stop the work totally or partially, as the case may be. In any such case,

except as provided hereunder, the Contractor shall have no claim to any payment or compensation whatsoever except as provided hereunder on account of any profit or advantage which he might have derived from the execution of the work in full but which he did not so derive in consequence of the full amount of the work not having been carried out, or on account of any loss that he may be put to on account of materials purchased or agreed to be purchased or for unemployment of labour required by him. He shall not have also any claim for compensation by reason of any alteration having been made in the original specifications, drawings, designs and instructions which may involve any curtailment of the work as originally contemplated.

(1) However, the contractor will be entitled for compensation for loss, if any on the date of notice, for the purchased materials or for the contract executed for the material to be purchased for such work. Such compensation will be paid only for actual loss for materials, if such materials so purchased or agreed to purchase is of required quantity/quality and was purchased/ contracted to be purchased only for the same work. But no compensation shall be granted to contractor on material for which advance has been given to contractor by the College. The amount of loss for such claim will be decided by Principal.

(2) The contractor also will be entitled for compensation of unemployed labour for 7 days from the date of notice provided that in that opinion of Principal such labour working for 7 days prior to the notice and would not be in a position to get employment elsewhere within 7 days from the date of such notice . The contractor should try to employ such unemployed labour at other places from the date of such notice.

The decision of Principal will be final and binding to the Contractor.

The Contractor shall not be entitled for loss of any expected profit of such work.

**CLAUSE 16: Time limit for unforeseen claims :**

The contractor shall not be entitled to any compensation from the College on any account unless where allowed by the conditions of this contract. In such cases the contractor shall have to submit a claim in writing to the Principal within one month of the cause of such claim occurring.

**CLAUSE 17 : Action & compensation in case of bad work :**

If at any time before the expire of Defects Liability period as detailed in Clause 17-A . It shall appear to the Principal or his sub-ordinate in charge of the work that/any work has been executed unsound, imperfect or unskilled workmanship or with materials of inferior quality or that any materials or articles provided by him for the execution of the work are unsound , or of a quality inferior to that contracted for or are otherwise not in accordance with the contract, it shall be lawful for the Principal to intimate this fact in writing to the contractor and then notwithstanding the fact that the work, materials or articles complained for may have been passed, certified and paid for the contractor shall be bound forthwith to rectify, or remove and reconstruct the work so specified in whole or in part as the case may require, or if so required, shall remove the materials or articles so specified in whole or in part and provide other proper and suitable materials or articles at his own charge and cost, and in the event of his failing to do so within a period to be specified by the Principal in the written intimation aforesaid, the contractor shall be liable to pay compensation at the rate of one percent on the amount of the estimate of the rectification for every day not exceeding ten days during which the failure so. Continues and in the event of any such failure as aforesaid continuing beyond ten days, the Principal may rectify or remove, and re-execute the work or remove and replace the materials complained of as the case may be at the risk and expense in all respects of the contractor. Should the Engineer consider that any such inferior work or materials as described above may be accepted or made use of, it shall be within his discretion to accept the same at such reduced rates as he may fix therefore.

However, the contractor shall be responsible for normal maintenance of the work till the final bill for the work is prepared by the Engineer.

**CLAUSE 17A :-Defect liability period :** The contractor shall be responsible to make good and remedy at his own expense any defect which may develop or may be noticed before the period



mentioned hereunder from the certified date of completion. The Principal shall give the contractor a notice in writing about the defects and contractor shall make good same within 15 days of receipt of the notice. In the case of failure on the part of the contractor, the Principal may rectify or remove or re-execute the work at the risk & cost of the contractor. The Principal shall be entitled to appropriate the whole or any part of the amount of security deposit towards the expenses, if any, incurred by him in rectification, removal or re-execution. The Defects Liability period shall be as under

(a) for all works costing up to Rs. 50,000 (amount put to tender), the period shall be 3 months from the certified date of completion.

(b) for all works costing more than **Rs. 50,000** and up to **Rs. 1 Crore** (amount put tender), the period shall be **12 months** from the certified date of completion or one monsoon, whichever is later.

(c) for major projects costing more than **Rs. 1 crore**, the period shall be **36 months (Thirty Six)** from the certified date of completion or three monsoons, whichever is later.

(d) For building works, the period specified in (a),(b) or (c)above OR elapse of monsoon period following the certified date of completion, whichever is later. For the purpose of deciding the monsoon period, the 30 th September may be treated as the last date.

**CLAUSE 18: Work to be open to inspections –Contractor or responsible agent to be present. :-**

All Works under or in course of execution or executed in pursuance of the contract shall, at all times be open to the inspection and supervision of the Engineer, the Principal and his subordinates and the Contractor shall, at all times during the usual working hours, and all other times for which reasonable notice of the intimation of the Engineer, the Principal or his subordinate to visit the works shall have been given to the contractor, either himself be present to receive orders and instructions or have a responsible agent duly accredited in writing present for that purpose. Orders given to the contractor's duly authorised agent shall be considered to have the same force and effect as if they had been given to the Contractor himself.

**CLAUSE 18: Employment of a qualified site Engineer by the Contractor.**

The Contractor shall employ full-time technically qualified civil engineer during the execution of this work. The Engineer so employed for the the College work must have sufficient experience to handle the work independently. Such an Engineer shall have to stay at the site of work and he shall not be entrusted with other duty except this work.

In case the contractor or partner of the contractor firm is a Civil Graduate Engineer, Employment of separate Engineer will not be necessary provided that the Engineer partner himself attends the execution of the work on the site.

**CLAUSE 19 : Notice to be given before work is covered up :**

The contractor shall give not less than five day's notice in writing to the Principal or his subordinate in charge of the work before covering up or otherwise placing beyond the reach of measurement any work in order that the same may be measured and correct dimensions there of taken before the same is so covered up or placed beyond the reach of measurement and if any work shall be covered up or placed beyond the reach of measurement without such notice having and if any work shall be covered up or placed beyond the reach of measurement without such notice having been given or consent obtained , the same shall be uncovered at the contractor's expenses and in default thereof no payment or allowance shall be made for such work or for the materials with which the same was executed.

**CLAUSE 20:**

If the contractor or his workmen, or servants shall break, deface, injure or destroy any part of the building or the work in a question in/on which they may be working or any building , road, fence, enclosure or grassland or cultivated ground contiguous to the premises on which the works or any



part thereof is being executed or if any damage shall be done to the work from any causes whatever before damage occurred/caused due to normal flood or rain or if any imperfections become apparent in it within three months from the grant of a certificate of completion, final or otherwise by the Engineer, the contractor shall make good the same at own expenses or in default, the Principal may cause the same to be made good by other contractor, and deduct the expenses (of which the certificate of the Engineer shall be final) from any sums that may thereafter become due to the contractor or from his security deposit or the proceeds of sale thereof or a sufficient portion thereof.

**CLAUSE 20A :**

Neither party shall be liable to the other for any loss or damage occasioned by or arising out of God, such as "Unprecedented flood", volcanic eruption, earthquake or other convulsion of nature and other acts such as but not restricted to general strike, invasion, the acts of foreign countries, hostilities, or war like operations before or after declaration of war, rebellion, military or usurped power which prevent performance of the contract and which could not have been foreseen or avoided by a prudent person.

**Note :** "Unprecedented flood" means the flood crossing the High Flood Level of the past Twenty Year(s) which is on the available record.

**CLAUSE 21: Contractor to supply plant, ladders, scaffolding etc. and is liable for damage arising from non-provision of lights, fencing etc. :**

The contractor shall supply at his own cost all materials (except such special materials if any, as may, in accordance with the contract to be supplied from the College), plant, tools, appliances, implements, ladders, cordage, tackle, scaffolding, and any temporary works which may be required for the proper execution of the work whether in the original, altered or substituted form and whether included in the specifications, or other documents forming part of the contract or referred to in these conditions or not and which may be necessary for the purpose of satisfying or complying with requirements of the Principal as to any matter or to which under these conditions he is entitled to be satisfied or which he is entitled to require together with carriage there for to and from the work. The contractor shall also supply without charge the requisite number of persons with the means and materials necessary for the purpose of settings out works and counting, weighing and assisting in the measurement or examination at any time and from time to time, of the work or the materials, failing this, the same may be provided by the Principal at the expenses of the Contractor and the expenses may be deducted from any money due to the Contractor under the contract or from his security deposit, or proceeds of sale thereof or of a sufficient portion thereof. The contractor shall provide all necessary fencing and lights required to protect the public from accident and shall also be bound to bear expenses of defence of every suit, action or other legal proceeding, at law that may be brought by any person for injury sustained. Owing to neglect of the above precautions and to pay any damages and costs which may be awarded in any such suit, action or proceedings to any such person, or which may, with the consent of the Contractor, be paid in compromising any claim by any such person.

**CLAUSE 21A:** The Contractor shall provide suitable scaffolds and working platforms, gangways and stairways, and shall comply with the following regulation in connection therewith.

(a) Suitable scaffolds shall be provided for workmen for all works that cannot be safely done from a ladder or by other means.

(b) A scaffold shall not be constructed, taken down or substantially altered except

(i) Under the supervision of a competent and responsible person.

(ii) appointed by contractor and by competent workers possessing adequate experience in this kind of work.

(c) All scaffolds and appliances connected therewith and all ladders shall

(i) be of sound material

- (ii) be of adequate strength having regard to the loads and strains to which they will be subjected and
  - (iii) be maintained in proper condition
  - (d) Scaffolds shall be so constructed that no part thereof can be displaced in consequence of normal use.
  - (e) Scaffolds shall not be overloaded and so far as practicable the load shall be evenly distributed.
  - (f) Before installing the lifting gear on scaffolds, special precaution shall be taken to ensure the strength and stability of the scaffolds.
  - (g) Scaffolds shall be periodically inspected by a competent person .
  - (h) Before allowing a scaffold to be used by his workmen, the Contractor shall, whether the scaffold has been erected by his workmen or not, take steps to ensure that it complies fully with the regulation herein specified.
  - ( i ) Working platforms, gangways shall –
    - (i) be so constructed that no part thereof can be dug unduly or unequally.
    - (ii) be/so constructed and maintained having regard to the prevailing conditions as to reduce as far as practicable risks of persons tripping or slipping and
    - (iii) be kept free from any unnecessary obstruction.
  - ( j ) In the case of working platforms, gangways working places and stairways at a height exceeding 2.00 Mtr.(to be specified)
    - ( i ) every working platform and every gangway shall be closely boarded unless other adequate measures are taken to ensure safety.
    - (ii) every working platform and every gangway shall have adequate width, and
    - (iii) every working platform, gangway, working place and stairway shall be suitably fenced.
  - (k) Every opening in the floor of a building or in a working platform shall, except for the time and to the extent required to allow the access of person or the transport or shifting of materials be provided with suitable means to prevent the fall of persons or material.
  - (l) When persons are employed on a roof where there danger of falling from a height exceeding 3.00 Mtr.(to be specified ) meters suitable precaution shall be taken to prevent the fall of persons or material.
  - (m) Suitable precautions shall be taken to prevent persons being struck by articles which might fall from scaffold or other working places.
  - (n) Safe means of access shall be provided to all working platforms and other working places.
- CLAUSE 21B :** The contractor shall comply with the following regulations as regards the hoisting appliances to be used by him
- (a) Hoisting machines and tackle including their attachments, anchorages and supports shall –
    - (i) be of good mechanical construction, sound material and adequate strength and free from patent defect, and
    - (ii) be kept in good repair and in working order
  - (b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of suitable quality and adequate strength and free from patent defect.
  - (c) Hoisting machines and tackles shall be examined and adequately tested after erection on the site and before use and be re-examined in position at intervals to be prescribed by Principal.
  - (d) Every chain, ring, hook, shackle, swivel and pulley block used in hoisting or lowering materials or as a means of suspension shall be periodically examined.
  - (e) Every crane driver or hoisting – appliance operator shall be properly qualified.
  - (f) No person who is below age of 15 years shall be in control of any hoisting machine, including any scaffolds, nor shall give signals to the operator.
  - (g) In the case of every hoisting machine and of every chain, ring hook, shackle, swivel and pulley block used in hoisting or lowering or as a means of suspension the safe working load shall be ascertained by adequate means.
  - (h) Every hoisting machine and all gears referred to in preceding regulation shall be plainly marked with the safe working load.

( i ) In the case of hoisting machine having a variable safe working load, each safe working load and conditions under which it is applicable shall be clearly indicated.

( j ) No part of any hoisting machine or gear referred to in regulation 'g' above shall be loaded beyond the safe working load except for the purpose of testing.

(k) Motors, gears, transmissions , electric wiring and other dangerous parts of hoisting appliances shall be provided with sufficient safeguards.

( l ) Hoisting appliances shall be provided with such means as will reduce to a minimum the risk of the accidental descent of the load.

(m) Adequate precautions shall be taken to reduce to minimum the risk of any part of a suspended load becoming accidentally displaced.

**CLAUSE 22 : Measures for Prevention of Fire :**

The contractor shall not set fire to any standing jungle, tree bush wood or grass without a written permit from the Principal .

When such permit is given, and also in all cases when destroying cut or dug up tree, bush wood, grass etc. by fire, the contractor shall take necessary measures to prevent such fire spreading to or other-wise damaging surrounding property. When such permit is given and also in all cases when destroying cut or dug up tress, bush wood, grass etc. by fire, the contractor shall take necessary measures to prevent such fire spreading to or other-wise damaging surrounding property.

**CLAUSE 23 : Liability of contractors for any damages done in or outside work area :**

Compensation for all damage done intentionally or unintentionally by Contractor's laborers whether in or beyond limits of The College property including any damage caused by the spreading of fire mentioned in the clause 22, shall be estimated by the Principal, or such other Officer as he may appoint and the estimates of the Principal, shall be final and the contractor shall be bound to pay the amount of the assessed compensation on demand, failing which the same will be recovered from the Contractor as damages in the manner prescribed in clause 1 or deducted by the Principal from any sums that may be due or become due from the College to the contractor under this contract or otherwise.

The Contractor shall bear the expenses of defending any action or other legal proceeding that may be brought by any person for injury sustained by him owing to neglect of precautions to prevent the spread of the fire and he shall also pay the damages and cost that may be awarded by the court in consequence.

**CLAUSE 24 : Deleted**

**CLAUSE 25 : Deleted**

**CLAUSE 26 : Work not to be sublet. Contract may be rescinded and security deposit forfeited for subletting it without approval or for bribing Principal/Engineer or if contractor becomes insolvent :**

The contract shall not be assigned or sublet without the written approval of the Principal. And if the contractor shall assign or sublet his contract or attempt to do so or become insolvent or commence any proceeding to get himself be adjudicated an insolvent or make any compromisation with his creditors, or attempt to do so, the Principal may, by notice in writing rescind the contract, Also if any bribe, gratuity , gift loan, perquisite, reward or advantage, pecuniary or otherwise, shall either directly or indirectly be given, promised or offered by the contractor, or any of his servants or agents to any public officer or person in the employ of the College in any way relating to his office or employment, or if any such officer or person shall become in any way directly or indirectly interested in contract, the Principal may thereupon by notice in writing rescind the contract. In the event of contract being rescinded, the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of the College and the same consequence shall ensue as if the contract had been rescinded under clause 3 hereof



and in addition the contractor shall not be entitled to recover or be paid for any work therefore actually performed under contract.

**CLAUSE 27: Sums payable by way of compensation to be considered as reasonable compensation without reference to actual loss :**

All sums payable by a contractor by way of compensation under any of these conditions shall be considered as a reasonable compensation to be applied to the use of the College without reference to the actual loss or damage sustained and whether any damage has or had not been sustained.

**CLAUSE 28 : Change in the constitution of firm to be notified :**

In the case of a tender by partners, any change in the constitution of a firm shall be forthwith notified by the Contractor to Principal for his information.

**CLAUSE 29: Works to be under directions of Engineer :**

All works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of Engineer of the College for the time being, who shall be entitled to direct at what point or points and in what manner they are to be commenced and from time to time carried on.

**CLAUSE 30 : (1) Disputes to be referred to Tribunal :**

The disputes relating to this contract, so far as they relate to any of the following matters, Whether such disputes arise during the progress of the work or after the completion or abandonment thereof, shall be referred to the Arbitration Tribunal, Gujarat State.

(i) The rates of payment under clause 5 for any tools, materials and stores, in or upon the works of the site thereof or belonging to the contractor or procured by him an intended to be used for execution of the work or any part thereof possession of which may have been taken by the Principal under the said clause-5

(ii) The Reduction in rates made by the Principal under clause 9 from the items of works not accepted as completed fully in accordance with the sanctioned specifications.

(iii) The rate of payment for any class of work which is included in the additional or altered work carried out by the contractor in accordance with the instructions of the Principal under clause 14 and the rates for which is to be determined under the said clause 14.

(iv) The rates of payment for materials already purchased or agreed to be purchased by the contractor before receipt of notice given by the Principal under clause 15, and/or the amount of compensation payable to the contractor under the said clause for loss in respect of such materials.

(v) The amount of compensation which the contractor shall be liable to pay under clause 17 in the event of his failure to rectify, remove or reconstruct the work within the period specified in the written intimation or the amount of expenses incurred by the Principal under the said clause 17 in rectifying, removing or re-executing the work or in removing and replacing the materials or articles complained of .

(vi) The reduction of rates as may be fixed by the Principal under clause 17 for the inferior work or materials as accepted or made use of.

(vii) The amount of compensation payable by the contractor for damages as estimated and assessed under clause 23.

(viii) The amount payable to the contractor for the work carried out under clause 33 in accordance with the instructions and the requirements of the Principal in a case where there are no specifications .

(2) The provision of Section-21 of the GPWD dispute Arbi. Tribunal Act -92 & order issued by the Govt. in connection with this Act will now apply for Arbitration

(3) The provision of Arbitration Act ., shall in so far as they are inconsistent with the provision of this act cease of to apply to any dispute arising from a works contract and all arbitration

proceedings in relation to such dispute before an arbitrator, court of authority shall stand transferred to the Tribunal.

(4) The awards declared by the arbitrator should be speaking award, giving reasons and calculations for every item of claims. The decision will have to be implemented by the College and Contractor.

(5) In case of dispute leading to the contractor or the College approaching to Court of Law, it shall be within the jurisdiction of Porbandar.

(6) The reference to arbitration proceeding under this clause shall not

(i) affect the right of the Principal under clause 5 to take possession of all or any tools plants materials and stores in or upon the works of site thereof belonging to the contractor or procured by him and intended to be used for the execution of the work or any part thereof.

(ii) Preclude the Principal from utilising the materials purchased by the contractor in any work or from removing such materials to other places, during the period the work is stopped or suspended in pursuance of notice given to the contractor under clause 15

(iii) Entitle the contractor to stop the progress of the work or the carrying out the additional or altered work in accordance with the provisions of clause 14 or as the case may be or clause 33.

**CLAUSE 31 : Deleted**

**CLAUSE 32 : Lump sum in estimates :**

When the estimate on which a tender is made includes lump sum in respect of part of the work, the contractor shall be entitled to payment in respect of the items of work involved or the part of the work in question at the same rates as are payable under this contract for such items, or if the part of the work in question is not in the opinion of the Principal capable of measurement the Principal may, as his discretion, pay the lump sum amount entered in the estimate and the certificate in writing of the Principal shall be final and conclusive against the contractor with regard to any sum or sums payable to him, under the provisions of this clause.

**CLAUSE 33 : Action where no specifications :**

In the case of work for which there is no such specification, such work shall be carried out in accordance with the Divisional Specification and in the event of there being no Divisional Specifications, then, in such case the work shall be carried out in all respects in accordance with the instructions and requirements of the Principal.

**CLAUSE 34 : Definition of work :**

The expression "work" or "works" where used in these conditions shall, unless, there be something in the subject or context repugnant to such construction to mean the work, or the works, contracted to be executed under or in virtue of the contract, whether temporary or permanent and whether original, altered, substituted or additional .

**CLAUSE 35 : Contractor's percentage whether applied to net or gross amount or the bill :**

Percentage referred to in the tender shall be deducted from / added to the gross amount of the bill before deducting the value of any stock issued. (This clause shall be applicable only for B-1 tender)

**CLAUSE 36 : Non refund of quarry fees & Royalties :**

The contractor shall pay the royalty to the competent authority / local body as per rules. The contractor shall furnish quarterly the statement showing quantity of quarried materials, from whom purchased ( with full address of the seller ) and copies of bills for purchase to the District Officer of the Mining and Geology Department or authority competent to levy royalty in the area of work. Contractor shall also furnish such additional information as regard royalty payment to the royalty authority. The royalty charges paid shall be borne by the Contractor and shall not be reimbursed by The Principal (Authority :- R & BD Circular No. TNC – 2286 – UO – 39 (19) – C dated 23-10-1989.)

pnMU4 BF6 VG[pHF] IJEFUGF p5ZMST IJQFI 5ZtJGF TFP !q!( \* GF 9ZFJ SPFS VD; LVFZvZ! &( v &&(5 K DA  
H6fjIF 5DF6[SFI]JFCL SZJFGL ; JRGF ov  
! f -FP ZP\_\_\_ , FB sA[ , FBf YL JW] VNFHL ZSDGAFSDM CMI TJF SFDM DF8[SFI 5F, S . HGZzl SFDGM JS" VMOZ VF5[ S]  
TJT H SFDGF XLOI, vALGL GS, H[ T] IJ:TFZGF DNGLX IGI FDS VYJF ÖHLVM, MHL; L:8 VYJF VF; L:8g8Ö  
HLVM, MHL; L:8 VYJF E;TZ VG[BGLH XFBGF ÖHL<, F SRZLGF JOF HVM S, §8ZzLGL SRZLDAFA; [K]TDG[VF5JFGL  
ZCXP  
Zf -FP ZP\_\_\_ , FB sA[ , FBf YL p5ZGF SMg8FS8ZIM[T]MM[BZLN, BGLHGM HyYM VG[T]SI FYL BZLN, K[T]JRGFZGL  
IJUTMNXFJT AL, MGL GS, M TYF 5+GF ~5DA DFCLTL NZ +6 DF; p5Z ! P DFNXFJ, VIWSFZLG[5ZL 5FOJFGL ZCXP VF  
AL, MDAFDF, JRGFZG]GFD4 :Y/4 TFZLB VG  
DF, , [GFZG]GFD VG[HyYM JUZ[NXFJ], F CMJF HM. VP  
#f H-Z 50I[H-ZL SL; ; FDFp5Z ! P DFNXFJ, VIWSFZLzL TZOYL JW DFCLTL IJUT DF, S[AL, GF ; AWDFA DFUJFDF  
VFJ[ TM T] H[ T] SFI 5F, S . HGZzl BGLH BFTGF VIWSFZLG[T] IJUTM SMg8FS8Z 5F; YL D/ JJFDF DNN SZXP HM VFJL  
DFCLTL ; D1 ; Z VF5JFDFGF VFJ[T]SM. SFI 5F, S . HGZzl4 TZOYL VF VU; CSFZ G D/[TM BGLH IJEFUGF VIWSFZL  
TJT" H VF AFAT IGI FDSZLGF wL FG p5Z D\$XP H[VM VF VU] pnMU4 BF6 VG[pHF] IJEFU TYF H[ T] ; AIWT IJEFUGF  
; IRJzLGF wL FG 5Z D\$X[ VG[VFJM 5+ D?IYL ; AIWT IJEFUGF ; IRJzL4 H[ T] SFI 5F, S . HGZzLG[ TftSI, S DFCLTL  
5ZL 5FOJF ; JRGF VF5XP VF 5YF VD, L AGTAVF 5IZ5+GL TFZLBYL ; LSI NZL8L 0L5Mh8 5ZT SZJF DF8[ZMI <8L E I F]  
VUGF 5DF65+GM VFUJ ZFBJFGM ZCXP[GCLP  
ZFH1 : ZSFZGF AFWSFD DF8]J5FTF UF6 BIGHGL ZMI <8L EZJF AFATPPPPP  
VF SFDDA HIFZ] ; FNL DF8L sVMOLGZL S, f VG[ s; M08f DJZD JF5ZJFDF VFJ[ TGf p5Z 56 ZMI <8L R\$JF 5F+ KP  
IJXDFDF[UF6 BGLH AFATDAUP UFPVPIGP! )&& VG[T]GF VG; WFGDA JBTUJBT ACFZ 5FOJFDF VFJ, F 9ZFJM 4 , FUJ  
50XP4 VG[ T] DHA , lh S[ 5ZDL8 , JFG] VG[ ZMI <8L EZJFGL ZCXP s pWMMU4 BF6 VG[ pHF] IJEFU 9ZFJ SPFS  
VDPVDPVFZP q ! ! Z\_\_\_ q Z\_! # q K TFP! v) v\_ \$  
! vVP SZFZ C9/GF OF. G, AL, GL GS, HL<, FGF E;TZ VIWSFZLG[VF5JFGL  
ZCXP  
s DFPDPIJEFUGM 5IZ5+ SPFS 8LVG; L q ! \_q Z\_\_ Z q s! \$f q ; TFPZ (v\$VZ\_\_# TYF Z\*v\$VZ\_\_5 f

**Clause 37: Compensation under the workmen’s compensation Act :**

The contractor shall be responsible for and shall pay compensation to his workman payable under the Workman’s Compensation Act. 1923 (VIII of 1923) hereinafter called the said Act) for injuries caused to the workman. If such compensation recoverable by The College as principal under sub-section 12(1) of the said Act on behalf of the Contractor it shall be recoverable by The College from the contractor under sub section 12(2) of the said section. Such compensation shall be recovered in the manner laid down in clause 1 above.

**CLAUSE 37-A**

The Contractor shall be responsible for and shall pay the expenses of providing medical aid to any workmen who may suffer a bodily injury as a result of an accident. If such expenses are incurred by The College, the same shall be recoverable from the contractor for with and be deducted, without prejudice to any other remedy of The College from amount due or that may become due to the Contractor.

**Clause 37-B:**

The contractor shall provide all necessary personal safety equipment and first aid apparatus available for the use of the person employed on the site and shall maintain the same in suitable condition for immediate use at any time and shall comply with the following regulations in connection therewith.

- (a) The workers shall be required to use the equipment so provide by the Contractor and Contractor shall take adequate steps to ensure proper use of the equipment by those concerned.
- (b) When work is carried on in approximates to any place where there is a risk of drowning all necessary equipment shall be provided and kept for use and all necessary steps shall be taken for the prompt rescue of any person, in danger.
- (c) Adequate provision shall be made for prompt first aid treatment of all injuries to be sustained during the course of the work.



**Clause 38 :**

The quantities shown in the tender are approximate and no claim shall be entertained for quantities of work executed being less than those entered in the tender. In the case of increase in the quantities by more than 10% the new rate will be paid to the contractor for the quantities in excess of 10%. The rates for the increased quantities as aforesaid will be fixed in the manner specified in clause – 14

**Clause 39 : Employment of famine or other labour :**

The contractor shall employ any famine, convict or other labour or particular kind or class, if ordered in writing to do so by the Principal.

**Clause 40 :**

No compensation shall be allowed for any delay caused in the starting of the work on account of delay in making available the full site of land at a time.

**Clause 41 :**

No claim for compensation shall be allowed for any delay in execution of the work on account of water standing in borrow pits or compartment. The rates are inclusive of hard or cracked soil, excavation in mud, sub soil water or water standing in borrow-pits and no claim for an extra rate shall be entertained unless otherwise expressly specified.

**Clause 42 : Entering upon or commencing any portion or work :**

The Contractor shall not enter upon or commence any portion or work except with the written authority and instruction of the Principal or of his subordinate in charge of the work. Failing such authority, the Contractor shall have no claim to ask measurement of or payment for work.

**Clause 43 : Minimum age of person employed :**

(I) No Contractor shall employ any person who is under the age of 18 years.

**Clause 43 (i) :**

**The employment of donkeys and / or other animals and the payment of fair wages :** For Asphalt work(s) as far as possible, only the adult persons should be employed by the contractor. If the adult person are not available, then the children below the age of 15(Fifteen years ) should not be employed under any circumstance.

(ii) No contractor shall employ donkeys or other animals with branching of string or thin rope. The branching must be at least three inches wide and should be of tape (Newer).

(iii) No animal suffering from stores, lameness or emaciation or which is immature shall be employed on the work.

(iv) The Principal or his agent is authorised to remove from the work any person or animal found working which does not satisfy these conditions and no responsibility shall be accepted by The College for any delay caused in the completion work by such removal.

(v) The Contractor shall pay fair and reasonable wages to the workman employed by him in the contract undertaken by him in the event of any dispute arising between the Contractor and his workmen on the grounds that the wages paid are not fair and reasonable, the dispute shall be referred without delay to the Principal who shall decide the same. The decision of the Principal shall be conclusive and binding on the Contractor , but such decision shall not in any way affect the conditions in the contract regarding the payment to be made by The College at the section tender rates.

(vi) The contractor shall provide drinking water facilities to the workers/ laborers employed on The College works Amenities relating to sanitation shall also be provided to the workers/laborers employed on works (in urban areas) . if the contractor fails to comply with these provisions, the Principal shall give notice in writing and if the contractor does not provide this facility to the

workers/ laborers within a period of ten days from the date of the notice in writing, the Principal shall thereupon make the arrangement for drinking water at the cost of the contractor.

(vii) The Contractor shall provide the amenity of proper shade and shelter to the workers/ labourers and their children on The College works as soon as the work starts. If the contractor fails to provide shed and shelter, the Principal shall provide the same at the cost of contractor.

**Clause 44 : Method of payment :**

Payment to contractor shall be made by online transfers through banking channel and use of PFMS portal of Government of India.

**Clause 45 : Deleted**

**Clause 46 : Deleted.**

**Clause 47 : Deleted**

**Clause 48 :** The rates to be quoted by the Contractor must be inclusive of all taxes prevailing on due date of bid submission.

However any subsequent changes in the tax structure by the Government after due date of bid submission will be compensated (₹) on availability or submission of actual documentation. Contractor has to intimate the Principal regarding changes occurred in the tax structure after bid submission. If contractor fails to provide such information and if any financial obligation may arise due to change in tax structure, same will be recovered from the contractor.

The contractor shall apply fair means of stock maintenance and shall adopt accounting standards as may be prescribed under GST. For arriving at the difference in procurement prices due to introduction of GST, it will be open for the College to ask for original invoices, LR, weight bridge slips, payment details and such other documents as may be required for the purpose.

If there is reduction in overall tax burden then proportional benefit of that shall be passed on to the Government.

**Clause 49 :** The Contractor should, as far as possible , obtain his requirement of laborers skilled and unskilled , from the nearest Employment Exchange so as to utilize the local employment potential. If there are no local Employment Exchange or such Exchanges are not able to provide the required labour locally, suitable laborers should be utilised to the maximum extent possible.

**Clause 50 : Fair Wages :**

If a Contractor fails to pay within '7' (Seven) days to the laborer(s) /worker(s) the minimum wages prescribed by the The College under the Minimum Wages Act. 1948 as in force from time to time, the Principal shall be at liberty to deduct the amount payable to the laborer/ workers from his (Contractors) bills or deposit(s) payable by the Contractor after making due inquiries and establishing the claim(s) of the laborer(s) /Workers(s).

The contractor shall not be entitled to any payment of compensation on account of any loss that the Contractor may have to incur on account of the action as aforesaid. Before the action as aforesaid, is enforced, a notice in writing to the Contractor shall be issued by the Principal to pay the wages as per Minimum Wages Act in force at the relevant time. If Contractor does not act as aforesaid within seven days, then the action contemplated as above shall be taken against him.

**Clause 51 : Deleted**

**Clause 52 : List of Machinery :**

The contractors shall also give a list of machineries in his possession and which they purpose to use on the work.

**Clause 53 :** (i) In case , the roller deployed by Department for the use on contract work is kept idle by the contractor for want of adequate labour and materials, the contractor will have to pay

rental charges as per prevailing rules even though the items of rolling and watering are to be carried out by the department.

(ii) If the contractor does not plan his programme so as to suit the requirement of the Department, the proportionate rental charge on roller shall be recovered from the contractor.

**Clause 54 : Deleted**

**Clause 55 :** Rent will be recovered from the contractor for the land given to them for stacking materials as well as for construction of temporary hutments etc.

Land measuring Charges

1. One hectare or less	Rs. 05 Per month
2. More than 1 hectare & upto 2 hectares	Rs.10 per month
3. More than 2 hectare & upto 3 hectares	Rs.15 per month
4. More than 3 hectare & upto 4 hectares	Rs.20 per month

**Clause 56 : Deleted**

**Clause 57 :**

**1 Huts :** The contractor shall build sufficient number of huts on a suitable plot of land for the use of the laborers according to the following specifications.

- (1) Huts of bamboos and grass may be constructed.
- (2) A good site shall be selected. High ground removed from jungle but well provided with trees shall be chosen wherever it is available. The neighborhood of rank jungle, grass or weeds should particularly be avoided. Camps should not be established close to large cuttings of earth work.
- (3) The lines of huts shall have open spaces of at least 10 m. between rows. When a good natural site cannot be procured, particular attention should be given to the drainage.
- (4) There should be no over-crowding. Floor spaces at the rate of 2.8 Sq.m. per head shall be provided. Care should be taken to see that the huts are kept clean and in good order.
- (5) The contractor must find out his own land. If he wants The College land, he should apply for it and pay assessment for it.
2. **Drinking Water :** The contractor shall as far as possible, provide an adequate supply of chlorinated pure potable drinking water for the use of laborers. This provision shall be at the rate of not less than 4.5 liters per head . No provision need-be made where there is a suitable nala, river or well within 0.4 km of the camp. However arrangement should as far as possible, be made to chlorinate water by chlorinated tables fore it is allowed for drinking purpose .
3. The contractor shall construct semi permanent latrines for the use of Laborers on the following scale, namely (a) Where female are employed , there shall be at least one latrine for every 25 females . (b) Where males are employed there shall be at least one latrine for every 25 males provided that where the number of males or female exceed 100 , it shall be sufficient if there is one latrine for every 25 males or females , as the case may be upto the first 100 and one for every 50 thereafter.
4. **Privacy in latrines :** Every latrine shall be under cover and so partitioned off as to secure privacy , and shall have a proper door and fastenings.
5. **Notice to be displayed outside latrines and urinals :** (1) Where workers of both sexes are employed there shall be displayed outside each block of latrine and urinal a notice in the language understood by the majority of the workers For Men Only or For Women Only : as the case may be. (2) The notice shall also bear the figures of a man or of a women, as the case may be .
6. **Urinals :** There shall be at least one urinal for male/female workers upto 50 employed at a time . Provided that where the number of male or female workmen, as the case may be,



exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females upto the first 500 and one for every 100 males or females or part thereof.

7. **Latrines and Urinals to be accessible :** (1) The latrines and urinals shall be conveniently situated and accessible to workers at all times at the establishment . (2) (I) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times (ii) Latrines and urinals other than those connected with a flush sewage system shall comply with the requirements of the Public Health Authorities.
8. **Water for latrines and urinals :** Water shall be provided by means of pipes or tanks or the rise, so also be conveniently accessible in or near the latrines and urinals.
9. **Bathing and washing places :** (1) The contractor shall construct sufficient number of bathing places every unit of 20 persons being provided with a separate bathing place. (2) Washing places should also be provided for the purposes of washing clothes. Every unit of 30 persons shall have at least one washing place. (3) such bathing and washing place should be suitably screened and separate places provided for male and female workers . (4) Such facilities shall be conveniently accessible and shall be kept in clear and hygienic condition.
10. **Drainage :** The contractor shall make sufficient arrangement for draining away the sewerage water as well as water from the bathing and washing places and shall dispose off this waste water in such as way as not to cause nuisance. The contractor should obtain a permission from the Gujarat Water Pollution Control Board, Gandhinagar if Water is so be drained in river or near the well . The contractor would put malaria oil once in a week in stagnant water round about the residence.
11. **Medical facilities :** The contractor shall engage a medical officer with a traveling dispensary for a camp having 500 or more persons if there is no The College or other private dispensary situated within 6 k.m. from the camp.
12. **Conservancy and cleanliness:** The contractor shall provide the necessary staff for effecting the satisfactory conservancy and cleanliness of the camp to the satisfaction of the Principal . At least one sweeper per 200 persons should be engaged. Conservancy staff should dump refuse in compost pit, away from the labour camp.
13. **Health Provisions :** The District Health Officer of the District or the Deputy Director of Health Service shall be consulted before opening a labour camp and his instructions on matters, such as the water supply, sanitary convenience, the camp-site, accommodation and food supply shall be followed by the contractor.
14. **Precautions against epidemic :** (a) The authorities in charge of the colonies should get the laborers inoculated against cholera and plague and vaccinated against smallpox at the time or recruitment , if they are not inoculated or vaccinated within 6 months or 3 years respectively prior to the date of recruitment. (b) When, in any labour camp there is an epidemic disease or is threatened with such an outbreak, the authorities in charge of the labour camps should ensure that all the inmates of the labour colonies are inoculated or vaccinated as the case may be , depending on the diseases, within 72 hours after the outbreak. (c) The authorities in charge of the labour colony should arrange to communicate by wire regarding the outbreak of the epidemic diseases on the very day of the outbreak, of the Mamlatdar of the Taluka, the District Health officer or to the Deputy Director of Public Health in charge of that area and the Director of Public Health. Thereafter they should continue to send daily reports to the above officers in the prescribed form regarding the progress of the epidemic disease. (d) When the authorities in charge of the labour colony suspect or have reason to believe that any immediate of the labour colonies is suffering from the infectious or contagious disease , they shall forthwith arrange for the segregation of such persons to isolated huts to be specifically provided for the purpose and also for their treatment (e) As regional malaria epidemic outbreaks are likely to occur in such project areas, the authorities in charge of the labour colonies should report promptly the occurrence of unusual incidence of cases of malaria and also inform the District Health Officer of the District, Deputy Director of Public Health (Malaria) and the Director of Public Health and also arrange to institute all necessary anti malarial measures as may be advised by the officials of the Public Health Department. (f)

The authorities in charge of the colonies should also arrange to carry out any other measures that may be recommended by the officials of the Public Health Department necessary to prevent or control the spread of disease.

**15. Rest rooms:** (1) In every place where in contract labour is required to halt at night in connecting with the contract works and in which employment of contract labour is likely to continue for three month or more, the contractors shall provide and maintain rest rooms or other suitable alternative accommodation within fifteen days of the employment of contract labour.

- (2) If the amenity referred to in sub rule is not provided by the contractor within the period prescribed, the employer shall provided the same within a period of fifteen days of the expiry of the period laid down in the sub-rule (1).
- (3) Separate rooms shall be provided for women employees.
- (4) Effective and suitable provision shall be made in every rooms for securing and maintaining adequate ventilation for the circulation of fresh air and there shall also be provided and maintained sufficient and suitable natural or artificial lighting.
- (5) The rest room or other suitable alternative accommodation shall be of such dimensions as to provide at least a floor area or 1. Sq. mt. For each person making use of rest rooms.
- (6) The rest room or other suitable alternative accommodation shall be so constructed as to afford adequate protection against heat, wind, rain, and shall have smooth, hard and impervious surface.
- (7) The rest rooms or other suitable alternative accommodation shall be at a convenient distance from the establishment and shall have adequate supply of whole some drinking water.

**16.Canteen Facilities :** (1) In every establishment of contract work and wherein work regarding the employment of contract labour is likely to continue for six months and wherein contact labour numbering one hundred or more are ordinarily employed, the adequate canteen facilities shall be the contractor for the use of such contract labour within sixty days of the commencement of the employment of contract labour.

- (2) If the contractor fails to provide the canteen facilities within the time limit laid down the same shall be provided by the principal employer within sixty days of the time allowed to the contractor.
- (3) The canteen shall be maintained by the contractor or principal employees as the case may be in an efficient manner.

**17. Accommodation in canteen :** (1) The canteen shall consist of at least dining hall, kitchen, storeroom, pantry, and washing places separately for worker and for utensils.

2 (i) The canteen shall be sufficiently lighted at all times where any person has access to it.

(ii) The floor shall be made of smooth and impervious materials and inside walls shall be lime-washed or color-washed at least once in each year, provided that the inside walls of the kitchen shall be lime-washed every four months.

3 (i) The premises of the canteen shall be maintained in clean and sanitary condition.

(ii) Waste water shall be carried away in suitable covered drains and shall not be allowed to accumulate so as cause nuisance.

(iii) Suitable arrangements shall be made for the collection and disposal of garbage.

**18. Accommodation in dining hall :** (1) The dining hall shall accommodate at a time, atleast 30% of the contract labour working at a time.

(2) The floor area of the dining hall excluding the area occupied per dinner to be accommodated shall as prescribed in sub rule (1)

(3) (i) A portion of the dining hall and service counter shall be partitioned and reserved for women workers, in proportion to their numbers. (ii) Washing places for women shall be separate and screened to secure privacy.

(4) Sufficient table, stools, chairs or benches shall be available for the number of diners to be accommodated as prescribed in sub rule 1.

**19. Equipment in canteen :** (I) There shall be provided and maintained sufficient utensils, crockery , cutlery, furniture and any other equipment necessary for the efficient running of the canteen.

(ii) The furniture utensils and other equipment shall be maintained in a clean and hygienic condition.

(2) (i) Suitable clean cloths for the employees serving in the canteen shall also be provided and maintained.

(ii) A service counter, if provided , shall have a top of smooth and impervious materials.

(iii) Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipment.

**20. Food stuff to be served :** The food stuff and other items to be served in the canteen shall be in conformity with the normal food habits of the contract labour.

**21. Prices to be displayed :** The charges for food stuffs, beverages and any other item served in the canteen shall be based on “no profit, no loss” and shall be conspicuously displayed in the canteen.

**22. Canteen to be run on “No profit no loss” basis :** In deriving the prices of food stuffs and other articles served in the canteen, the following items shall not be taken into consideration as expenditure, namely.

(a) the rent for the land and building.

(b) The depreciation and maintenance charges for the building and equipment provided for in the canteen.

(c) The cost of purchase, repairs and replacement of equipment including furniture, crockery, cutlery and utensils.

(d) The water charges and other charges incurred for lighting and ventilation.

(e) The interest on the amount spent on the provisions and maintenance of furniture and equipment provided for in the canteen.

The local officers should check up whether, facilities as offered and which are admissible under the existing rules and orders are made available to the workers and enforce upon the contractors the necessity of adhering to the instructions for promotion of welfare of the workers according to the terms of the contract .

**23.-BOOKS OF ACCOUNTS AND REGISTRES OF THE CANTEEN :** The books of accounts and registers and other documents used in connection with the running of the canteen shall be produced on demand to an inspector.

**24.-AUDIT OF THE ACCOUNTS OF THE CANTEEN :** The accounts pertaining to the canteen shall be audited once every 12 months by registered accountants and auditors. Provided that the Labour Commissioner may approve of any other person to audit the accounts; if he is satisfied that it is not feasible to appoint a registered accountant and auditor in view of the site or the location of the canteen.

**CLAUSE 58 :** Contractor shall have to arrange for the supply of gumboots. Hand gloves, mask etc. invariably to the laborers/workers engaged by the contractor on asphalt work.

**CLAUSE 59 :** The Contractor shall not show any distinction between Schedule Cast and other class of laborers / workers employed to carry out the The College work.



**CLAUSE 60 : Price variation clause : Deleted**

**CLAUSE 61 : FENCING AND LIGHTING :**

(a) The contractor shall, unless otherwise specified, be responsible for the proper fencing, lighting grading and taking of the necessary safety measures for all works comprised in the contract and for the proper provision of temporary road, way, foot-way , guards, fences, caution notices, etc. as far as the same may be rendered necessary by reasons of the work for the accommodation of workmen, foot passengers or other traffic and of owners and occupiers of adjacent property and the public and shall remain responsible for any accident that may occur on account of his failure to take proper & timely precautions.

(b) All the arrangements made for fencing and lighting shall be maintained by the contractor through the currency of the contract till the physical taking over of the work by department.

**CLAUSE 62 : LIABILITY OF ACCIDENTS TO PERSONS :**

Responsibilities and liabilities If the contractor under Workmen's Compensation Act are given in clause No.37 in addition following shall also apply :

(a) On the occurrence of an accident, which result in death of workmen employed y the contractor or which is so serious as likely to result in death of any such workmen the contractor, shall within 24 hours of happening of such the College against all loss or damage sustained by the College resulting directly or indirectly from his failure to give intimation in the manner aforesaid including the penalties or fines, if any, payable by the College as a to the provisions of the said act in regard to such accident(s).

(b) In the case of an accident, in respect of which compensation may become payable under Workmen's Compensation Act . whether by the contractor or by the College as principal Employer, it shall be lawful for the Principal to retain out of money due and payable to the Contractor, such sum or sum of money as may, in the opinion of the Principal , be sufficient to meet such a liability, The opinion of the Principal shall be final regard to all matters arising under this clause.

**CLAUSE 63 : ACCESS TO SITE AND WORK ON SITE :**

The Engineer may , if he considers fit form to time, enter upon any land(s) which may be in possession of the contractor this contract for the purpose of executing any work not included in this contract by agents or by other contractors, at this opinion and the contractor shall, in accordance with the requirements of the Engineer, afford all reasonable facilities for execution of the work including occupation of lands by structure or otherwise for any other contractor employed by the College and his workmen for the workmen of the College who may be employed in the execution on or near the site of the work not included in the contract or of any contract in connection with or ancillary to the work and in default, the contractor shall be liable to the College for any delay or expenses incurred by reason of such default. Provided always that if damage arising. Make a statement of the same to the Principal who shall from time to time, assess the value in his judgment of such damage and goes the College shall from time to time pay to the contractor the amounts (if any) accepted as justified by the Principal :

**CLAUSE 64 : REPORTS REGARDING LABOUR :**

The Contractor shall submit the following reports to the Principal :

(i) A daily report in the suitable form of the strength of labour, both skilled and unskilled employed by him on the work(s). The contractor shall increase or decrease the strength both skilled or un skilled . if directed by the Principal. The submission of such reports shall not, however , relieve the contractor of his responsibilities and duties regarding progress or any other obligation under the contract

(ii) A classified weekly return in the suitable form of the number of person employed on the works during the preceding week.

- (ii) A weekly medical report in the suitable form showing the health of the contractor's camp. The number of persons ill or incapacities and the nature of their illness.
- (iii) A report of any accident, which may have occurred, to be sent within 24 hours of the occurrence.
- (iv) Such other report as may be prescribed.

**CLAUSE 65 : Treasure Trove :**

In the event of discovery by the contractor or his employees, during the progress of work of any gold, silver, oil or other minerals of any description and precious stones, treasures, coins, antiquates, relic, fossils or other articles of value of interest whether geological, archaeological or any other such treasure & other things shall be deemed to be the absolute property of the College and the contractor shall duly preserve the same to the satisfaction of the Principal, and relieve the same to such persons as the Principal may appoint.

The contractor shall take all reasonable precautions to prevent his workmen or other person from removing or damaging any such articles or things, immediately after the discovery thereof and before removal acquaint the Principal with discovery and carry out his orders for the disposal of the same.

**CLAUSE 66 : Indemnity :**

The contractor shall indemnify the College against all actions, suits, claims & demands through or made against the Department in respect of work of this contractor against any loss or damage to Department in consequence of any action or suit being brought against the contractor for anything done or omitted to be done in execution of the work of this contract.

**CLAUSE 67 : Insurance of Labour :**

The contractor shall be responsible to arrange for insurance of all labour, skilled and unskilled workers, supervisors etc. employed by him as per labour regulation of the State.

**CLAUSE 68: Setting Out :**

The contractor shall be responsible for the true and proper setting out of the works and the correctness of positions, levels, dimensions and alignments of all parts of the work and for the provisions of all necessary instruments, appliances and labour in connection therewith. If, at any time during the progress of the work, any errors appear or arise in the position, levels, dimensions or alignments of any part of the work, the contractor, on being required to rectify such errors by the College shall at his own expense do so to the satisfaction of the Principal. If however, such error is based on incorrect data supplied in writing by the Principal, the expenses of rectifying the same shall be borne by the College. The checking of and setting out of any line or level by the Principal or his representative shall not in any way, relieve the contractor of his responsibilities for the correctness of the error. The contractor shall carefully protect and observe all bench-mark, site-nails, pegs and other things used in setting out of the work(s).

**CLAUSE 69 : Cement Register :**

A register in the prescribed form showing day-to-day receipt, consumption and balance of cement on site of work will be maintained by the Department, which shall invariably be signed daily by the contractor or his authorised representative in token of its correctness.

**CLAUSE 70 : Materials and Works Test Register :**

A register in the prescribed form showing day-to-day receipt, consumption and balance of cement on site of work by the Department and every entry thereof shall invariably be signed by the Contractor or his authorized representative in token of its correctness.

**CLAUSE 71 : Progress Schedule :**

(a) The contractor shall furnish within one month (unless extended by the Principal ) of the order to start the work, the progress schedule in quadruplicate indicating the date or starting. The monthly progress expected to be achieved and the anticipated completion date of each major item of work to be done by him, also indicating dates of, procurement and setting up the materials, plants and machinery. The schedule should include a statement of proposed general and detailed arrangements for carrying out works, and of item , order and manner in such it is proposed general and detailed arrangements for carrying out works, and of item, order and manner in which it is proposed that these shall be executed. The practice to the achievement towards completion of the work in the time limit and of the particular items on the dates specified in the contract and shall have the approval of the Principal. Further the dates for the progress , as in this schedule shall be adhered to.

(a) in case it is found necessary, at any stage to alter the schedule. the contractor shall submit in reasonable time a revised schedule incorporating necessary modification proposed and get the same approved from the Principal. No revised schedule shall be operative without such acceptance in writing. The Principal is further empowered to ask for more detailed schedule or schedule. any by week, for any item or items and the contractor shall supply the same as and when asked for.

(b) The Principal shall have, at all times, the right, without in any way vitiating this contract forming grounds for any claim, to alter the order of the work of any part there of and the contractor shall after receiving such direction, proceed in the order directed. The contractor shall also revise the progress schedules accordingly and submit four copies of the revised schedule to the Principal within seven days of the said Engineer's direction to alter the order of works.

(c) The contractor shall furnish sufficient plant, equipment and labour and shall work such hours and shifts as may be necessary to maintain the progress of the work as per approved progress-schedule, The working and shift shall company with all the College regulations in force and shall be such, as may be approved by the Engineer and the same not be varied without the prior approval of Principal.

(d) The contractor shall from time to time, as may be required by the Principal, furnish the Principal with a statement in writing of the arrangements he proposes to adopt for the execution of this contract and the Principal may, if he considers necessary at any time advise alternation in the same. which the contractor shall adopt on notice thereof.

(e) The progress-schedule(s) shall be in the form of progress chart, forms, statements and/ or reports as may be approved by the Principal.

The contractor shall submit four copies showing the progress of the work in the form of a chart etc. at periodical intervals as may be specified by Principal.

(f) The approval of the progress schedules by the Principal shall not relieve the contractor of schedule required by the Principal shall not entitle the contractor to any extra payment.

**CLUASE 72 : Secured Advance To Contractor : DELETED**

**CLAUSE 73: Advance Payment : DELETED**

**CLAUSE 74 - DELETED**

**CLAUSE 75 - Applicability of Road and Building Department Procedures etc.:**

This contract shall follow, unless otherwise specifically provided in this contract, the rules, regulations, procedures, notifications, circulars etc. applicable in general for works carried out by Road and Building Department of Porbandar District, Government of Gujarat. In case of any disputes or matters where specific clarity does not exist in this contract, the circulars and notifications applicable to R & B shall mutatis mutandis apply to this contract.



**CLAUSE 76 :**

Before starting the work, the contractor will have to obtain the license from the District Assistant Labour Commissioner under the Contract Labour (Regulation and Abolition) Act. 1970 and contract Labour (regulation and Abolition ) Gujarat Rules 1972 after paying necessary fees and deposit on the basis of the number of labour to be employed on the work and will have to supply two true copies of the said license to the Deputy Principal before the work is started.

**CLAUSE 77 :** One percent of estimated cost put to tender for this work after deducting the cost of materials as per Schedule 'A' valued at basic rate in the sanctioned estimate shall be deducted from the running account bills of the contractor for testing the quality of materials and workmanship, no additional testing charges in addition to the above shall be recovered from the contractor The Engineer in charge will get the cement and steel tested in laboratories of G.E.R.I. Engineering Colleges, Polytechnics, Engineers India Ltd, D.G.T.D. and other laboratories approved by R & B or Water Resources Department or Industries Department and the test results of these Laboratories will be binding to the Contractor about suitable of use of materials (G.R. No R & B TNC /1088 /IB / 220 / 18 - C Dated 31-3-05)

However in respect of works involving use of asphalt, the contractor will set up the site testing Laboratory and will provide testing instruments etc. as under :

Laboratory : The contractor will construct pucca structure of minimum 25 square meter area duly connected with water and electric supply to house site testing Laboratory. Contractor must have core cutting machine for measuring crust thickness own by him.

Instruments : The contractor will provide and install the instruments as per following. I.S. Standard to carry out the test prescribed therein.

- 1. Penetration test as per I.S. 1203
- 2. Softening point test as per I.S. 1204
- 3. Ductility test as per I.S. 1208
- 4. Viscosity test as per I.S.1206
- 1. Specification gravity test as per I.S.1202

The instruments provided should be as per I.S. Standard , so certified and be regularly and periodically (R. & B. D. G.R. No. SSR-1099-IB/91(9)-c dated 26-7-1999)

કલમ ૭૭.૧ : સમગ્ર કામના કાંચ અને સામગ્રીના ગુણવત્તાની ખાતરી આપવા માટે, કાનૂનીય રીતે સંબંધિત સર્વેચકીઓ, ડી.એ.એ. સી. સર્વેચકીઓ, પોલીટેકનિક્સ, એન્જિનિયર ઇન્ડિયા લિમિટેડ, ડી.જી.ટી.ડી. અને અન્ય સંબંધિત લેબોરેટરીઓમાંથી મેળવવામાં આવેલા અનુમતિ પામેલા લેબોરેટરીઓના અભ્યાસકાર્યોના પરિણામો કાનૂનીય રીતે સંબંધિત સર્વેચકીઓના અભ્યાસકાર્યોના પરિણામોને બંધીત હોવાના હેતુએ આપવામાં આવેલા છે. (ગ.ર. નં. ર. & બી. ટી.સી. / ૧૦૮૮ / આઇ / ૨૨૦ / ૧૮ - સી દાતે ૩૧-૩-૦૫)

જો કામમાં અસ્ફાલ્ટનો ઉપયોગ થાય, તો કાનૂનીય રીતે સંબંધિત સર્વેચકીઓને સ્થાનિક અભ્યાસકાર્યકરણ લેબોરેટરી સ્થાપવાની અને તેમાં પૂરું પાડવાની જવાબદારી કાનૂનીય રીતે સંબંધિત સર્વેચકીઓને આપવામાં આવેલી છે. કાનૂનીય રીતે સંબંધિત સર્વેચકીઓને આપવામાં આવેલા સાધનોની યાદી નીચે મુજબ છે. આ સાધનોની ખરીદી અને સંભાળ કાનૂનીય રીતે સંબંધિત સર્વેચકીઓની જવાબદારી હશે.

આ સાધનોની ખરીદી અને સંભાળ કાનૂનીય રીતે સંબંધિત સર્વેચકીઓની જવાબદારી હશે. આ સાધનોની ખરીદી અને સંભાળ કાનૂનીય રીતે સંબંધિત સર્વેચકીઓની જવાબદારી હશે.

**Clause 78:**

As per prevalent laws of Goods & Service Tax or any other law relating to goods, services, income etc. what so ever, if any amount is deductible from payment to be made to contractor, the same shall be deducted from payment.

BO \*) 0 RSJ6FGF AL, DFYL YI |, SFDGL ISDTGF ! 8SF , B|c|A<OLU V|pO VWZ Sq:8SXG JS\*: JkOZ ; | V\$8cc VGI TI CP/ 3OFI |, UHZFTGF ! )) ( GF IGI DINGF IqI D v 5 GL HMUJF. DHA pST ; | GM OF/M J ; |, SZJFDI\VFJXP szD VGI ZMHUFZ IJEFUGM TFP.)q! Zq 5 GM 9ZFJ SDFS ; IOA<I M|Z \$q ! (#! q Dv#f

Note :- As per Government of Gujarat Road and Building Department Gandhinagar Resolution No. TNC-1088-D-347(7-C Dated 11/07/2017, Monetary limit of B-1 Tender Extended from 50.00 Lacs to 12.00 Crores for Road Work, and 10.00 Crore for Bridge and Building work Tender.

Annexure : The information in the following annexure specimens should be furnished on separate letter pad if necessary.



**ANNEXURE - 1**

(Referred to in Condition No.-2 General Rules and Direction for the guidance of Contractors. )

To

The Principal

Dr. V. R. Godhaniya College of Arts, Commerce,

Home Science and IT for Girls, Porbandar

PLACE :


DATE :

Details regarding my our partners our Company (in the case of limited Company ) Names, address(es) , telephone numbers(s) income tax etc. are as under :

<b>Sr. no.</b>	<b>Name(s) of Person/Partner Director of the company</b>	<b>Full address of the place of business (with pin code)</b>	<b>Telephone No.(s) (office)</b>	<b>Residential address(es) (Resi)</b>	<b>Telephone No.(s)</b>	<b>Full address of income tax office ward where income tax return is filed</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>

I/We hereby agree to intimate to you about change if any, in the above-mentioned address(es) and telephone No. (s) within Fifteen days of its occurrence till may/our deposit, for the said work paid by me/us is not returned to me/us.

Dated Signature of Tenderer





**ANNEXURE-2**

8j0Z VF. 8DMGF EFJM EZTL JBT[ U6TZLDA, LW, DHZL TYF :5XL0LSXGDF H6Fj I F DJHA DF, ; FDFG VUJGF SFDGF :Y/GF 50TZ EFJM sNZf VUJL IJUT s VF IJUT #\_, FB SZTF p5ZGASFDFA EZL ZHJSZJL OZHLI FT KPF

**અ) મજુરીના દૈનિક દર**

! f SOLI F4 ; JYFZ4 %, dAZ4 :SL<0 SFZLUZMGF NZ -FP  
 Zf EL:TL4 Ck5Z4 JUJZ[; |DL :SL<0 SFZLUZMGF NZ -FP  
 #f DHJZM s: +Lv5]-0ff VF:SL<0 DHJZMGF NZ -FP

**૧) મકાનો**

VG\ 8j0Z VF. 8D GP	DF, ; FDFGGL IJUT	I JG8	NZ
! P	. 8MP	! ___ GU	-FP
ZP	5yYZ R6TZGM	WPDL	
	Bf6 , LO		
	S5RL	! Z DIDL YL	
		Z_ DIDL	
#P	Bf6	WPDL	-FP
\$P	, LO	SLPDL	-FP
	Z[TL 5f%TL :YFG	, LO SLDL	
5P	, FSO); FULgS8 ; F. h		
	s; Z[ZFX I FNL DF8f		
	sVf AFZL	RMPDL	-FP
	sAf AFZ6f	RMPDL	-FP
&P	0, MZLU 8f. < ;	RMDL	-FP
*	5M, L; SM8f :8MG HFOF. DLDLP	RMDL	-FP
(	Uk JGF. h 45f. 5		
	Vf Z5 DIDL	NZPDL	-FP
	Af ! Z DIDL	NZPDL	-FP

**૨) (રસ્તાઓ) કામના સ્થળ ઉપરના ભાવ**

VG\ 8j0Z VG\	DF, ; FDFGL Ijut	Bf6 5f%T :YFG\ GFD s; Z[ZFXf	, LO SLDL	I JG8	NZ -FP
! P	DJZD		WPDL		
ZP	CF0"DJZD		WPDL		
#P	Z[TL		WPDL		
\$P	DB,		WPDL		
5P	S5RL		WPDL		
&P	! Z DIDL YL Z_ DIDL		WPDL		
	5yYZ 5LRU DF8f		WPDL		

**૩) હોટ મીક્ષના કામો માટે કામના સ્થળ ઉપરના પડતરના ભાવ**

VG\ 8j0Z VG\	IJUT	I JG8	NZ	ZLDFS; "
! P	S5RL	WPDL		Bf6
ZP	U 8	WPDL		Bf6
#P	A<S VF:0f<8	WPDL		
\$P	0FDZ SFDL DHZL	WPDL		

**૪) પુલોના કામો : કામ સ્થળ ઉપરના ભાવ**

VG\ 8j0Z VG\	DF, ; FDFGL IJUT	Bf6 5f%T :YFG\ GFD s; Z[ZFXf	, LO SLDL	I JG8	NZ -FP
! P	DXLG S:04 DB,		WPDL		
ZP	S5RL		WPDL		
#P	U 8		WPDL		
\$P	Z[TL		WPDL		
5P	CF. 8j; F. , JF8Z		WPDL		

એકરાર પત્ર

p5Z1ST 51ZIX08MDA VF5[, 8j0ZDA EZ[, EFJ1GL RSF; 6L VU[ CM. T[ BFTFG[ AWGSTF\* ZC[X] GCLP T[DH T[GFANXFJ[, BF6 DYS[YL :5L; LOLS[XG DJHAGM DF, ; FDFG GCL D/[ TM T[ :5LXL0LS[XG 5DF6[GM DF, ; FDFG BFT] Dfgl SZ[ T[ Vgl HuI FV[YL , FJL VF5LX]H[DF8[SM. J/TZGM S, [, D D[SJFDF VFJX[GICP

**ANNEXURE - 3**  
**Deleted**

**ANNEXURE - 4**

**LIST OF WORKS ALREADY COMPLETED BY THE TENDERER**

Sr.No . ક્રમાંક	Name of work કામનું નામ	Place સ્થળ	Cost on completion પૂરા થયેલ કામની કિંમત	Time taken in months To complete the work કામ પુરુ કરવા માટે લીધેલ સમય માસમાં	Remarks વિશેષ નોંધ
1	2(a)	2(b)	3	4	5

Note : Necessary certificate from office concerned shall be attached with the tender



**ANNEXURE - 5**

**LIST OF PLANT AND MACHINERY IN GOOD WORKING ORDER AVAILABLE WITH TENDERER**

Sr. No. ક્રમાંક	Plant or Machinery ઓજારો અથવા યંત્રો	Location સ્થળ	Age of Machinery મશીનરી કેટલા વર્ષ જુની છે.	Make બનાવટ	Capacity ક્ષમતા	Approximate Value અંદાજી કિંમત	Remark વિશેષ નોંધ
1	2(a)	2(b)	3	4	5	6	7

**ANNEXURE - 6**

**DECLARATION REGARDING WORKS ON HAND WITH TENDERER**

Sr. No. ક્રમાંક	Name of work કામનું નામ	Place સ્થળ	Estimated Cost અંદાજી કિંમત	Date of issue of work order કામ શરૂ કરવાની હુકમની તારીખ	Stipulated period of completion કામ પુરું કરવાની નિયત મુદત	Amount of work done on date of filling tender ટેન્ડર ભર્યો તારીખ	Brief details of delay if any ઢીલ જો થયેલ હોય તો તેના ટૂંકમાં કારણો	Remark વિશેષ નોંધ
1	2(a)	2(b)	3	4	5	6	7	8

Note 1 : Amount of work in column 6 should be given up to the month previous to the month in which tenders are invited.

Note 2 : Necessary certificate from the officer concerned shall be attached with the tender.



**SCHEDULE – A અનુસુચિ-ક**

Schedule showing ( approximately ) the materials to be supplied from the Public works store for work contracted to executed and the rates at which they are to be charged for

Particulars વિગત	Approximate quantity અંદાજી જથ્થો	Rate at which the materials will be charged to the contractor કોન્ટ્રાક્ટર પાસેથી માલસામાન માટે લેવાનો થતો દર		Place of delivery ડીલિવરીનું સ્થળ
૧	૨	૩	૪	૫
		Unit એકમ	Rate in Rupees ભાવ રૂપિયામાં	
	----- Nil -----			

GMW ! 0v ~151 F 5 , FBYL JW] S[ VMKL ISDTGF SFDDA JF5ZJF ; LDj8 VG[ VYJF :8L, TYF SM. 56 SFDDA OFDZ SFDDA IJEFU TZOYL 5ZL 5FOJFDA VFJX[ GCLP sDFPDPIJP 9ZFJ SDF5 8LPVGP; LP q ! \_ (5 q \$ q V[ TFPZ\_v! Zv) ! TYF V[ P8LPVFEZq! \_ ) \* q (Z q C TFPZ\*v! ! v) \* TYF 8LPVGP; LPv! \_ ( ( v VF. AL q ZZ\_v! (v ; TFP #! v#v\_5 f 5ZT) GDNF 4 H/; 5ItT VG[ 5F6L 5ZJ9F IJEFU WJZF SFDDA JF5ZJF H~ZL :8L, IJEFU WJZF 5- 5FOJFGL HMUJF. TFPZ#v&v) \* GF IJEFUGF 9ZFJ SDF5 V[ P8LPV[ Pq ! \_ ) q S[ q 5 ( q EFU sCF WJZF RF, ] ZFBJFDA VFJ[ KP VF VU[ Xp1], vV[DAH[HMUJF. SZJFDA VFJ[T[ VFBZL U6FXP

GMWvZ 0v ; LDj8 0v HIFZ[ ; LDj8 . HFZNFZ WJZF SFDDA JF5ZJF , FJJFDA VFJ[ tIFZ[ VFJM ; LDj8 . HFZNFZ VF. PV[ P5DF65+JF/F TYF DY pt5FNS S5GLDFYL ; LWL ZLT[D/JJFGM ZC[KP VG[TGL BZF. DF8[TGF R5J6FGF AL, M SFP. PzLG[ZH]SZJFGF ZCXP VFJM ; LDj8 S5GLGF VIWST IJS[TF 5F; [L BZLN XSX[GCL 5ZT] EFJ JWFZGF :8FZ Z[ 8 D]HA R5J6]SZJF VU[GL U6TZLDA, JFGF ; LDj8GF EFJM VIWST IJS[TF 5F; [L D]/JL XSFI 4 5ZT] VIWST IJS[TF 5F; [L BZLN SZL XSFI GCL s TFP&v\$) ( GFDFPDPIJP5IZ5+ 8LV[G; Lq ! \_ ( (q VF. AL q s! (f q ; f

GMW 0v# 0v , MBO 0v HIFZ[ , MBO . HFZNFZ WJZF , FJJFDA VFJ[ tIFZ[ T[ VU[G] AL, V; , DA SFP. PG[ ZH] SZJFG] ZCXPVG[VFJF :8L, G]U[ZL , [ANBZL S]. HGZL SM, H S]5M, l8LSGLSDA 8;8LU SZFj I F AFN H :8L, SFDDA JF5ZJF N]FDA VFJXP

GMW \$ 0v OFDZ 0v HIFZ[ SFDDA JF5ZJF OFDZ . HFZNFZ WJZF , FJJFGM CMI tIFZ[ T[ OFDZ . HFZNFZ[ VM, ZLOF. GZLDFYL 5f f EZL tIFYL H ; LWM BZLNJFGM ZCXPVF VU[ . HFZNFZ[ 5ZL SZJFGL XZTM GLR[D]HA ZCXP s! f . HFZNFZ OFDZ SI FYL , f j I F T[ VU[G] AL, V; , DA SFP. P G[ ZH] SZJFG] ZCXP sZF ZLOF. GZLGF UB5F; 56 AL, ; FY ; FD[ , SZJFGF ZCXP s#f OFDZ H[ 8qSZDA , FJJFDA VFJ[ T[ 8qSZGM JFCG GAZ ATFJJFGM ZCXP s\$ f OFDZ p5Z . HFZNFZ zLG[VQJfg; 5Dj8 VYJF ; LSI M0[VQJfg; D/L XSX[GCLP s5f . HFZNFZ[ZH]SZL, V; , AL, DA OFDZGM UP s SJM, l8L VU[ f p<, [B CNUM HM. VP VF VU[ . HFZNFZ[ OFDZGF UP VU[G] 8;8 Zlh<8 q UP VU[G] 5DF65+ ZH] SZJFG] ZCXP s&f . HFZNFZ[ OFDZGL VFJS qJ5ZFX q ART VU[G] ZHL:8Z %, fg8 q ; F. 8 p5Z lGEFJJFG] ZCXP s DFPDPIJP5IZ5+ SDF5 V[ P8LPVFEZ q! \_ ) \* q (Z q C TFPZ\*v! ! v) \* VG[Z! v! ! v) ( f

Note 5 : The person or firm submitting the tender should see that the rates in the above schedule are filled up by the Principal the issue of the form prior to the submission of the tender.

નોંધ ૫ : ટેન્ડર રજુ કરનાર વ્યક્તિ કે પેઢીએ ટેન્ડર રજુ કરતાં પહેલાં તેને આપવામાં આવતાં ફોર્મમાં હવાલાના ઈજનેરે ઉપરની અનુસુચિમાં દર ભરી આપ્યા હોય તેની ખાતરી લેવી

Notes 6 : Store to be supplied to contractors for a work free of cost should be mentioned in Schedule 'A' in addition to schedule 'B' and the specification attached to the contract agreement form.

GMW & o SM. SFD DF8[S8FS8ZG[IJGF D]I [5ZM 5FOJFGM DF, ; FDFG VG; ]R B T]DH S8FS8ZGF SZFZ ; FY[HMO], L IJUTMGL I FNL p5ZAT VG; ]R S DAH6FJJP

**SCHEDULE ' B'**

**Memorandum showing items works to be carried out :**

હાથ ધરવાના કામની બાબતો દર્શાવતી યાદી

items No. બાબત નંબર	Quantities estimated out or less અંદાજેલ જથ્થો જે ઓછો વત્તો થઈ શકે	item of work કામની બાબત	Tendered Rates ટેન્ડરમાં દર્શાવેલ દર	Unit એકમ	Total amount according to estimated quantities અંદાજી જથ્થા અનુસાર કુલ રકમ
1	2	3	4	5	6
		<b>As per Separate sheet attached</b>			

I/We am/are willing to carry out the work at .....% above /  
below percent (should be written in figures and words) of the estimated rates mentioned above.  
Above of my / our tender works out as under.

Estimated amount Put to tender	Rs.....	Estimated amount Put to tender	Rs.....
Deduct.....% below	Rs.....	Add.....% above	Rs.....
Net		Total	
In Words.....		In Words.....	

(Please strike out whichever is not applicable)

Notes 1 - All work shall be carried out as per Public Works Department Handbook and other specifications of Division or as directed.

Notes 2 - All the columns is Schedule should be filled in ink and the total of the entries in the last column should be struck by the contractor under his signature.

Notes 3 - Rates quoted include clearance of site (prior commencement of work and at its close ) in all respects and hold good for work under all conditions, site, moisture, weather etc.

Note 4 - To be continued on additional sheets, if found necessary.

Signature of the Contractor

**Principal**

Dr. V. R. Godhaniya College of  
Arts, Commerce, Home Science  
and IT for Girls, Porbandar

**SCHEDULE - C**  
**(see clause No. -2 )**

Time Schedule, for completion of different designated parts of the work and rate of liquidated to be paid by the Contractor, if he fails to complete the part of work within stipulated time limit is as detailed below :

**Time Schedule of Completion**

Percentage of time Of the total time limit	Percentage of work damages	Rate of liquidated per day
1	2	3
<b><u>Earth work</u></b>		
25 %	16 %	0.1 %
50 %	50 %	0.1 %
75 %	75 %	0.1 %
100 %	100 %	0.1 %
<b><u>Building work</u></b>		
25 %	10 %	0.1 %
50 %	40 %	0.1 %
75 %	80 %	0.1 %
100 %	100 %	0.1 %
<b><u>Road work</u></b>		
25 %	25 %	0.1 %
50 %	50 %	0.1 %
75 %	75 %	0.1 %
100 %	100 %	0.1 %
<b><u>Bridge work</u></b>		
25 %	10 %	0.1 %
50 %	40 %	0.1 %
75 %	80 %	0.1 %
100 %	100 %	0.1 %

Signature of the Contractor

**Principal**

Dr. V. R. Godhaniya College of  
Arts, Commerce, Home Science  
and IT for Girls, Porbandar



Modification in Detect Liability  
Clause 17 A of Tenders for  
Building works

The government of Gujarat  
Roads & Buildings Department  
Circular No PRCH- 102013-1036/2759/N  
Sachivalaya, Gandhinagar  
Date :-27-05-2013

**Ref :- Circular No PRCH -102008-(2076) – N Dt. 3-12-2009**

R&B Department had issued a circular as referred above where in following provision has been made for building works.

**The Defects Liability period shall be as under for original building works.**

Three years of elapse of three monsoon periods following date of possession of building taken over by user agency of four years of elapse of four monsoon periods following the certified date of completion, whichever is earlier.

After due considerations on the representations received at various levels from the Gujarat contractor Associations the above clause is now modified as under.

**The defects Liability period shall be as under for original building works :**

“ One year or elapse of one monsoon period from the certified date of completion whichever is greater “

The other conditions in the above said circular will remain as it is.

( R.K.Chauhan)

Officer on Special Duty (S.P)

Road & Buildings Department

Girls' College  
Porbandar

8g0ZDAVEZl, V; FDFgl pRF EFJfGf  
5Z 50TF BR\*5Z IGI W+6 ZFBJF TYF SFDGL  
GF6FSLI 5JUIT ; FY; D\DAZC[T]DF8[H~ZL  
HFUJF. SZJF AFAT

UJHZFT ; ZSFZ  
DFU\*VG[DSFG IJEFU  
5IZ5+ SPDS 5ZRv! \_Z\_\_ (v s&! fv; L  
TFP\_#v\_5vZ\_! #

JRF6[, LWf 5ZL5+ SPDS 5ZRv! \_Z\_\_ (v s&! fv; L TFPZ\*v! ! vZ\_\_ ( VFD)B ov

8g0Z DA. HFZNFZzLVf[afZF EZFTF **Imbalancer** EFJfJf/F 8g0ZGF IS:; FVfDA. HFZNFZzLVf[afZF pRF EFJGL VF. 8DFGL SFDULZL SI" AFN GLRF EFJGL VF. 8DFGL SFDULZL G SZJFDA VFJ[ TjL 5IZl:yTL 5Z IGV +6 ZFBJF DF8[ TFPZ\*v! ! vZ\_\_ ( GF[5ZL5+ H~ZL HFUJF. ; FY[ACFZ 5FOJFDAVFJ[, P VF 5IZ5+ VU[UIJW :TZfV[YI[, ZFH]MFTFGI wI FG[, [TF VG[ TGf 5Z 5bT IJRFZ6FGF VT[ VF 5IZ5+GF ALHF OSZFGL Kk, L , L8l cc VF ZLT[JLYCk0 ZFB[, ZSD SFD ; TFDFSEZS ZLT[5k\*YI[OF. G, AL, DHZ SZTL JBT[j] FHEFZ6 JUZ KBL SZJFDAVFJXfc TGf HuI FV[GLR[D]HAGf; WfZF SZJFDAVFJ[KP

; WfZFpov

cc VF ZLT[JLYCk0 ZFB[, ZSD V; FWFZ6 GLRF EFJ EZl, CFll TjL VF. 8DGL GF6FSLI 5JUITGF 5DF6; Z ZGLU AL, DFYL KBL SZJGL ZCXPH[ IS:; FDA V; FWFZ6 GLRF EFJ EZl, SF, 56 VF. 8D G CFll TjL IS:; FDA V; FWFZ6 EFJf EZl, VF. 8DGL ; FD[JLYCk0 ZFB[, ZSD AFSL ZC[TL SFDULZL YFI TGf 5DF6; Z ZGLU AL, DFYL KBL SZJGL ZCXfc

JWDFAJRF6[, LWf, 5IZ5+ GF pNFZ6DFANXFJ[, SPDS v ( ZN SZJFDAVFJ[KP p5ZFST ; WfZFGf[Vd, VF 5IZ5+GL TFZLB 5KL DHZ YTF 0LP8LP5LPDAVRS 56[SZJFG[ZCXp

s VFZPSPRFCf6f

BF; OZH VIWSFZL sLJPI ff  
DFU\*VG[DSFG IJEFU



8g0Z OFD"AlvZ GF Sfj8fS8ZFGL  
DFUNXG DF8j; FDFgl IGI DFj  
VGj; jRGfGF ; jRG GR! ( DA  
: 508TF SZJF AFAT

UjHZFT ; ZSFZ  
DFU"VGjDSFG IJEFU  
SPFS ov 8LVG; lv! \_vZ\_! # vsZ\_f v; L  
TFP! \_v\_5vZ\_! #

; NE"ovDFPDPIJEFUGF 9ZFJ S|8LVG; lv! \_) \_vsVF. AlvZZf  
vs! \_fv; L TFPZ\$V\_5v! ))\_

**VFDjB ov**

Pp5ZFST IJQFI VgJI pGF ; NIET 9ZFJDA; jRG GR! ( DAcc VF SFD DF8j8g0ZF[ZHL:8Z 85F, afZF ZJFGF SZJFDA  
VEJ[tI FZ AFN 8g0Z 5Z I:JSFZJFGL ; jRT TFZLBYL )\_q! Z\_ INJ; ; jML VFQZ Bk, L ZCXpcc TjD NXFjJ, KP

CJ[pWFjU VGjBF6 IJEFUGF 9ZFJ GRVf; 5LVf[v! \_Z\_5v! \$\_\* v; LVR TFPZZq! ! qZ\_\_& GF ; NEjSDFGF  
8g0Z Online DFUJFDA VEJj KPVGj p5ZGF ; jRG GR! ( DAcc8g0Z 5Z I:JSFZJFGL ; jRT TFZLBYL )\_q! Z\_ INJ; ; jML  
VFQZ Bk, L ZCXpcc TjL HFjJF. GF SFZ6j8g0Z GL j, l0L8LDFjJ; UTTf pEL YJF AFATGL UjHZFT Sfj8fS8Z Vj; fXLVf; G  
GL IJjJW :TZ[ZHjVFTf[D/], KPjVf ZHjVFTf[5Z 5pT IJRFZ6FGjVtjVF AFATjGLRjDjHAGL : 508TF SZJFDAVEJjKP

**: 508TF Pov**

Online Tender System DA; lU, SJZ ; L:8D JF/F 8g0ZFDF 8g0Z j, l0L8LGF; DI 8g0Z VFG, F. G Bf|F TFZLBYL HI FZl  
8jSjZ ALO ; L:8DA8g0Z j, l0L8LGF; DI 8jSjS, ALO Bf|F TFZLBYL U6JFGfZCXpcc

s VFZSPRFcf6f

Bf; OZH VIWSFZL sljPI ff  
DFU"VGjDSFG IJEFU





5ZOFDg; Afj0 TYF HFDLG VGFDT 58[AS  
Uzj8L D/JJF AFATP

UJHZFT ; ZSFZ  
DFU\*VG[DSFG IJEFU  
SPFS ov 8LVG; Lv! \_vZ\_! # vsEFUv! fv;  
; IRJF, I UFWLGUIZ  
TFP! )v! !vZ\_! #

JRF6[, LWF[5IZ5+ SPFS 8LVG; Lv! \_)! qVF. Alqs! \_fs! ! fq; TFP#! v#v! ))  
VFDJ ov

JRF6[, LW, 5ZL5+ DJHA CF, DA! 5 , FB S[TYL JW]ZSDGL SFDJDA. HFZNFZzL 5F; YL 5ZOFDg; Afj0 , JFGL  
HFUJF. K[5ZT]CJ[DFB EFUGF SFD[! 5 , FB YL JW]ZSDGF CF| K[VG[RF, ]DZFDTG SFD[56 CJ[! 5 , FB YL JW  
ZSDGF CF| KPVF AFAT[ Sfb8FS8; "V; F; LVXG TZOYL 56 5ZOFDg; Afj0 DF8[ SFDGL ZSD GL DI FNF JWfZJF DF8[GL  
ZH\VF SZJFDAVFJ, KPVFYL JCLJ8L ; Z/TF VG[VG[S]/TF H/JF T[C[T]; Z 5ZOFDg; Afj0 DF8[ SFDGL ZSDDF OZOFZ  
SZJFG; ZSFZzLGL IJRFZ6F C9/ CT|

5IZ5+ P0v

5bT IJRFZ6FG[VTT[GSSL YI|, KPCJ[-FP! 5 , FB S[TYL JW]ZSDG[AN, [-FP#\_ , FB S[TYL JW]ZSD GF ; ZSFZL SFDJDA  
. HFZNFZzL 5F; YL 5ZOFDg; Afj0 , JFGL ZCXP

VF 5IZ5+ IJEFUGL ; ZBF SPFSGL OF. , 5ZGL GFW 5Z GF6FIJEFUGL TFPZZv)v! # GF ZH\YL D/| ; DTLYL  
ACFZ 5FOJFDAVFJ[KP

UJHZFT GF ZFHI 5F, zLGF CSDYL VG[TDGF GFDP

s VFZSPRF6F  
BF; OZH VIVSFZL sJPI Ff  
DFU\*VG[DSFG IJEFU



AFWSFDGF Sfj8FS8Z 5F; YL ; LSI ZL8L 0L5fh18  
I:JSFZJFGL 5YFDFAVXT 0ZOFZ SZJF AFATP

UJHZFT ; ZSFZ

DFU"VG[DSFG IJEFU

9ZfJ SDFs 8LVG; lv! \_vZ\_! # v# sEFUVZfv; L

; IRJF, I UFWLGUIZ

TPZ\_v! !vZ\_! #

JRF6[, LWF[9ZfJ SDFs 8LVG; lv! \_((qVf. Alq! (qs! #fq; TFP#! v#v! )) )\$  
VFDJB ov

Sfj8FS8ZfG[Vf5JFDFAVFJTF SDFf DA; LSI ZL8L 0L5fh18 VUUGL CF, GL 5wWIT 5DF6[VUJLd8; DI[5@ 5ZOFDg;  
Afj0 A\$ UZ8L :J~5[ZP5@ ; LSI ZL8L 0L5fh18 GDNF Afj0 VYJF VGPVf; PVf; :J~5[, JFDFA VFJ, KPTDH ZP5@ ZSD  
. HFZNFZzlGF ZLGU AL, DFYL S5FT :J~5[J; ], SZJFDFA VFJ[K[Sfj8FS8; \*Vf; f; LVXG afZF GF6FSLI TZ, TF ZC[T[DF8]  
ZP5@ , B[ SF5JFDFA VFJTL ; LSI ZL8L 0L5fh18GL ZSD A\$ UZ8L ; FD[ K8L SZJFGL ZHJFT SZJFDFA VFJ, CTL H[  
AFATPIJRFZ6F C9/ CTLP

9ZfJ P0v

5bt IJRFZ6FG[Vt; ZSFZL SDFfGF Sfj8FS8Z DF8; LSI fZL8L 0L5fh18 I:JSFZJFGL CF, GL 5YFDFA GLR[ DHA Gf 0ZOFZ  
SZJFDFAVFJ[KP

! P CF, DA5YD TASS[, JFDFA VFJTL ZP5@ ; LSI fZL8LGL ZSD H[GDNF Afj0q VGPVf; PVf; :J~5f , JFGL

HfJUF. K[T[CJ[GDNF Afj0qVGPVf; PVf; TPDH XLO1k0 A\$GL VPOIPVFP:J~5[56 , . XSFXP

ZP ZGLU AL, DFYL S5FT YTL ZP5@ ; LSI ZL8L 0L5fh18GL ZSD . HFZNFZzl afZF XLO1k0 A\$GL A\$ UZ8L ZH[  
SI M[ GLR[H6fJIF DHA ZL, lh SZJFGL ZCXP

SD	GF6FSLI 5JIT	ZGLU AL, DFYL ZP5@ , B[; LSI ZL8L 0L5fh18 5B[SF5JFDFAVFJ, ZSD DFYL K8L SZJF 5F+ ZSD	A\$ UZ8L GL ZSD
!	8j0ZGL ZSDGF Z5@	ZGLU AL, DFYL SF5JFDFA VFJ, ZSD VYJF SFDGL VNFHLT ISDTGF _P&Z5@ ADFYL H[VfKL ZSD CfI T]	ZL, lhSZJFDFA VFJ, ZSD H8, L
Z	8j0ZGL ZSDGF 5_@	ZGLU AL, DFYL SF5JFDFA VFJ, ZSD VYJF SFDGL VNFHLT ISDTGF ! PZ5 @ ADFYL H[VfKL ZSD CfI T]	ZL, lhSZJFDFA VFJ, ZSD H8, L
#	8j0ZGL ZSDGF *5@	ZGLU AL, DFYL SF5JFDFA VFJ, ZSD VYJF SFDGL VNFHLT ISDTGF ! P( ( @ ADFYL H[VfKL ZSD CfI T]	ZL, lhSZJFDFA VFJ, ZSD H8, L

p5ZfST A\$ UZ8LGL DNT SFD 5j"YJFGL BZBZ TFZLBYL K s&f DF; JW; DI GL , JFGL ZCX[TYF . HFNFZzl  
5F; M[ AFCWZL5+ D/JJFGf ZCXPS[Hf SFD 5j"SZJFGL ; DI DI FNFDAJWFZF YX[TJWFZ; ; DI DI FNFGL TFZLB & DF;  
JW; DI DI FNF JF/L A\$ UZ8L TvfZL afZF 5ZL 5f0JFDFAVFJXP

SFD 5j"YfI tIA; M[ . HFZNFZzl 5F; M[ , JFGL YTL ! \_@ ; LSI fZL8L 0L5fh18 G)5DF6 SF. 56 :J~5[H/JF.  
ZC[TGL VR\$ SF/HL ZFBJFGL ZCXP

Vf 9ZfJ IJEFUGL ; ZBF SDFsGL OF. , 5ZGL GfW 5Z GF6FJUEFUGL TFP\$V! \_v! # GF ZfHYL D/; ; DTLYL  
ACFZ 5f0JFDFAVFJ[KP

UJHZFT GF ZfHI 5F, ZLGF C\$DYL VG[TDPGF GFDP

s VFZPSRF6f  
BF; OZH VIWSFZL sJPI ff  
DFU"VG[DSFG IJEFU

SDFS 0 5ZRv&! \_\$v:8FZ Z[ 8v0L8L5lv#) \*! vG4

UJHZFT ; ZSFZ  
DFU¶VG[DSFG IJEFU4  
a, MS GR! \$qZ4 ; ZNFZEJG4  
; IRJF, I4UFWL GUZ  
TPZ)v\_\*vZ\_\_\$

5|T4  
VIW1FS . HGZzl s ; J¶f 4  
ZFHI IJEFU4

IJOFI ov 8b0ZDFA:8FZ Z[ 8 TYF OLP8LP5LP DHZLGF DF; VG[JOF¶NXF¶JF AFATP  
; NE¶v 9ZFJ SDFS 8LVG; Lv ! \_()q\$V; L4 TFP#! v\_(v!) ! P

H[ 8b0ZDFA; LDh8 q :8L, . HFZNFZ[ BZLNJFGM CMI VG[T¶MIG[ VF DF, ; FDFGGF EFJM TYF 8b0ZDFA NXF¶J, :8FZ  
Z[ 8GF EFJMGM TOFJT ; ZE Z SZL VF5JFGM CMI T¶JF 8b0ZDFA VF DF, ; FDFGGF :8FZ Z[ 8GL HMUJF. GLR[ D]HA SZJFGL  
8b0ZGF S, Mh 5) A DAFH MUJF. KP

! P H[DF; TYF JOF¶OLP8LP5LP DHZ YI F CMI T[DF; VG[JOF¶SMZF 8b0Z . :I]SZTL JBT[TDFANXF¶JF JFGF ZCXP  
ZP ; LDh8 DF8GF EFJM H[DF; DAFOLP8LP5LP DADH Z YI ) CMI T[DF; GF VIWST IJSITf 5F; ¶L D/ JL SMZF 8b0Z . :I]SZTL  
JBT[TDFANXF¶JF JFGF ZCXP

#P :8L, TYF V¶RPJFI PV¶ POLPAFZ DF8[; [ , S5GL DFYL H[DF; DAFOLP8LP5LP DHZ YI ) CMI T[DF; GM EFJ D/ JL SMZF  
8b0Z . :I]SZTL JBT[TDFANXF¶JF JFGM ZCXP

Zqv V[¶]H6FI K[S[VF H MUJF. GM R; T 56[VD, YTMGYL VG[:8FZ Z[ 8DAIJIJW IJEFUM¶JFZF V\$ ; ]+TF H/JFTL  
GYLP

#qv VFYL ; J¶[VF7FG; FZ ; RGF VF5JFDA VFJ[K[S[SMZF 8b0Z 5¶5; ¶. :I]SZTL JBT[VF H MUJF. D]HAGF EFJM VG[  
OLP8LP5LP DHZ YI FG\DF; 4 JOF¶V JxI NXF¶JF 8b0ZMDH Z SZJF NZBF: T SZJFDA VFJ[ti FZ[VF NZBF: TDF¶  
NXF¶J, :8FZ Z[ 8 VUGF VFWFZ q 5ZXF ZH] SZJF VG[VF H MUJF. D]HA H 8b0Z 5¶5; ¶FA EFJM NXF¶J, K[TI  
DT, AG)SFP. PzLPG)5DF65+ 56 ZH]SZJ¶ JWDFA VF :8FZ Z[ 8 VG[VNFHL EFJMGF4 EFJ TOFJTG[SFZ6[8b0ZGL  
VNFHL ZSD ; YAW[¶RF q GLRFGL 5IZI: YIT 56 8b0Z DHZLGL NZBF: TDA V JxI SZJLP

\$qv VF ; RGFVIGMR; T56[VD, SZJF IJGTL K[VG[VF VUGL R\$GL UELZ G¶¶ , ¶FDA VFJX[TGL G¶¶ , ¶F IJGTL  
KP

s RPDPE8-f  
p5; IRJ sDSFGM f  
DFU¶VG[DSFG IJEFUP

GS, ZJFGF 0  
; J¶SFI ¶F, S . HGZzl4



ZFHI IJEFU4

ZFHI ; ZSFZGF AFWSFD DF8[J5ZFTF UF6 BGLHGL ZMI <8L  
EZJF AFATP

UJHZFT ; ZSFZ  
pWMMU VG[BF6 IJEFUP  
9ZFJ SPFS o VpVpVfZq! ! Z\_\_\_qZ\_! #qK  
; IRJF, I4UFWLGUIZ  
TFZLB ov ! v)vZ\_\_\$

JRF6[, LWF ov

s! f pWMMU BF6 VG[pHFqIJEFUGM9ZFJ SPFS o Vp; LVFZv Z! &(v\*#(\_vK TFP! Zq! Zq! )&)  
sZf pWMMU BF6 VG[pHFqIJEFUGM9ZFJ SPFS o Vp; LVFZv Z! &(v(v&&(5vK TFP! q! q! ) (\*  
s#f pWMMU BF6 VG[pHFqIJEFUGM9ZFJ SPFS o Vp; LVFZv Z! ((vs(f&5vK TFPZ5q! q! ))!  
s\$f pWMMU VG[BF6 IJEFUGM9ZFJ SpVp; LVFZv! \_) \*vZ(5&v K4 TFP&q! ! q! )) \*  
s5f DFGPDpI D+lzlGF Vwi 1f56f C9/ I MHFI [ Vp5FJ0pSDl8LGL TFP! (q&qZ\_\_\$ GL A9SGL SFI qfCL GIMVP

9ZFJ ov

pWMMU4 BF6 VG[pHFqIJEFUGF ; NEqv s#f C9/GF 9ZFJYL VpJL HMUJF. SZJFDF VEFJ, S[ZFHI ; ZSFZGF 4  
5RFI TMGF VG[; ZNFZ ; ZIUZ GDpNF IGUDGF AFWJFDF VEFJTAZ:TFVMGF S[I; RF. JUZ[GF SFDM DF8[ HI FZ[; FNL DF8L s  
VMOlGZL S, [vVYqf VG[s; M08f DZD JF5ZJFDF VEFJ[tI FZ[UJHZFT UF6 BIGH IGI D 4 ! )&& DJHA ZMI <8L , [JFG IGI DM  
, FU]50X[GCLP Vp, [S[VF SFDM DF8[Slq8fS8ZM 5F; [; FNL DF8L s VMOlGZL S, [v VYqf VG[s; M08f DZD DF8[ZMI <8L , [FYL  
YX[GCL TYF ; NEqv s\$f C9/GF IJEFUGF TFP&q! ! q) \* GF 9ZFJYL UJHZFT IJWJTAM0qWJZF CFY WZJFDF VEFJTA SFDM DF8[  
56 p5Z DJHA ZMI <8L DJSTGM, FE VEFJFDF VEFJ, P

p5I pT HMUJF. GF SFZ6[ZFHI DFUzSFI Nf; Z ZLT[VF BGLHGM J5ZFX YTM CIUFG]H6FI [ KP HGf 5Iz6FD[ZFHI  
; ZSFZ[ZMI <8LGL VEFJS UDFJL 50[K[DF8[p5ZMST CSDMGL HMUJF. GL ; DL1f SZL T[NZ SZJFGL AFAT ; ZSFZzLGL IJRFZ6F  
C9/ CTLP TFP! (q&qZ\_\_\$ GF ZMH DFGPDpI D+lzlGF Vwi 1f56f C9/

I MHFI [ Vp5FJ0pSDl8LGL A9SDAGSSLYI F DJHA ; NEqv# TYF ; NEqv\$ C9/GF IJEFUGF TFPZ5q! q) ! TYF  
TFP&q! ! q) \* GF 9ZFJM VFYL ZN SZJFDF VEFJ[KP

UJHZFTGF ZFHI 5f, zLGF CSDYL VG[TPDG GFDP

s VEFZPALPjIF; f  
GF I PA ; IRJ  
pWMMU VG[BF6 IJEFU

5|T4

v DFPDbl D+lzlGF VUJ; IRJzL4 DFPDbl D+lzlG)SFI F) I 4  
v ZFHI S1FFGF D+lzl s pVMU VG(BF6 f GF VUT ; IRJzL4 ; IRJF, I 4 UFWL GUZP  
v VUJ; IRJzL4 GF6FIJEFU4 ; IRJF, I 4 UFWL GUZ  
v VUJ; IRJzL4 pHF)VG(58#SDLS, IJEFU4 ; IRJF, I 4 UFWL GUZ  
v VUJ; IRJzL4DC; ], IJEFU4; IRJF, I 4 UFWL GUZ  
v VUJ; IRJzL45RFI T VG(UFD UC IGDFF IJEFU4 ; IRJF, I 4 UFWL GUZ  
v ; IRJzL4 GD)F VG(H/ ; 5ItT IJEFU4 ; IRJF, I 4 UFWL GUZ  
v ; IRJzL4 DFU)VG(DSFG IJEFU4 ; IRJF, I 4 UFWL GUZ  
v DGHU OZLS8ZzL4 ; ZNFZ ; ZMUZ GD)F IJEFU4; IRJF, I 4 UFWL GUZ  
v ; eI ; IRJzL4 U)HZFT IJWT AMO)Z; SM; ) JOMNZF  
v ; IRJF, I GF ; J)JEFUM  
v VSfpg8g8 HGZ, zL VDNFJFN q ZFHSM8P  
v IJSF; SIDxGZzL4 U)HZFT ZFHI 4UFWL GUZ  
v ; J)Dbl . HGZzLVM  
v SIDxGZzL4 E); TZ IJ 7FG VG(BIGH BFT)4UFWL GUZ  
v VIWS IGI FDSzL s VDPV; PFE); TZ IJ 7FG VG(BIGH 4 UFWL GUZ  
v Dbl JG ; Z1FS zL4 U)HZFT ZFHI 4 UFWL GUZ  
v OFI ZS8Z VSfpg8g8 V)0 8)zL4 UFWL GUZ  
v ZFHI GF ; J)BFTFGF JOFVM  
v ; J)S, S8ZzLVM  
v I; IGI Z E); TZXF: +LzL E); TZ IJ 7FG VG(BIGH VDNFJFN4JOMNZF4ZFHSM8 4 E)H  
v ; J)5FT VIWSFZLVMIP  
v ; J)DFD, TNEZzVM q DCF, )BSEFzLVM  
v ; J)H<, F IJSF; VIWSFZLzLVMIP  
v ; J)TF, S)F IJSF; VIWSFZLzLVMIP  
v ; J)VIW1FS . HGZzLVM H/ ; 5ItT IJEFU4 DFU)VG(DSFG IJEFU4 GD)F IJEFUP  
v ; J)SFI S)F, S . HGZzLVM H/ ; 5ItT IJEFU4 DFU)VG(DSFG IJEFU4GD)F IJEFUP  
v ; J)UG ; Z1FSzLVMIP  
v ; J)H<, F E); TZXF: +LzL S, S8Z SRZL s BIGH XFBF f  
v 5[V)0 VSfpg8g; VMOL; Z 4 UFWL GUZ q I; , S8 OF. ,







DXLG Sx0 : 8MG VUJUBGF 0, SLGX  
VG[ . , MjUXG . g0IFGF ; VJST WMZ6M  
V5GFJJF AFATP

UJHZFT ; ZSFZ  
DFU"VG[DSFG IJEFU  
5IZ5+ SPFS v V[; VMVFP v ! \_Z\_\_ & q ! \_\$ q ; P!  
; IRJF, I 4 UFMLGUZP  
TFP Z5q! qZ\_\_ \*

5j: TFJGF ov

cDXLG Sx0 : 8MG VUJUBc V[AFWSFDDAJ5ZFT]DpI D8LZLI <; KP VF cD8LZLI <; c DF8GF U6JTFGF IJLJW WMZ6M  
5SLGM V5 c0, SLGX VG[ . , MjUX . g0IF s; VJSTfc K[H[DLGL: 8E VMD ZMD 8fg; 5MB" Vq0 CF. Jh sMORT & Hf EEFZ 5SPXLT  
: 5XL0LSXG OMZ ZMD Vq0 ALH JSGL RMYL VFJ1tTDFANXFJ I F VG; FZ #\_ @ YL JWJG CIUM HM. VP HI FZ[VUFp DLGL: 8E VMD  
; Z0[ ; 8fg; 5MBGL ALHL VFJ1tTDFOST 0, SLGX . g0IFGF WMZ6 JWDFAJW] #5 @ ; JMG]CTP VFD ; XIMVGM q VGJEJ TPDH  
VWTG DXLGZLGL p5, aWLMG j I F5 q ; Z/TF TPDH VFIYS 5F; FVMG[wI FG[ , . G[U]6J2FGAWMZ6MDA 56 GJF ; JWFZ q JWFZF  
SZJFDA VFJ[KP VUFpGF 0, SLGX . g0IFGF WMZ6MDA CJ[ . , MjUXG . g0IF 56 HMOL ; VJST WMZ6 NFB, SZJFDA VFJ[ KP  
5ZT] CF, UJHZFT ZHHI DAVFJ[ S[XZ I]G8M 5SLGF DIMF EFUGF I]G8M 5Z5ZFUT 5wWITYL SFI ZT KP TDFYL GJF ; VJST  
WMZ6M 5IZ5]6" SZ[TJM pt5FINT DF, D/L XSTM GYIP H[V5 jI JCFZLS D]S[ , I KP 5Z5ZFUT 5wWITGAS[XZDA VF 5SFZGL  
D]S[ LVM VFJ[KP T[ AFATGM p<, B 8SGLS, HG", DA 5j; wW YTF 8SGLS, 55; DA 56 YI[ , KP VFYL ; VJST WMZ6M  
D/JJF CF, GF S[XZ I]G8MDA; FZ VUF 5pff6DA; JWFZ JWFZF SZJ VFJxI S AG[TD KP HDAJWFZFG]GF6FSLI ZMSF6 56  
SZJ]50[ TPDH ; DI 56 jI ITT YFI VFYL 0, SLGX TPDH . , MjUXG . g0IFGF ; VJST WMZ6MGM VD, SZJF s. HFZNFZMGF  
5ZTM; DI VF5JM 56 H~ZL KP T[wI FG[ , . GLR[D]HAGL ; RGFVM VF5JFDA VFJ[KP

DLGL: 8E VMD ZMD 8fg; 5MB" Vq0 CF. J[ EEFZ : 5XL0LSXG OMZ ZMD Vq0 ALH JSGL ; G[Z\_\_! GL RMYL VFJ1tT  
VG; FZ DXLG Sx0 : 8MG VUJUB DF8] 0, SLGX TPDH . , MjUXG ; VJST . g0IFGL DCTD  
#\_ @ GL DI FNF]WMZ6 V5GFJJFG]GSSL SZJFDA VFJ[ KP

DFU" VG[ DSFG IJEFU C: TS RF, TF SFDMDA 5JUTDFG : 5XL0LSXG 5pff6[ 0, SLGX VG[ . , MjUXGGF ; IJST  
. g0IFGL DCT2D DI FNF #\_ @ ZFBJFDA VFJ[KP

UJHZFT ZHHI DAVDMF EFUGF S[XLU I]G8M BFGUL DFI, SLGF K[VG[TDAH~ZL I FI+S OZOFZM SZJFDA VFJ[TM; VJST  
. g0IFGF WZFWMZ6M H/JF. ZC[TJM DF, D/L XSP

UJHZFT ZHHI DAREF, TF BFGUL S[XLU DXLGM DAH~ZL I FI+S ; JWFZ JWFZF TFP#\_q)q\_\* ; JMDA SZJFDA VFJ[TM H  
TFP! q! \_q\_\* 5KLYL DFU"VG[DSFG IJEFUGF Z: TFVMDAJ5ZFTF VUJUBGL U6J2F WZFWMZ6 DJHAGL D/L ZCP VFYL GLR[  
DJHAGL ; RGFVM VF5JFDA VFJ[KP

sVf DFU"VG[DSFG IJEFUDAREF, TF SFDMGF . HFZNFZM[H[T[SXLU I]G8MDAH~ZL I FI+S ; JWFZ JWFZF Y. UI[ , K[VG[  
WZF WMZ6 DJHAGL U6J2FGAVUJUB D/L ZC[K[TJ]5DF65+ VIW1FS . HGZzL sI FI+Sf VDNFJFN DFPDP JT]4  
VDNFJFNG]CMI TGL 5F; YL H DF, ; DFG BZLN SZJFGM ZCXPVF 5DFI6T YI[ , S[XLU I]G8 I; JFI GF SM. 56 S[XZ  
5F; YL DF, ; DFG ; %, FI G YFI TGL SF/HL , JFGL ZCXP VIW1FS . HGZzL sI FI+Sf EEFZ ; 8LOF. 0 G YI[ , S[XLU  
I]G8 5F; YL VFJ[ , WZFWMZ6 JUZGM DF, ; FDFG Vfp8ZF. 8 ZLH58 SZJFDA VFJXP

sAf DFU"VG[DSFG IJEFUGF V[ PVI PVFZP DATYF VNFHMDA VUJUBGF EFJDAH-ZL ; WZFZ JWFZF SZLG[TFP! q! \_q\_\* YL VD, DA, FJJGF ZCXP

ssf NZS IJEFULI SRZLVIM[TVMGF TFAFDAH[H]. HFZNFZMGL GIM6L YI[, K[TVMG[; NZC]; RGFVM VD, SZJF DF8[ , IBT HF6 SZJFGL ZCXP[TYF BFGUL SXLU I]G8MG[56 VFGL , IBT HF6 SZJFGL ZCXP ; NZC); RGFVF VD, DF8[ BFGUL SXZ I]G8M TDH . HFZNFZM ; FY[NZS IJEFULI SRZLV[VS ; V]ST APS SZLG[; DH VF5JFGL ZCXP[HYL TFP! q! \_q\_\* 5KL DFU" VG[ DSFG IJEFU C:TS RF, TF SM. 56 SFDMDA WZFZ VMZ6 DHAGL UBJJ F I; JFI GM DF, ; FDFG JF5ZJFDAG VFJ[TGL TSNFZL ZFBJFGL ZCXP

p5ZMST ; RGFVMGM VD, R:T56[SZJFGM ZCXP

sV[ PVPE8F  
p5; IRJ DPDP  
DFU"VG[DSFG IJEFUP



DXLG Sx0 : 8MG VUJUBGF O, SLGX  
VG[ . , MjUXG . gOIFGF ; VJST WMZ6M  
V5GFJJF AFATP

UJHZFT ; ZSFZ  
DFU\*VG[DSFG IJEFU  
5IZ5+ SPFS v VFZHLVG v ! \_Z\_& v ! \_\$ v ; P! 4  
; IRJF, I 4 UFWL GUZP  
TFP ! \*q! \_qZ\_\*

; NE'ov ; ZBF SPDSGF 5IZ5+ TFPZ5q! qZ\_\*P

5j: TFJGF ov

UJHZFT ; ZSFZzLGF DFU\*VG[DSFG IJEFU EFZF ; NEIT 5ZL5+ SPFS o V[ PVMPVFZP ! \_Z\_& q ! \_\$ q ; P! 4  
TFPZ5q! qZ\_\* YL AFWSFDDAUJ5ZFTF DXLG Sx0 : 8MG VUJUB DF8[O, SLGX TDH . , MjUXG ; VJST . gOIFGL DCTD #\_@  
DI FNFG\WMZ6 V5GFJJF\GSSL YI [ , CTP H[DF8[UJHZFT ZHHI DARF, TF BFGUL SXLU IJGLMDA H-ZL TFI+S ; JWFZ JWFZ  
TFP#\_q)qZ\_\* ; JMDA SZJF VG[TFP! q! qZ\_\* 5KL YL DFU\*VG[DSFG IJEFUGF Z: TFMVGF SFD J5ZFTF VUJUB WZF  
WMZ6 DJHAGL UJjTTF JF/MJF5ZJFDAVFEJ[TD H6EJ[ , CTP

SXZ IJGLMDA H-ZL ; JWFZ JWFZ ; RJ[ ; DI UF/FDA Y. XS[ G CIUFYL JFZUFZ ; DI DI FNF JWFZJF DF8GL  
ZH\MTMYI [ , CTIP

p5ZMST AFAT[ ; ZSFZzL EFZF 5bT IJRFZ6FG[ VT[ SXLU IJGLMDA H-ZL ; JWFZ JWFZ SZJF DF8GL VITD  
TFP#\_q)qZ\_\* G[AN, [TFP#! q! Zq\_( SZJFDAVFEJ[ KP  
p5ZMST ; JRGFVMGM VD, Rj: T56[SZJFGM ZCXP

sV[ PVP E8f  
p5; IRJzL sDjDPf  
DFU\*VG[DSFG IJEFUP

GS, ZJFGF ov  
v ; IRJzL sDjDPf GF P VUT ; IRJzL4 DFPDP IJEFU4 ; IRJF, I 4 UFWL GUZP  
v ; J[DpI . HGZzLVM VG[VP; PzLVM DFPDP IJEFU4 ; IRJF, I 4 UFWL GUZP  
v ; J[VIW1FS . HGZzLVM  
v ; J[TF+LS VIWSFZLzL4 DFPDP IJEFU4 ; IRJF, I 4 UFWL GUZP  
v OF. , SPDS ov V[ PVMPVFZP q! \_Z\_& q s! \_\$ f q ; P! DAFZBJF ; F-P  
v I ; , S8 OF. , P



**Instruction on implementation of  
the building and other Construction  
workers Act 1996  
and building and other Construction  
workers Welfare Cess Act. 1996.**

***The College of Gujarat***  
Labour & Employment Department  
G.R. No. CWA-2004-841-M3  
Sachivalaya, Gandhinagar,  
Dated : 30 January 2006.

Read : Labour & Employment Department, Gandhinagar GR.No.CWA-2004-1831-M(3)  
Dated : 9-12-2005.

**RESOLUTION**

Building and other construction workers are one of the largest and most vulnerable segments of the unorganized labour. Their work is characterized by by inherent risk to life and limb of the work and also by the casual nature, temporary relationship between employer and employee, uncertain working hours, lack of basic amenities and inadequate welfare facilities.

The College of India has decided to constitute. Welfare boards for such workers in every state and accordingly, the Building and other Construction Workers ( Regulation of Employment & conditions of Service ) Act. 1996 was enacted by parliament and brought into force from 19<sup>th</sup> August, 1996. implementation of the Act. Including cess collection has already commenced in Karnataka, tamil nadu and dilhi. Under the side Act. The College of Gujarat has constituted a board under section 18. The stat The College has been powers to make rules for carrying out the provisions of this Act.

Accordingly, The College of Gujarat made Gujarat Building and other Construction Workers (Regulation of Employment and condition of Service) Rules, 2003 and published these Rules vide Notification No.GHR-2003-111-CWA-2000-1869-M(3), dated 18<sup>th</sup> August, 2003. The College of Gujarat has also constituted the Gujarat Building and other Construction workers Welfare Board vide Notification No. GHR/2004/163/CWA/2004/3743-M(3), dated 18<sup>th</sup> December, 2004. Secretary ( Labour ) has been appointed as Chairman.

The College of India has also enacted the Building and other construction workers welfare cess Act. ( hereinafter called as cess Act ) and brought it in force from 19<sup>th</sup> August, 1996. the cess Act provided for the levy and collection of cess on the cost of construction incurred by the employers, for increasing the resources of the welfare board. Section 3 of the Cess Act provides that cess shall be levied and collected at a rate not less than 1 % of the cost of construction incurred by an employer. Rule 5 of the Building and other construction worker welfare cess Rules, 1998 reads as follows :-

- (1) The proceeds of the cess collected under Rule 4 shall be transferred by such The College office, public sector Undertaking, local authority. Or cess collector, to the Board along with the from of

Challan prescribed (and in the head of account of the Board) under the accounting procedures of the state, by whatever name they are known.

- (2) Such The College office or public sector undertaking may deduct from the cess collected or claim from the Board, as the case may be, actual collection expenses not exceeding one per cent of the total amount collected.
- (3) The amount collected shall be transferred to the board within thirty days of its collection.

Moreover, under Rule 6, every employer, within thirty days of commencement of his work of payment of cess, as the case may be, has to furnish information in form 1 to the assessing Officer. Under Rule 12, the Assessing Officer, in cases where the employer has pay the cess or has paid less cess, can impose it penalty upto the amount of cess payable.

By The College of Gujarat Notification No. GHR/2005/04/CWA/2004/841/M3, dated 3<sup>rd</sup> January, 2005, all heads of the department of the The College of Gujarat, all Executive heads of public sector undertaking and all Executive head of local Authorities ( except Gram panchayat and Nagar Panchayat) are declared as cess Collectors and Assessing Officers.

The Building and other Construction workers Welfare board has passed the necessary resolution to collect the cess with effect from 18<sup>th</sup> December, 2004.

According, the cess is payable by The College offices, public sector undertaking, local Authority or cess collector to the board in challan proscribed, in the following head / sub head :

Major Head :- 0230 – Labour and Employment

Minor Head :- 106-Fees under Contract Labour ( Regulation and abolition) Rules

Sub Head :- (04)-Income from cess levied under Gujarat Building & other Construction worker's Welfare cess Act, 1996.

Approval of the Finance Department, The College of Gujarat has been taken for meeting the expenditure to be included for the various welfare activities by the Gujarat Building & other construction workers welfare board and the opening of the accounting Head / Sub –Head in file No 2004-1831-M3 on 1<sup>st</sup> December, 2005 ( Copy of Resolution dated 9/12/2005 is enclosed)

All The College, public sector undertaking and lacial authorities are instruction to pay the above cess as per the Act. All Department Public sector Undertaking and local authorities are also advised to incorporate the 1 % cess in their estimates for all new works.

By order and in the name of The College of Gujarat.

**(Vinod Babbar)**  
**Principal Secretary The College**  
**Labour & Employment**  
**Department**

UJHZFT ; ZSFZzLGF DFU"VG[DSFG IJEFUGF 5IZ5+ SPFS 0 5ZRv! \_Z\_\_(v5v; TFP ! (q! qZ\_\_(

00 5IZ5+ 00

“Demand Draft for E.M.D. & Tender fee shall be submitted in electronic format only through online (by Scanning) while uploading the bid. This submission shall mean that EMD & tender fee are received electronically. However for the purpose of realization of D.D. bidder shall send the D.D. in original through R.P.A.D. so as to reach to Principal, R&B Division, Porbandar within 7 days from the last date of uploading. Penaltrative action for not submitting D.D. in original to E.E. by bidder shall be initiated. D.D. for exemption Certificate is not necessary. However Exemption Certificate shall have to be submitted electronically through online.

Any documents in supporting of tender bid shall be submitted in electronic format only through online (by scanning etc.) & hard copy will not be accepted separately.”

“8b0Z DF8[AFGFGL ZSD s. PVDPOLPF TYF 8b0Z OIGF OLDFg0 OF08 VMG , F. G :SG SZL . , §8#GLS OMZD8DFV8b0Z V5, MO SZJFGF ZCXP VF 5SFZ[ZH]YI|, IJUT[AFGFGL ZSD VG[8b0Z D/P, U6JFGL ZCXP[VG[TNVG]; FZ 8b0Z BM, JFDVVFJX[TI VG]; FZ . , §8#GLS OMZD8DFVZHL:8XG4 A§ ; M, JXL4 AFGFGL ZSD VG[8b0Z OL D/| CMI TGL H VM0Z BM, JFDVVFJXP BZBZ R§J6F DF8[8b0Z EZGFZ[OLDFg0 OF08 V; , DFVZHL: 80"5M: 8 VPOLP YL SFI 5F, S . HGZzL4 DFU"VG[DSFG IJEFU4 5MIZANZ G[V5, MDLUGL K{-L TFZLB YL INJ; v\* DFV D/[T[VG]; FZ ZH)SZJFGM ZCXP V; , DFV OLDFg0 OF08 GCL DMS, GFZ ; FD[ IX1ffDS 5U, F X~ SZJFDV VFJXP AFGF D]ST DF8[ OLDFg0 OF08 H~ZL AGX[ GIC4 5ZIT] AFGF D]ST 5DF65+ . , §8#GLS, L VMG , F. G ZH)SZJFG)ZCXP”

8b0Z ALOGVDF8[H~ZL VFWFZ DF8GF SM. 56 OMSI Dg8 VMG , F. G . , §8#GLS OMZD8DFV:SG SZL DMS, JFGF ZCXP VG[CFO SM5L V, FI NL ZIT]: JLSFZJFDVVFJX[GICP

UJHZFT ZFHI 5F, zLGF CSDYL VG[TDGF GFDP

; Clqv  
p5; IRJ  
DFU"VG[DSFG IJEFU



AFWSFDGF D8LZLI <; TPDH SMD5MGb8; ; p5, GL  
 U6JtTF DF8GF 5ZL1F6 5SLGF (\_ % 5ZL1F6 :Y/  
 5Z TYF ! \_ % 5ZL1F6 ; ZSFZ DfgI , AMZBZLq UZL  
 NJFZF TYF ! \_ % UZL , AMZBZLDASZFJJF AFATP

UJHZFT ; ZSFZ4  
 DFU\*VG[DSFG IJEFU4  
 5IZ5+ SPFS ov 5ZRq! \_Z\_\_ \*qZ (q;  
 ; IRJF, I4 UFWL GUZP  
 TFZLB o #! q! ZqZ\_\_ )P

**5IZ5+**

AFWSFDGF D8LZLI <; TPDH SMD5MGb8; GF ; p5, GL U6JtTF DF8GF 5ZL1F6 CF, UZL S[ ; ZSFZ DfgI ; \YF  
 s, AMZBZLF DFZOT[SZJFDAVFJ]K# SFDML 5JITGL ; DL1F NZdI FG 1f+LI VIWSFZLVMI TZOYL HF6JF D/, K[S]pST C1 FT  
 5]S]I FDA8: 8LUGF 5IZ6FDMIJ, AYL D/[K# HDA; DI 56 B\A jI ITT YFI KP . HFZNFZ V# M; LI XG TZOYL VFJL ZH]VFTM  
 D/[K# VFYL D\X[wi FG], [T\ . HFZNFZzL NJFZF H[T]SFD DF8: YF5JFDAVFJTL , AMZBZLDA: Y/ 5Z H 5ZL1F6 SZJFDAVFJ]  
 TMIJ, A IGJFZL XSFI T[AFAT IJRFZ6F C# / CTL4 5bt IJRFZ6FGF VT[G]LR[D]HAGL GLIT CF, GF TASS[VG]; ZJ GSSL  
 SZJFDAVFJ]K#

GLR[ H6FJ], 5ZL1F6MDA 5JTDGF 5wWITDA OZOFZ SZL QLSJgXL VG; FZ H~ZL 5ZL1F6M 5SL ! \_ % ; ZSFZ DfgI  
 , AMZBZLq UZL TYF ! \_ % UZL , AMZBZL VG[ (\_ % OL<0 , AMZBZL NJFZF SZJFG ZCXP 5ZT] UZLDA GLRGF NZS 5SL VMKFDA  
 VMK)! sV\sf 5ZL1F6 UZL , AMZBZLDA SZJFG]ZCXP TYF VMKFDA VMK]V\sf 5ZL1F6 UZL q ; ZSFZ DfgI , AMZBZLDA SZFJJFGM  
 ZCXP HDA GLR[NXF]J, 5ZL1F6M :Y/ 5Z SZJFG ZCXP

V[	VU]U#	s! f U#XG szf 0, SLGX VG[. , MU]XG J#I] s#f . d5S8 J#I] s\$F JMBZ VA; M5XG
AL	DF8L	s! f 10<0 VPOL0L VG[VPV#D; L szf ; LJ VGF, L; L;
; L	Z[TL	s! f U#XG
OL	. 8M	s! f OFI DGXG VG[8M, Zg; 8# 8 szf JMBZ VA; M5XG
.	SMS]8	s! f GMG OL: 8#S8LJ 8# 8 sV#8=; MGLS 8# 8L\U 5wWITYLf szf : , d5 8# 8 s#f SM5]; LJ : 8Gy
V#	Al8I]DLG; DLS;	s! f OFDZGL 8SFJFZL
HL	OFI DL1F D8LZLI ,	s! f U#XG

XZTM ov

! P . HFZNFZ[ SFDGL U6JtTF DF8[ WFZF WMZ6 5DF6GL VG[ p5Z 5IZ1F6M DF8[ 5DFI6T YI[ , H-ZL TDFD ; FWGM ; ICTGL IO<0 8[8LU , [AMZBZL :J BR[ SFDGF :Y/[ I MUI HuI F p5Z :YF5JFGL ZCXP Z: TFGF SFD DF8[ , FU] 50TF % , Fg8GF :Y/[ SFDG] :Y/ U6L XSFI P 5ZT[ SFDG] :Y/ , [AMZBZLYL NZ CMI TM . HFZNFZZL NJFZF DMAF. , , [AMZBZLGL H-ZL jI J: YF ZFBJFGL ZCXP

ZP SFP. PzL HFI Z[:Y/ 5Z T[VMG]RSLU SZJF HFI ti FZ[8[8LU T[MM[TDGL -A-DA56 SZFJJFG]ZCXP

#P WFZF WMZ6 5DF6GF 5ZL1F6MGL ; bI F 5SL ( \_% 5IZ1F6 IO<0 , [AMZBZLDA. HFZNFZGF VIWST SJM, LOF. 0 . HGZ S[ H[VMG] ; AIWT SFI 5F, S . HGZZLV[ I-CARD VF5[ , CMI TDGF NJFZF BFTFGF GPPSP. PqDP. PqVPDP. P GL CFHZLDA H SZJFGF ZCXP VG[ 5ZL6FDMDA ; V]ST ; CLVM SZJFGL ZCXP[ HI FZ[! \_% 5ZL1F6 UZL q ; ZSFZ DFGI , [AMZBZL sVMKFDA VMK] V]S 5ZL1F6F VG[! \_% UZL , [AMZBZL sVMKFDA VMK] V]S 5ZL1F6F DFZOT[ SZFJJFGF ZCXP

\$P S] 5IZ1F6MGL ( \_% 5ZL1F6 V]S H :Y/[ V]S H ; DI [V]S H TASSFDA GCL SZTASFDGL 5JUIT DJHA H[TASSFV[ H[T[ SFDULZLG[ VG]-5 H[ D8LZLI < ; JF5ZJFG] YTI CMI TNVG] FZ X-VFTGF TASSFDA ZFBJ] JrRGF TASSFDA TDH VFBZL TASSFDA SZFJJFG] ZCXP VFD KTA VF AFAT[ :yffIGS S1FFV]YL GPPSP. PzLV[ H-ZLI FT DJHA TASSFJFZ 5ZL1F6M GSSL SZJFGF ZCXP

5P U6JtTF IGI DG wffZF WMZ6 5DF6GF AWF H ZHL:8Z IGI IDT ZLT[I GEFJJFGF ZCXP] VG[T]H[T] :Y/[ , [AMZBZLDA]p5, aW ZC[TD ZFBJFGF ZCXP

&P HM SIM. SFZ6; Z 8[8LUGF ; FWG V5F%I CMI VYJF J; FJJFDA ; DI HFI TD CMI S[j] JCF~ G CMI sHD S[ . , [SMD]8S AZLUF TM VFJF 5ZL1F6M UZL q ; ZSFZ DfgI ; \YFVMDASZJL XSFXP VG[VF AFATGM IG61 ; AIWT SFP. PzL q GPPSP. PzLV[ SZJFGM ZCXP UZLDAF Y. XS[T]JF 8[8 ; ZSFZ DfgI , [AMZBZLDA SZJL XSFI P

\*P IJEFU GF 1F[+I TF[+S :8FO[ GPPSP. PqDP. PqVPDP. P V[ TDH . HFZNFZGF TF[+S :8FO NJFZF UZLDA 5ZL1F6 HFT[ SZJFGM ; TMDSFZS VG[EJ DJ/JL VF AFATG] UZLGL] 5DF65+ 56 DJ/JJFG]ZCXP H[T]IH<, Fq 5FN]XS :TZ[ UZLGL , [AMZBZLDA SMD] Sg0S8 SZJF DF8[H-ZL OL H[T] IJEFUG SFP. PzLV[ R]SJJFGL ZCXP[ VG[VF SFI "JFCL ; DI AwW 5]6" YFI T[DF8] ; AIWT VP. PzLV[VF SFDULZLGL JBTUJBT ; DL1FF SZJFGL ZCXP

(P VF 5IZ5+YL p%Z H6FJ[ F 5ZL1F6M 5SL ( \_% 5ZL1F6M 1F[+I , [AMZBZLDA SZJFGM ; DI TFP !q! qZ\_! \_ YL SZJFGM ZCXP

)P UZLDA 8[8LU SZJTF[ ; DI [ UZLGA 8[8LU RfH" tJZLT EZJFGM ZCXP HYL 5ZL1F6GF 5ZL6FDM ; DI ; Z DJ/JL XSFI P



sVFZPSP RFcf6f  
BF; OZH 5ZGF VIWSFZL sJPI MPF  
DFU"VG[DSFG IJEFUP

>v8g0ZLU DfA 8g0Z OL VG[VgI  
OMSI Dg8; ZH]SZJF VUJ

UJHZFT ; ZSFZ  
DFU"VG[DSFG IJEFU4  
5IZ5+ SPFS ov 5ZR v ! \_Z\_\_ (v5v; s5F80F>, f  
; IRJF, I4 UFWL GUZ4  
TFP Z\*v! ! vZ\_\_ (

JRF6[, LWF ov TFP ! (q! q\_ ( GM 5IZ5+ SPFS o 5ZR v ! \_Z\_\_ (v5v;

5IZ5+ ov

DFU" VG[ DSFG IJEFUDA CF, DA 8g0ZM >v8g0Z 5wWITYL :JLSFZJFDA VFJ[ KP T[ VgJI [ ; DFG SPFSGF TFP  
! (q! q\_ (GF 5IZ5+DA 8g0Z OL VG[AFGFGL ZSD H[T[SF] 5F, S >HGZG[BZ[BZ R]SJF DF8[INGv\*DA V; , DA ZHL: 80"  
5M: 8 VPOLPYL DMS, JFGL TPDH V; , DA ODFg0 OF08 GIC DMS, GFZ ; FD[IX1FFtDS 5U, F , [JFGL HMUJF> CTLP

p5ZMST 5IZ5+DA GLR[ DHA VXT0 ; JWFZM SZL VF XZTGM ; DFJX 8g0Z GMBL; q 8g0ZGF D] NFDA **Through  
R.P.A.D. so as to reach to E.E. Division - Within 7 days from the last date of uploading G[AN, [to  
S.E. at the time of tender opening or send the same through R.P.A.D. so as to reach to E.E.  
Division - Within 7 days from the last date of opening."** ; JWFZM SZJFDA VFJ[ KP TPDH BZ[BZ 8g0Z OL TPDH  
AFGFGL ZSD IGI T ; DI DA >HFZNFZ G EZ[ TM >HFZNFZGL GIMV6L V\$ JOF\*DF8[V]A]g; DfAZFBJFGL SFI JFCL SZL >v8g0ZLU  
GM SMO V\$ JOF\*DF8[ZN SZFXP

UJHZFT ZFHI 5F, zLGF C\$SDYL VG[TPDG FGDp

sVFZP SP RfCF6f  
BF; OZH 5ZGF VIWSFZL  
DFU"VG[DSFG IJEFU

Girls' College  
Porbandar



8g0ZDAEZ, V; FDfgl μRF EFJGF; NE[SF6  
 5Z 50TF BR\*5Z IG1+6 ZFBJF TYF SFDGL  
 GF6FSLI 5JUIT E[TS 5JUIT; FY[; D[DAZC[T  
 DF8[H~ZL HFUJF. SZJF AFATP

UJHZFT; ZSFZ  
 DFU\*VG[DSFG IJEFU  
 5IZ5+ SPDS 5ZR q! \_Z\_\_ (q s&! f q; TFZLB Z\*q! ! qZ\_\_ (

5IZ5+ ov

8g0ZDA V; FDfgl μRF S[ GLRF EFJF. HFZNFZL VF EFZ 36LJFZ EZTF CFJFG; ZSFZLGF wL FG 5Z VFJ, KP VFJF  
 IS:; FVFDASFDGL GF6FSLI 5JUIT VG[E[TS 5JUITGF; D[ G ZCJFGL; YEFJGF ZC, L KP VFYL SFDGL E[TS 5JUIT 5DF6[  
 GF6FSLI 5JUIT ZC[S[ HYL; ZSFZL 5Z; DI 5C, F V I f u I GF6FSLI AFH G 5Q[T DF8[ GLR[ DHAGL HFUJF. 8g0ZDA  
 SZJFG[ IG6\* SZJFDA VFJ, KP VF HFUJF. TDFD SDFGF VF 5IZ5+GL TFZLB 5KL DHZ YTA 0LP8LP5LPDA VR\$ 56[  
 SZJFGL ZCXP  
 HFUJF. ov

H[SF. VF. 8DGF 8g0ZDADS, VNFHL EFJ4 T[VF. 8DGF 8g0ZDADS, VNFHL EFJ SZTA8g0ZDADS, VNFHL ZSDYL; DUJ  
 8g0Z HB, F 8SF μR[S[GLR]DHZ YI]CFI T[8SFJFZL YL! \_@ YL JW]μRF[ZC[T[CFI T]L VF. 8DGR\$J6]ZGLU IA, JBT[H  
 T[VF. 8DGF VNFHL EFJ q v DHZ 8g0ZGL 8SFJFZL T[VF. 8DGF VNFHL EFJGL 5@ GL DI FNFDA SZJFDA VFJXP VF ZLT  
 JLYCk0 ZFB, ZSD SFD; VFFSFSZS ZLT[5b\*YI[OF. G, IA, DHZ SZTL JBT]i FHEFZ6 JUZ KBL SZJFDA VFJXP  
 pST HFUJF. GL: 508; DH6 DF8[VF; FY[VF5, pNFCZ6 wL FG, ]P

!	8g0ZDADS, VNFHL ZSD	0	~FP! __q v
Z	DHZ YI, 8g0ZGL ZSD	0	~FP!! _q v
#	8g0ZDADS, VNFHL ZSD; FY[BZBZ DHZ YI, 8g0ZGL 8SFJFZL	0	! _@
\$	8g0ZGL V\$ VF. 8DGF[8g0ZDADS, VNFHL EFJ	0	~FP! _q v
5	T[VF. 8DGF[EZ, EFJ	0	~FP! \$ q v
&	T[VF. 8DDAEZ, μRF EFJGL 8SFJFZL	0	\$ _@
*	T[VF. 8D DF8[ZGLU IA, JBT[R\$JJF5F+ EFJ	0	~FP! _ ` SFP# 5DF6[! _@ μRF VNFHL EFJGF 5@ ~FP!! P5_

HF; NZ VF. 8DGF EFJ ~FP! ZP\_\_ S[TYL GLRF[EZ, CFT T[ZGLU IA, DAEFJ S5FT VF HFUJF. DJHA SZJFGL ZC[T GCLR

(આર. કે. ચૌહાણ)  
 માસ ફરજ પરના અધિકારી  
 માર્ગ અને મકાન વિભાગ  
 Girls' College  
 Porbandar

ટેન્ડર માં ભરેલ અસામાન્ય ઉંચા ભાવોના  
સંદર્ભે કામ  
પર પડતા ખર્ચ પર નિયંત્રણ રાખવા તથા  
કામની  
નાંણાકીય પ્રગતિ સાથે સુમેળમાં રહે તે માટે  
જરૂરી  
જોગવાઈ કરવા બાબત.

ગુજરાત સરકાર  
માર્ગ અને મકાન વિભાગ  
પરિપત્ર ક્રમાંક : ૫૨૫-૧૦૨૦૦૮-(૬૧)-સી  
તા. ૦૩-૦૫-૨૦૧૩  
વંચાણે લીધા : પરિપત્ર ક્રમાંક : ૫૨૫-૧૦૨૦૦૮-(૬૧)-સી તા. ૨૭-૧૧-૨૦૦૮

આમુખ :-

ટેન્ડરમાં ઈજારદારશ્રીઓ દ્વારા ભરાતા Imbalance ભાવો વાળા ટેન્ડરના કિસ્સાઓમાં ઈજારદારશ્રીઓ દ્વારા ઉંચા ભાવની આઈટમોની કામગીરી કર્યા બાદ નીચા ભાવની આઈટમોની કામગીરી ન કરવામાં આવે તેવી પરિસ્થિતિ પર નિયંત્રણ રાખવા માટે તા. ૨૭/૧૧/૨૦૦૮ નો પરિપત્ર જરૂરી જોગવાઈ સાથે બહાર પાડવામાં આવેલ. આ પરિપત્ર અંગે વિવિધ સ્તરોએ થયેલ રજુઆતોને ધ્યાને લેતાં અને તેનાં પર પુખ્ત વિચારણાના અંતે આ પરિપત્રના બીજા ફકરાની છેલ્લી લીટસ " આ રીતે વીથહેલ્ડ રાખેલ રકમ કામ સંતોષકારક રીતે પૂર્ણ થયે ફાઈનલ બીલ મંજૂર કરતી વખતે વ્યાજભારણ વગર છુટી કરવામાં આવશે." તેની જગ્યાએ નીચે મુજબનો સુધારો કરવામાં આવે છે.

સુધારો :-

" આ રીતે વીથહેલ્ડ રાખેલ રકમ અસાધારણ નીચા ભાવ ભરેલ હોય તેવી આઈટમની નાંણાકીય પ્રગતિમાં પ્રમાણસર રનીંગ બીલમાંથી છુટી કરવાની રહેશે. જે કિસ્સામાં અસાધારણ નીચા ભાવ ભરેલ કોઈપણ આઈટમ ન હોય તેવા કિસ્સામાં અસાધારણ ભાવો ભરેલ આઈટમની સામે વીથહેલ્ડ રાખેલ રકમ બાકી રહેતી કામગીરી થયા તેના પ્રમાણસર રનીંગ બીલમાંથી છુટી કરવાની રહેશે.

વધુમાં વંચાણે લીધેલ પરિપત્રના ઉદાહરણમાં દર્શાવેલ ક્રમાંક-૮ રદ કરવામાં આવે છે.

ઉપરોક્ત સુધારાનો અમલ આ પરિપત્રની તારીખ પછી મંજૂર થતાં ડી.ટી.પી. માં અચુકપણે કરવાનો રહેશે.

( આર.કે. ચૌહાણ )  
ખાસ ફરજ પરના અધિકારી(વિ.યો.)  
માર્ગ અને મકાન વિભાગ

પ્રતિ,

સર્વે અધિક્ષક ઈજનેરશ્રીઓ, મા.મ.વિભાગ (પાટનગર યોજના વર્તુળ, નેશનલ હાઈવે વર્તુળ સહિત).  
સર્વે અધિક્ષક ઈજનેરશ્રીઓ, (પંચાયત)મા.મ.વિભાગ  
સર્વે કાર્યપાલક ઈજનેરશ્રીઓ, મા.મ. વિભાગ.  
સર્વે કાર્યપાલક ઈજનેરશ્રીઓ, (પંચાયત)મા.મ.વિભાગ

નકલ રવાના :-

૧. અગ્ર સચિવશ્રીના અંગત મદદનીશશ્રી, મા.મ. વિભાગ, સચિવાલય ગાંધીનગર
૨. સર્વે મુખ્ય ઈજનેર અને અ.શ્રીઓ, મા.મ. વિભાગ.
૩. સર્વે તાંત્રિક ઉપ સચિવશ્રીઓ, મા.મ. વિભાગ.
૪. ના.કા.ઈ.શ્રીઓ મા.મ.વિભાગ.
૫. નાંણા શાખા, મા.મ.વિભાગ.
૬. ના.સે.અ., સી શાખા, મા.મ.વિભાગ,સિલેક્ટ ફાઈલ
૭. શાખા સિલેક્ટ ફાઈલ - ૨૦૧૩

U6JTF IGI DG T+GI, UT  
ZN SZJFGL  
YTF 5IZ5+ q 9ZFJ AFATP

UJHZFT ; ZSFZ  
DFU\*VG[DSFG IJEFU  
5IZ5+ S|DfSoU|GHGq5IZ5+qZ\_! 5qU|IGP  
; ZNFZ EJG4 a, MS GP ! \$  
; IRJF, I4 UFWLGUZ  
TFP\_ \$q! ZqZ\_! 5

; NE' ov VIWS D|l ; IRJzL4 ; FDFgl IJEFUGM TFP Z\$ q\_ \*qZ\_! 5 GM 5+  
S|DfSoV| ; LALv! \_Z\_! 5sZ\$fs5\$! \*#\_f  
s5F8V! fv; lPI }  
VFD|B ov

JCLJ8L T+DF; Z/TF TPDH V\$; }+TF ZC[TI DF8[H|T| IJQFI GL ; }RGFVIM 5IZ5+4 ; ZSFZL 9ZFJ :J~5|  
JBTM JBT 5|; wW SZJFDF\VFJ|, CM TPDH H[5IZ5+ S[9ZFJ CJ[VD, DF\ZC[TF G CMI TUF 5IZ5+MG|; }SI, T SZL  
VWTG ; }SI, T 5IZ5+ ACfZ 5F0JFG|S[ZN SZJF5+ 5IZ5+MG|ZN SZJF VUJGL AFAT ; ZSFZzLGL IJRFZ6F C|/CTIP

9ZFJ ov

5|t IJRFZ6FG[V|T|; ZFZzL NJZF pST AFAT[VF ; FY[GLR[H6FJ], 5IZ5+ q 9ZFJ VD, JFZL SZJFGL ZN  
SZJFG\ VFYL 9ZFJJFDF\VFJ| K|P SFZ6 S[TDG\ VD, ISZ6 VDS ; DI DI FNDF\H SZJFG\YT|CTP VG[T| ; DI  
DI FNf 5|6\*Y. UI|, CMI VF 5IZ5+ q 9ZFJ CF, VD, DF\GYL VG[EIJQI DF\56 T|GF 5Z VD, JFZL SZJFGL ZC[TL  
GYLP T|YL VF 5IZ5+ q 9ZFJG|ZN U6JFGM ZC|X|P

SD	DFPDP IJEFUGF 5IZ5+ GAZ VG[TFZLB	IJQFI
!	5IZ5+ S DfSo8LV G; Lv! _)_ _q! _! \$qs_ *fq; TFP _5q_#q! ) )_	AFWSFDGF SFDMD\U 6JTF IGI DG DF8 ,  JDF\VFJTL V\$ 8SF s! @f GL ZSD UZLG VF5JF AFATP
Z	9ZFJ5 S DfSo8LV G; lq! _ (5v\$v; TFP Z_q! q! ) )! s; NE'ov ; ZSFZzLGF TFP ! _q_5q! ) (5 GF ; ZBF S DfSGM 9ZFJf	DF, ; FDFGGF 8 8LV RfHL*, 9 SNFZM 5f;  YL J;  , SZJF VUJGL HMUJF. SZJF AFATP

UJHZFT ZFHI GF ZFHI 5F, zLGF C\$SDYL VG[TDGF GFD|

Girls' College  
Porbandar

**SD/-**  
s VFZPSP RfCF6 f  
BF; OZH 5ZGF VIWSFZLzL sIJPI MPf  
DFU\*VG[DSFG IJEFU  
UFWLGUZ

UJHZFT ; ZSFZ  
DFU\*VG[DSFG IJEFU  
5IZ5+ SPFS08LVG; Lv! \_vZ\_! 5v! ! v; L  
; IRJF, I4 UFWL GUZ  
TFP ! )q! \_qZ\_! 5

IJQFI ov DY . HFZNFZzL SFD SZJF DF8[V; 0/ ZC[TMTDGL ; FD[TftSFI, S 5U, F , JF SFI JFCL SZJF AFATP

; NE' ov! f DFPDPIJEFUGM 9ZFJ SPFS08LVG; Lv! &\*)vVF. Alv5&\*vs\$Zfv; L TFP Z\*q\_&q! ) (\_  
Zf DFPDPIJEFUGM 9ZFJ SPFS08LVG; Lv! 5 (5vVF. AlvZ\_! vs)fv; L TFP ! )q\_(q! ) (5  
sVUJHLDFF  
#f DFPDPIJEFUGM 9ZFJ SPFS08LVG; Lv! 5 (5vVF. AlvZ\_! vs)fv; L TFP ! )q\_(q! ) (5 s  
UJHZFTLDAf  
\$f DFPDPIJEFUGM 9ZFJ SPFS051010A<1)v! \_ (Zv\$&ZvZv; TFP ! Zq\_#q! ) )\_

5IZ5+

DFDPD IJEFU NJFZF VUfp 8g0ZGL XZTM 5DF6[ GSSL SZ[ ; DI Df SFD 5j6' SZJF DF8[ HI FZ[ D/ . HFZNFZ IG00/ HFI VYJF TM SFD VWZ] KMOLG[ Rf<I F HFI tIFZ[ T[ VWZ] SFD ALHF . HFZNFZzL NJFZF D/ . HFZNFZGF BR[VG[HMBD[5]- SZEJF VG[D/ . HFZNFZ 5F; YL JWFZFGF BR'DF8GL ZSDGL J; ], FT SZJF VUJGL SFI JFCL SZJFDFVfJTL CTIP 5ZT] VF 5jSFZGL J; ], FT D/ . HFZNFZ 5F; YL SZJF 36L JFZ SM8DF\56 HJ]50T]CT] VG[VfJL ZSD J; ], FT SZJFDF\36M IJ, YA YTM CTIP 5ZT] CJ]8g0ZDFV D/ . HFZNFZzLV[VWZF KMO], SFDM ALHF . HFZNFZzL NJFZF D/ . HFZNFZGF BR[VG[ HMBD[5Z] SZEJF VG[ D]. . HFZNFZ 5F; YL JWFZFGF BR'DF8GL ZSDGL J; ], FT SZJF VUJGL HNUJF. ZN SZJFDFVfJ], KP VFYL CJ]p5ZMST 5IZ5+MDFYL ; JRGFVMGL VD, JFZL CJ]SZJFGL ZC[TL GYL VG[Vf 5IZ5+MGL ; JRGFVMG[ZN U6JFGL ZCXP

**SD/-**  
s VFZPSP RfCF6 f  
BF; OZH 5ZGF VIWSFZLzL sIJPI MPf  
DFU\*VG[DSFG IJEFU  
UFWL GUZ

Girls' College  
Porbandar



; 1FD VIWSFZLGL 5J)\*  
DHZL  
JUZ HyYF JWFZFG}SFD G  
SZJF AFATP

UJHZFT ; ZSFZ4  
DFU\*VG{DSFG IJEFU  
5IZ5+ SPDS0AL. 0lv&5Z\_! \$v&(&vG  
GJF ; IRJF, I4 UFWLGUZP  
TFZLB ov ! Zq\_! qZ\_! &

; ZSFZzLGF wI FGDF\VFJ|I] K[S{TFAFGL SRZLVM NJFZF ; 1FD VIWSFZLVMGL 5J)\*DHZL JUZ HyYF JWFZFG  
SFDULZL SZFJL HJFANFZL pEL SZJFGL 5|6F, L VG; ZJDF\VFJL ZCL KP T|DH VNFH AGFJJDF\ 56 RMS; F. GM  
VEFJ H6FI KP VF ; \AWDF\GLR{D}HAGL

! P ; 1FD VIWSFZLGL 5J)\*DHZL JUZ HyYF JWFZF VG{JWFZFG} VF. 8DGL SFDULZL CFY WZL HJFANFZL pEL  
SZJL GCLP  
ZP VNFHM AGFJJDF\ RMS; F. ZFBJLP

SD/-  
s JLPVDP UMC, f  
p5 ; IRJ  
DFU\*VG{DSFG IJEFU  
UFWLGUZ



**SPECIAL CONDITION**

**INSTRUCTION TO BIDDER**

- 1.0 The bidder shall submit Demand Draft for tender Fee and DD of EMD as mentioned in tender document in favour of The Principal, V.R. Godhaniya collage, Porbandar payable at Porbandar in electronic formate only through online by scanning However, for the purpose of realization of DD the bidder shall submit the DD for Tender Fee and DD for EMD in original office of the Principal at the time of Tender opening or through R.P.A.D. / Speed Post / Hand Delivery so as to reach the office of The Principal, V. R. godhaniya collage, Porbandar on or before 12<sup>th</sup> March 2019 11:00 Hours. Peneltative action for not submitting DD in original to The Principal by bidder shall be initiated. Moreover, other necessary documents for biding such as valid Certificate, partnership deed, power of attorney etc. shall be submitted in electronic format only through online by scanning and hard copy will not be accepted separately.


**GST VUJ; RGF**

TFP \_! q\_\*qZ\_! \* YL **GST** SZDF/B)VD, DAVFJ, KP H[VG; FZ ; NZ SFDDA**GST** DANXFJIF VG; FZ 8S; EZ5F. SZJFGMZCXP H[AFAT[; IRJZL DFU"VG[DSFG IJEFU 4 UFWL GUZ NJFZ; RGF VF5JFDAVFJ, KP H[wi FG, . **GST** GF GJF SZDF/BF VG; FZ 8pOZ EZJF IJGTL KP 8pOZ DAVEZ, EFJM**GST** TYF Vgi 8pF; CLTGF U6JFDAVFJXP 5FK/YL 8pOZDA**GST** GF SFZ6[GF6FSLI EFZ6 VFJ, K|T|L ZH|VFT UFCI ZFBJFDAVFJX[GCL T|D|H ZH|I ; ZSFZ NJFZ VF VUJ SM. IJJFNG[wi FG, pFDAVFJX[GCL H|GL BF; GMW , pF IJGTL KP

**Special Condition**

Subsequent to the implementation of **GST** from 01/07/2017. The taxes applicable in this work will be as per the norms mentioned in the **GST**. The instruction given by the Secretary Roads and Buildings deptt. Govt. of Gujarat, vide letter dated :03/07/2017 are included in this tender. Keeping in view these instruction,

- (1) All the rates quoted by the bidder will be treated inclusive of all applicable govt. taxes and **GST**.
- (2) Extra claim on account of any Govt. tax including **GST** will not be entertained by the state Governemnt.



## **Special Condition**

The unit rates of controlled cement concrete items for RCC work of Mix M-15, M-20, M-25, M-30 and M-35 included in tender are taken considering cement consumption as shown below in Table – A.

### **Table – A**

Sr. No.	Grade of Controlled Cement Concrete	Cement Consumption as per SOR in Kg / Cum	Remarks
1	M-150 / M-15	290	
2	M-200 / M-20	360	
3	M-250 / M-25	380	
4	M-300 / M-30	410	
5	M-350 / M-35	425	

The contractor has to submit the mix design for different grades of Cement Concrete at his own cost as per norms from the Govt. Laboratory, before execution as directed and the same shall be got approved from the Principal. The rate of RCC items tendered by the contractor shall be reduced according to the cement consumption of the approved mix design. If the cement consumption of the mix design is less than as prescribed in Table-A. the recovery shall be made for the difference of lesser consumption of cement valued at the star rate of cement mentioned in Clause – 59. The condition is also applicable to the (i) Excess quantity for RCC items & (ii) Extra item list. The condition is to be followed in addition to clause-14. This condition is not applicable to Ready Mix Concrete items.

If there will be any change in grade of concrete items, only the cost difference of cement will be paid / debited / deducted from concern item as per mix design.

Principal  
R. & B. Division  
PORBANDAR

Girls' College  
Porbandar



DF, ; DDFG 5Z1F6 VUJ[8:8GL ; b1 F VG[:JLSTLGF WMZ6MNXFJT]5+S  
Uj6JtTF IGI DG DFU"VG[DSFG IJEFU

SPFS	8:8GL IJUT	8:8GF WMZ6[	5Z1F6MGL :JLSTLGF WMZ6[
!	Z	#	\$
!	; LDq8		
	sSf ; 8LU 8F. D . GLXLI , 40F. G,	5_ 8GGL 8SF Y[ LVMDFYL ! 5 SL, MGM V\$ ; 85, , ,JFGMZC[KP 5_ YL ! __ 8GvZ ; 85, ! __ YL Z __ 8Gv# ; 85, Z __ YL # __ 8Gv\$ ; 85, # __ YL 5 __ 8Gv5 ; 85, 5_ YL ( __ 8Gv& ; 85, ( __ YL ! # __ 8Gv* ; 85,	#_ DLGL8 SZTF VMK]GCL\ & __ DLGL8 SZTF JWfZ[GCL\ #_ @ H8, ]
	sBf Of. GGX	5FR ; 85, DFYL V\$ 8:8 sVf. PV[ P ; LJ ) _ DF. S]Gf	) _ DF. S]GGL ; LJDFYL ) _ @ VUZ JW] 5UFZ YJ]HM. VP
	sUf Sq; L:8q; L 8:8	V\$ ; 85, sNZ\$ ; 85, p5Z DJHaf	#_ @ H8, ]
	s3f SM5[ LJ 8:8	+LHF NLJ ; [VMP5LP; LP DF8[! ! _ SLPUPq; PDLP <sup>2</sup> ; FTDF INJ ; DF8[ZZ_ ISPUF q ; PDLP <sup>2</sup> V91 FJL ; DAINJ ; [VMP5LP; LP DF8[# ! _ ISPUFq ; PDLP <sup>2</sup>	NZ\$ ; 85, p5Z DJHA
	sVf Of. GGX 8:8 5[ LOLS ; ZO[ wJZF	VMP5LP; LP DF8[Z_ #5 ; DLqUFD JWfZ[ 5LP5LP; LP DF8[#_ #_ ; DLqUFD	p5Z DJHA 5FR ; 85, DFYL V\$ 8:8
	sAf Zf; FI 16S 5YSSZ6 Vf. PVX \$_ #Zv) & (	! P DUG[XI D VMS; F. 0 &@ YL VMK] ZP ; <0Z 8FI VMS; F. 0 ZP*5@ YL VMK] #P . uGLXG , MX 5@ ; ]ML	p5Z DJHA 5FR ; 85, DFYL V\$ 8:8P
ZP	Z[TL		
	sVf ; L:8Sg88	! 5_ 3G DLP V\$ 8:8 sV\$ ; 85, ! _ ISPUff	#@ ; ]ML : 5[ LOLSXG IGI T SZ[ F WMZ6 DJHA ; FDFgl ZLT[RIMF hMG DFYL VFJTL Z[TL JF5ZJL GCLP
	sAf Of. GGX DIMO] ;		
#	U]8 S5RL s0FDZSFD DF8f	Al8]DLG; D\$F0D4 U]8 VG[S5RIGF V, U :5XL0SXG IGI T SZ[ F WMZ6MD]HA A[T]DH DL1F VU]UBGF NZZMH A[8:8 V\$ H %, Fg8 p5ZYL , JFGF ZCXP sV, U V, U A[VG[ 0FI ZDFYL Af	:5PLSXGGF IGI T SZ[ F WMZ6MD]HAP
	sSf U]XG 8:8	5]T Z __ 3G DL8Z[V\$ 8:8	0FDZ ; 5F8L DF8[#5@ YL JW]GCLP
	sBf 0, S]GX 8:8	5]T ! __ 3G DL8Z[V\$ 8:8	JW]GCLP
	sUf V]XG 8:8	5]T ! __ 3G DL8Z[V\$ 8:8	#_ @ YL JW]GCLP
	s3f V]XG 8:8	Z5 YL ! __ 3G DL8Z[V\$ 8:8 NZZMH	#5 @ YL JW]GCLP
	sUf :8E5LU 8:8	A[8:8 V\$ H %, Fg8 DF8[ , JFGF ZCXP NZ ! __ 8G[V\$ 8:8 VYJF H~IZI FT DJHAP	Z5 @ YL JW]GCLP
	sVf OfDZ V\$:8XG 8:8 sAf OfDZGL Uj6JtTFGM 8:8 s5GL8XG 8:8f		_P# @ sIGI T WMZ6MGff _P( _ \$ @ ( _vZZ5 5@ ZZ5 YL p5Z _@
\$	. 8M sSf Vh, MZXgf 8:8 sBf J]8Z V]A; M]XG 8:8 sUf SM5XJ :8qY 8:8	Z __ . 8MGF HyYDFYL Z __ . 8M , JFGL ZC[KP #5 __ . 8MGF HyYDFYL #Z . 8M , JFGL ZC[ KP VG[NZ\$ 5 __ . 8MGF HyYDFYL 5 __ . 8M , JFGL ZC[KP	DpZ8 Z_ @ YL JW]GCLP VUZH #5 SLPUPq ; PDLP <sup>2</sup> YL VMK]GCLP VG[ NZ\$ Zlh<8 IGI T WMZ6MGF Z_ YL VMK]CIU] HM. VP

<p>5</p>	<p>; LP; LP 0, MZLU 8F. &lt;; sSf JMBZ VA; IXG 8f: 8 sBf 8f; JZL : 8f; 8f: 8 sUf V\XG 8f: 8</p>	<p>Z__ 8F. &lt;; DFYL &amp; 8F. &lt;; , JFGL ZC[KP Z__ 8F. &lt;; DFYL ! Z 8F. &lt;; , JFGL ZC[KP Z__ 8F. &lt;; DFYL &amp; 8F. &lt;; , JFGL ZC[KP</p>	<p>JWDAJWJ! _ @  E LGL ; JSL ( _ SLPUPq; DL ! Z_ SLPUPq; DL sVMKFDAVMKLF VJZH W; FZM #P5 DLPDLP YL JWJGCLR</p>																			
<p>&amp;</p>	<p>5f6L SDLS, VGF, L; L;</p>	<p>V\$ ; M; *DF8[V\$ H JBT 8f: 8 , JFGMZCXP 5KL HM XSF YFI TMHP</p>	<p>8L0LV; sDLP Ufq, l8Zv#__ Zf&lt;0B sDLPUPq, l8Zv5__ 5LPVRPJkI   &amp; YL ( S, MZF. 0 DLPUPq , l8ZvZ__ s5LP5LP; LPf v ! __ sVFZP; LP; LPf SFAGLS 5NFY"Z__ VSFAGLS 5NFY"#__</p>																			
<p>*</p>	<p>; LDf8 SMS\BGF SI JA 8f: 8</p>	<p>sVF VMOLGZL VG[S8M, SMS\8 DF8[ VF. PVf P\$5v! ) * (  <b>HyYM ; f5, GL ; bIF</b> ! YL 5 3G DL8Z ! Z YL ! 5 3G DL8Z Z ! &amp; YL Z_ 3G DL8Z # #! YL 5_ 3G DL8Z \$ 5! YL p5ZGF \$+ NZ\$ HyYF DF8[ 5_ 3G DL8Z VYJF TGF EFU DF8[ V\$ ; f5, s! ; f5, v &amp; SI JAf sAf VMOLGZL VG[S8M&lt;0 SMS\B 5], MGF SFD DF8[ VF. PVFZP; LP Zv! ) &amp;&amp; DHA UIT 5_ 3G DLPGF HyYF DF8[ ! _ SI JA , JFGF H[ 5SL 5 SI JA * INJ; GF VT[VG[ 5 SI JA Z( INJ; GF VT[8f: 8 SZFJJFGF ZC[KP SMS\B SFD NZdI FG 5C[ F &amp; INJ; DF8[SF1 D p5Z DHA SI JA , JFGF VG[ tIFZ 5KL +6 INJ; [V\$JFZ SI JA EZJFGF ZC[KP sSf ; LDf8 SMS\8 ALDGF SFD DF8[ 5IT #_ 3G DLPGF HyYF DF8[ ! _ SI JA EZJFGF H[ 5SL 5 SI JA * INJ; VG[AFSLGF 5 SI JA ( INJ; [8f: 8 SZFJJFGF ZCXP</p>	<p>sAf HJNF HJNF UDFG SMS\B DF8[IGI T SZ[ DHAJTF. D/JFGL H-ZL KP <b>* INJ; Z( INJ;</b> SLPUPq; PDL<sup>Z</sup> SLPUPq; PDL<sup>Z</sup> VDP! __v*__ ! __ VDP! 5_v! __5 ! 5__ VDPZ __v! #5 Z__ VDPZ5_v! * __ Z5__ VDP# __vZ__ #__  VF p5ZFT VF. PVf PVFZv! ) * ( GF SIP DHA IJIX08 DHAJTF. sSZ\$8ZL : 8LS ; 8f5 PPPPPPPP UHFPPPP SZLG[D/JJFGF CMI KP sAf NZZMH 8f: 8 SZ[ F SI JAGL ; ZZF; SMUJ; LG : 8gY IGI T WMZPPPP VMKL PPPPP HM. VP NZZMH 8f: 8 SZ[ F SI JAGF PPPPP SI JAGL : 8gY IGI T WMZ6MGL : 8gWGF PPPPPPP YL VMKL GF CMJL HM. VP</p>																			
<p>(</p>	<p>, MBO</p>																					
<p>sSf DF. &lt;0 : 8L, sVFZP; LP; LPf  sBf AJL: 8\$ : 8L, AFZ  sUf DL: 8\$ SMS\B DF8[ : 8L, GF JFZ</p>	<p>\$_ 8G[VMKFDAVFK]V\$ 8f: 8 , JFGF ZC[KP  ISP UFP  ISP UFP</p>	<table border="1"> <tr> <td data-bbox="975 1406 1126 1626"> <p>HFOF. DLDL</p> </td> <td data-bbox="1126 1406 1246 1626"> <p>V&lt;8LD[ 8 8f; F. F , : 8gY sSLPDLP q ; DLf</p> </td> <td data-bbox="1246 1406 1366 1626"> <p>PPPPPPP SLPUP q ; PDLP</p> </td> <td data-bbox="1366 1406 1476 1626"> <p>. , MUJ XG GF 8SF</p> </td> </tr> <tr> <td data-bbox="975 1626 1126 1704"> <p>_vZ_ Z_v\$ _</p> </td> <td data-bbox="1126 1626 1246 1704"> <p>\$Z \$Z</p> </td> <td data-bbox="1246 1626 1366 1704"> <p>ZZ Z\$</p> </td> <td data-bbox="1366 1626 1476 1704"> <p>Z# Z#</p> </td> </tr> <tr> <td data-bbox="975 1704 1126 1984"> <p>Z_ YL JWJ AWL ; F. h DF8[</p> </td> <td data-bbox="1126 1704 1246 1984"> <p>\$Z \$)P5</p> </td> <td data-bbox="1246 1704 1366 1984"> <p>Z\$ \$ZP5</p> </td> <td data-bbox="1366 1704 1476 1984"> <p>Z# ! \$P5</p> </td> </tr> <tr> <td data-bbox="975 1984 1126 2029"> <p>(P_</p> </td> <td data-bbox="1126 1984 1246 2029"> <p>! \$ _</p> </td> <td data-bbox="1246 1984 1366 2029"> <p>VFJ[</p> </td> <td data-bbox="1366 1984 1476 2029"> <p>\$ UMH</p> </td> </tr> <tr> <td data-bbox="975 2029 1126 2098"> <p>*P_</p> </td> <td data-bbox="1126 2029 1246 2098"> <p>! 5_</p> </td> <td data-bbox="1246 2029 1366 2098"> <p>8V ; F. ,</p> </td> <td data-bbox="1366 2029 1476 2098"> <p>\$ PPPPP</p> </td> </tr> </table>	<p>HFOF. DLDL</p>	<p>V&lt;8LD[ 8 8f; F. F , : 8gY sSLPDLP q ; DLf</p>	<p>PPPPPPP SLPUP q ; PDLP</p>	<p>. , MUJ XG GF 8SF</p>	<p>_vZ_ Z_v\$ _</p>	<p>\$Z \$Z</p>	<p>ZZ Z\$</p>	<p>Z# Z#</p>	<p>Z_ YL JWJ AWL ; F. h DF8[</p>	<p>\$Z \$)P5</p>	<p>Z\$ \$ZP5</p>	<p>Z# ! \$P5</p>	<p>(P_</p>	<p>! \$ _</p>	<p>VFJ[</p>	<p>\$ UMH</p>	<p>*P_</p>	<p>! 5_</p>	<p>8V ; F. ,</p>	<p>\$ PPPPP</p>
<p>HFOF. DLDL</p>	<p>V&lt;8LD[ 8 8f; F. F , : 8gY sSLPDLP q ; DLf</p>	<p>PPPPPPP SLPUP q ; PDLP</p>	<p>. , MUJ XG GF 8SF</p>																			
<p>_vZ_ Z_v\$ _</p>	<p>\$Z \$Z</p>	<p>ZZ Z\$</p>	<p>Z# Z#</p>																			
<p>Z_ YL JWJ AWL ; F. h DF8[</p>	<p>\$Z \$)P5</p>	<p>Z\$ \$ZP5</p>	<p>Z# ! \$P5</p>																			
<p>(P_</p>	<p>! \$ _</p>	<p>VFJ[</p>	<p>\$ UMH</p>																			
<p>*P_</p>	<p>! 5_</p>	<p>8V ; F. ,</p>	<p>\$ PPPPP</p>																			

			5P_	! &_	:8v 55L	\$Z_ DIDL
			\$P_	! *5	VMKFDF	#
			#P_	!)_	VMK) (5@	ZP5

sSltg8fS8ZGL ; CLF

SFI 5F, S . HGZ  
5RFI T DFU\*VG[DSFG IJEFU4  
5MZANZ



**NAME OF WORK :- CONSTRUCTION OF CLASS ROOMS AT VIRAMBHAI R. GODHANIYA COLLEGE OF ARTS,COMMERCE, HOMESCIENCE & IT FOR GIRLS, PORBANDAR**

**Material test schedule**

Sr. No.	Materials to be tested	Name of laboratory test	Frequency of testing	Remarks
1	2	3	4	5
1	Cement	Consistency Initial & Final setting time Compressive strength Fineness Soundness Specific gravity Chemical analysis	Upto 50 M.T. = 1 Sample 50 to 100 M.T. = 2 Sample 100 to 200 M.T. = 3 Sample 200 to 300 M.T. = 4 Sample 300 to 500 M.T. = 5 Sample 500 to 800 M.T. = 6 Sample 800 to 1300 M.T. = 7 Sample and 8 Sample for large consignment	As per receipt of cement, one sample of 15 Kg. from 20 bags in consignment of 50 M.T. shall be taken for testing. Minimum one sample for each consignment less than 50 M.T. of cement received.
2	Sand	Fineness modules Specific gravity Water absorption Clay & Fine silt content Gradation test Pentography exclusion	1 test per each source of supply per every working season.	Or as required while execution or change of quarry.
3	Crushed Stone aggregate (For concrete)	Specific gravity Soundness Water Absorption Impact Value Gradation Test Crushing Test Abrasion Value	1 Test / 150 Cu.m	Or as required while execution or change of quarry.



		Flakiness		
4	Water	Potability	1 test per each source of supply per every working season.	Or as required while execution or change of source.
		Salinity		
		Chemical analysis		
5	H.B. Stone aggregate	Specific gravity	Upto 100 Cum. one Test	Or as required while execution or change of quarry.
		Impact Value		
		Flakiness		
		Abration Value		
		Crushing Test		
		Water Absorption		
6	T.M.T. steel	Elongation	One test per 20 M.T. for each categories & every lots supplied.	Or as required while execution
		Tensile Strength		
		Bend and rebend test		
		Yield Strength		
		Dimension Test		
7	C.C. Cubes (Ordinary & Controlled C.C. )	Compressive Strength for 7 & 28 days	1 to 5 Cum. = 1 Test	Or as required while execution
			6 to 15 Cum = 2 Test	
			16 to 30 Cum = 3 Test	
			31 to 50 Cum = 4 Test	
			51 & above 4 + 1 test each 50 Cum.	
8	White stone	Compressive strength	1 Test per working season per quarry	Or as required while execution
		Water absorption		
		Soundness		
9	Teak wood	Anatomy Test	1 Test per lot	Or as required while execution
		Density Test		
		Moisture content Test		
10	Vitrified tiles / Ceramic tiles / Glazed tiels	Dimension Test	1 Test per manufacturer.	Or as required while execution
		Transverse Strength		
		Water Absorption		

		Abrasion Test		
11	Paving / Concrete block	Compressive strength	1 test per work or change of lot supplied.	Or as required while execution
12	Earth work	C.B.R. test (Soaked and unsoaked)	1 test per every 3000 Cum.	Or as required while execution
13	Crushed stone aggregate 40 to 63 mm. for W.B.M.	Aggregate Impact Value Flakiness Index Water absorption Gradation Stripping Value Soundness Crushing Strength	Up to 100 Cum. = 1 Test 101 to 500 Cum. = 3 Test 501 to 1500 Cum. = 5 Test 1501 to 5000 Cum. = 7 Test 5001 & above = 1 Additional Test	Or as required while execution
14	Soft Murrum / Binding materials	Atterbergs Limit	One Test / 50 Cum.	Or as required while execution

Note :-

- 1 Testing of materials should be as per statement attached with the specification. The materials shall be tested in GERI Bill for testing shall be paid by the Deptt. and 1% (One percent) of amount put to tender from the running account bills of the work (As per G.R.(R&B) Deptt.No. TNC 1085/4/C Dt. 10-5-85.
- 2 Samples to be sent by contractor to GERI.

(Signature of Contractor )

Principal  
Dr. V. R. Godhaniya College of Arts,  
Commerce, Home Science and IT for Girls,  
Porbandar

**NAME OF WORK :- REPAIRING AND RENOVATION AT VIRAMBHAI R. GODHANIYA COLLEGE OF ARTS,COMMERCE, HOMESCIENCE & IT FOR GIRLS, PORBANDAR**

**SPECIFICATION INDEX**

<b>Item No.</b>	<b>Description of Item</b>	<b>Item No/Page No. of corresponding applicable specification Booklet.</b>
<b>1</b>	<b>2</b>	<b>3</b>
1	Excavation for foundation up to 1.5 M Depth including sorting out and stacking of useful materials and disposing of the excavated stuff up to 50 meter lead (B) Dense & hard soil.	Building works Booklet 4.0.0(B) / 29
2	Excavation for foundation for depth 1.5 M to 3.0m including sorting out and stacking of useful materials and disposing of the excavated stuff up to 50 meter lead	Building works Booklet 4.0.0.1(B) / 32
3	Filling available excavated earth (Excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20cm. in depth consolidating each deposited layer by ramming and watering	Building works Booklet 4.12 / 35
4	Filling in foundation and plinth with murrum or selected soil in layers of 20cm. Thickness including watering, ramming and consolidating etc. complete.	Building works Booklet 4.004 / 35
5	Providing and laying plain Cement concrete 1:2:4 ( 1 cement : 2 Coarse Sand : 4 Graded stone aggregate 40mm nominal size ) in foundation and plinth, and curing etc. complete	Building works Booklet 5.3.13 / 40
6	Providing and laying contrded cement concrete M-250 and finishing smooth with curing etc. complete, including cost of form work but the excluding the cost of reinforcement for R.C.C. work in (a) foundation, footing base of columns and mass concrete	Building works Booklet 5.8.3(A) / 47 9.1(A) / 63
7	Providing and laying contrded cement concrete M-250 and finishing smooth with curing etc. complete, including cost of form work but the excluding the cost of reinforcement for R.C.C. work in (D) Column, pillars , posts and struts upto floor two level	Building works Booklet 5.8.3(D) / 47 9.1(G)(i) / 65
8	Providing and laying contrded cement concrete M-200 and finishing smooth with curing etc. complete, including cost of form work but the excluding the cost of reinforcement for R.C.C. work in ( c) Tie, beams upto Floor two level	Building works Booklet 5.8.2(C) / 47 9.1(H)(i) / 65

9	Providing and laying controlled cement concrete M-200 curing complete, including the cost of Formwork but excluding the cost of reinforcement in (d ) columns Ground floor.	Building works Booklet 5.8.3(D) / 47 9.1(G)(i) / 65
10	Providing and laying controlled cement concrete M-200 curing complete, including the cost of Formwork but excluding the cost of reinforcement in (d ) columns First floor.	Building works Booklet 5.8.3(D) / 47 9.1(G)(i) / 65 5.4.13 / 46
11	Providing and laying controlled cement concrete M-200 and curing complete including the cost of form work but excluding the cost of reinforcement for R.C.C. work in ( C ) Beam for Ground Floor	Building works Booklet 5.8.2(C) / 47 9.1(H)(i) / 65
12	Providing and laying controlled cement concrete M-200 and curing complete including the cost of form work but excluding the cost of reinforcement for R.C.C. work in ( C ) Beam for First Floor	Building works Booklet 5.8.2(C) / 47 9.1(H)(i) / 65 5.4.13 / 46
13	Providing and laying Controlled cement concrete M-200 with curing etc. complete, including the cost of formwork but excluding the cost of reinforcement for R.C.C. work in ( C ) Slab for Ground Floor.	Building works Booklet 5.8.2(C) / 47 9.1(B)(i) / 65
14	Providing and laying Controlled cement concrete M-200 with curing etc. complete, including the cost of formwork but excluding the cost of reinforcement for R.C.C. work in ( C ) Slab for First Floor.	Building works Booklet 5.8.2(C) / 47 9.1(B)(i) / 65 5.4.13 / 46
15	Providing and laying Controlled cement concrete M-200 for R.C.C. in Lintel including finishing smooth with curing etc. complete including the cost of Formwork but excluding the cost of reinforcement for Ground Floor.	Building works Booklet 5.8.2(C) / 47 9.1(H)(i) / 65
16	Providing and laying Controlled cement concrete M-200 for R.C.C. in Lintel including finishing smooth with curing etc. complete including the cost of Formwork but excluding the cost of reinforcement for First Floor.	Building works Booklet 5.8.2(C) / 47 9.1(H)(i) / 65 5.4.13 / 46
17	Providing and laying Controlled cement concrete M-200 for R.C.C. in Chhajjas not excluding 10cm thickness including finishing smooth with curing etc. complete including the cost of centering and Formwork but excluding the cost of reinforcement for Ground Floor	Building works Booklet 5.8.2(C) / 47 9.1(H)(i) / 65
18	Providing and laying Controlled cement concrete M-200 for R.C.C. in Chhajjas not excluding 10cm thickness including finishing smooth with curing etc. complete including the cost of centering and Formwork but excluding the cost of reinforcement for First Floor.	Building works Booklet 5.8.2(C) / 47 9.1(H)(i) / 65 5.4.13 / 46
19	Providing TMT FE-500 bar reinforcement for R.C.C. work including bending with 18 Guage binding wire and placing in position complete up to All floor.	<b>As per Attached Sheet</b>



20	White stone Bela Masonary block in course in foundation and plinth with stone of approved quality in cement mortar 1:6 ( 1 cement : 6 course sand ) including racking the joint etc. comp	Building works Booklet 7.0.0.4 / 62
21	White stone Bela Masonary block in course in superstructure with stone of approved quality in cement mortar 1:5 ( 1 cement : 5 course sand ) including racking the joint etc. comp. For Ground floor.	Building works Booklet 7.0.0.3 / 62
22	White Stone Bela mesonry block in course in superstructure with stone of approved quality in Lime Mortar 1:5 (1-Cement : 5- course sand) including packing the joints etc. complete. For Fist Floor	Building works Booklet 7.0.0.3 / 62
23	Providing and fixing 35 mm thick shutters for Doors, windows and clerestory windows including Indian teak wood frames 10 cm x 7 cm. size including anodized alluminium fixtures and fastenings including primer coat of approved quality and two coats of oil painting etc, complete. (ii) Fully Panelled.	Building works Booklet 10.1 (A) / 68 10.12 (A)(I) / 69
24	Providing and fixing window having extruded aluminum Colour anodized section frame main outer size 95mm x 24mm x 1.17mm (of Jindal Section no:2459 @ wt.of 0.738 Kg/mt), horizontal Three track member size 92mm x 31.75mm x 1.30mm (of Jindal Section no:8688,@ Wt.1.07 Kg/mt), vertical member of size 92mm x 31.75mm x 1.50mm (of Jindal Section no:8933,@ Wt. 1.06 Kg/mt) with sliding shutters of horizontal member size 40 mmx18mm x1.29mm (of Jindal Section no:8947@ wt.of 0.456 Kg/mt), vertical member of size 40mm x 18mm x 1.29 mm (of Jindal Section no:8949 @ wt.of 0.456Kg/mt/ with 5 mm thick transparent bronze colour tinted float glass with powder coated aluminum fittings and fixtures and transparent silicon sealant glass fixing to frame as per details etc	<b>As per Attached Sheet</b>
25	Providing and laying Granite stone slab 20mm base of Araldite chemical and cement base redymade mortar for clading of Granite/tile slab including all material and labour with Cutting and rounding of edges of granite stone for window/door sill etc. complete as directed by EIC.	Building works Booklet 14.4(A) / 90 (The work be carried out for door & window sills with suitable adhesives )

<p><b>26</b></p>	<p>Providing 20 mm thick Double coat mala cement plaster on interior brick/ concrete work comprising of base coat of 12mm thick cement plaster in cement mortar ( 1 cement : 4 coarse sand ) in rough finishing and 8mm thick top coat of cement mortar 1:2 ( 1 cement : 2 coarse sand ) finished with trowel including scaffolding curing etc. comp. for Ground Floor</p>	<p>Building works Booklet 17.61(II) / 121 17.69 / 121  ( The work shall be carried for Mala Troweled finished as directed.)</p>
<p><b>27</b></p>	<p>Providing 20 mm thick Double coat mala cement plaster on interior brick/ concrete work comprising of base coat of 12mm thick cement plaster in cement mortar ( 1 cement : 4 coarse sand ) in rough finishing and 8mm thick top coat of cement mortar 1:2 ( 1 cement : 2 coarse sand ) finished with trowel including scaffolding curing etc. comp.) for First Floor</p>	<p>Building works Booklet 17.61(II) / 121 17.69 / 121 17.94 (I) / 122  ( The work shall be carried for Mala Troweled finished as directed.)</p>
<p><b>28</b></p>	<p>Providing 10 mm thick cement plaster on ceiling and soffits of stairs upto floor two level and finished even and smooth for Ground Floor in cement mortar 1:3 (1-cement : 3-fine sand)</p>	<p>Building works Booklet 17.58(I) / 119 17.69 / 121</p>
<p><b>29</b></p>	<p>Providing 10mm thick cement plaster in single coat on brick/concrete walls for interior plastering upto floor two level and finished even and smooth in (i)Cement mortar 1:3 (1-cement:3-sand)</p>	<p>Building works Booklet 17.58(I) / 119 17.69 / 121 17.94 (I) / 122</p>
<p><b>30</b></p>	<p>20 mm. Thick sand faced cement plaster on walls upto height 10 meters above ground level consisting of 12 mm. Thick backing coat of c.m. 1:3 (1 cement : 3 sand) and 8 mm. Thick finishing coat of c.m. 1:1 (1 cement : 1 sand) etc. complete.</p>	<p>Building works Booklet 17.95 / 122</p>
<p><b>31</b></p>	<p>Applying two coats of birla ( white cement based) or asian (acrylic lapy putty) or equivalent and two coats of primer of approved brand and manufacture on new wall surface to give an even shade including thoroughly brushing the surface free from mortar dropping and other foreign matter and sand papered smooth</p>	<p>Building works Booklet 19.91 / 144  (The work be carried out with white putty on plaster )</p>
<p><b>32</b></p>	<p>Wall painting (Two coats ) with plastic emulsion paint of approved brand and manufacture on under coated wall surface including to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth</p>	<p>Building works Booklet 18.57 / 136</p>
<p><b>33</b></p>	<p>Wall painting (two coats) with plastic emulsion paint of approved brand and manufacture on undecorated wall surface to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth on ceiling</p>	<p>Building works Booklet 18.57 / 136 18.59 /137</p>

<b>34</b>	Finishing wall with weather proof exterior emulsion paint on wall surface (two coats) to give an require shape even shade after thoroughly brushing the surface to remove all dirt, and remains of loose powdered materials. Etc. complete.	Building works Booklet 18.57 / 136 (The work be carried out with Exterior paint of standard make )
<b>35</b>	P & L 24" x 24" vitrified 8 mm thick tile flooring over 20 mm (average) base of cement mortar 1:6 ( 1 cement: 6 coarse sand) on new surface or fixing on existing flooring by adhesive material including dismantling of existing flooring and jointed with color cement slurry including finished with flush pointing & cleaning the surface etc. complete for light shade (upto 10 ton)	Building works Booklet 14.29 / 96 (The work be carried out with 24"x24" Vitrified 8mm thick Light shade tiles )
<b>36</b>	Providing and laying broken China Mosaic Flooring for Terrace using 12mm to 20mm broken pieces of glazed tiles to be laid over cement mortar 1:3 to plain or slope and to be tempered to bring mortar crème out upto surface using white cement including rounding off junctions and extending them up to 15cm. along the wall, clearing with water and oxalic acid etc. as directed.	Building works Booklet 14.25(A) / 95 (The work be carried out with Glazed tiles of 6mm thick Light shade )
<b>37</b>	Providing and fixing MS grill of required pattern to wooden frame of windows etc. with MS flats at required spacing and frame around square of round bar with round headed bolts and nuts or by screws etc. complete. (B ) ornamental grill	Building works Booklet 10.100(B) / 76
<b>38</b>	Painting two coats (including priming coat) on new steel and other metal surface with enamel paint, brushing, interior to give an even shade including cleaning the surface an even shade including cleaning the surface of all dirt, dust and other foreign matter	Building works Booklet 19.7 / 138

Principal

Girls' College  
Porbandar

# **BUILDING SPECIFICATION BOOKLATE**

The Booklate is available at Office of The Principal, Dr. Virambhai Rajabhai Godhaniya College Of Arts, Commerce, Home Science And IT For Girls, Porbandar. The Contractor may avail a copy of the same.





# **-:: SPECIFICATION ::-**

## **Item No. :- 5**

**Providing TMT FE-500 bar reinforcement for R.C.C. work including bending with 18 Gauge binding wire and placing in position complete up to All floor.**

### **2.0 MATERIAL**

#### **2.1 TMT Bars / CRS Steel**

Reinforcements may be either E.M.T. tensile steel, high strength deformed bars. They may be uncoated or coated with epoxy or with approved protective coatings.

2.2 T.M.T. bars reinforcement for RCC work shall conform IS 432 (Part II) 1966 and shall be of tested quality. It shall also comply with relevant part of IS 456-1966.

2.3 All reinforcement shall be clean and free from dirt, paint, grease or oil, all scale or loose or thick rust at the time of placing.

2.4 All steel shall be procured from original producers no re-rolled steel shall be incorporated in the work.

2.5 Only new steel shall be delivered to the site every bar shall be inspected before placing to its position and defective brittle or burnt bar shall be discarded cracked ends of bars shall be discarded

### **3.0 Pitch**

3.1 Distance between bars shall be as specified in drawings and as directed by the Principal all bars shall be laced at an accurate distance from each other and shall be bind tightly to maintain the desired pitch Suitable means shall be provided for holding bars securely in position.

### **4.0 Binding Wire**

4.1 Mild steel binding wire shall be of 1.63 mm or 1.22 mm (16 to 18 gauge diameter and shall conform IS 280-1972

4.2 The use of black wire will be permitted for binding reinforcement bars. It shall be free from dirt, paint, grease or oil, oil scale or loose or thick rust and any other undesirable coating which may prevent adhesion of cement mortar at the time of binding.

4.3 Only new binding wire shall be delivered to the site all binding wire shall be inspected before binding to its position and defective brittle, rusted, used wire, shall be discarded.

### **5.0 PROTECTION OF REINFORCEMENT**

5.1 Uncoated reinforcing steel shall be protected from rusting or chloride contamination. Reinforcements shall be free from rust, mortar, loose mill scale, grease, oil or paints. This may be ensured either by using reinforcement fresh from the factory or thoroughly cleaning all reinforcement to remove rust using any suitable method such as sand blasting, mechanical wire brushing, etc. as directed by the Engineer. Reinforcements shall be stored on bricks racks or platforms and above the ground in a clean and dry condition and shall be suitably marked to facilitate inspection and identification.

**5.2** Portions of uncoated reinforcing steel and dowels projecting from concrete shall be protected within one week after initial placing of concrete with a brush coat of neat cement mixed with water to a consistency, of thick paint. This coating shall be removed by lightly tapping with a hammer or other tool not more than one week before placing of the adjacent pour of concrete. Coated reinforcing steel shall be protected against damage to the coating. If the coating on the bars is damaged during transportation or handling and cannot be repaired, the same shall be rejected.

**6.0 workmanship**

**6.1** The work shall consist of furnishing and placing reinforcement to the shape and dimensions shown as on the drawings or as directed by the Principal.

**6.2** Reinforcing steel shall conform accurate to the dimensions given in the bar bending schedules shown on relevant drawing.

**7.0 BENDING OF REINFORCEMENT**

**7.1** Bar bend g schedule shall be furnished by the Contractor and got approved by the Engineer before start of work.

**7.2** Reinforcing steel shall conform to the dimensions and shapes given in the approved bar bending schedules.

**7.3** Bars shall be bent cold to the specified shape and dimensions or directed by the Engineer using a proper bar bender operated by hand power to obtain the correct radius of bends and shape.

Bars shall not be bent or straightened in a manner that will damage parent material or the coating bars bent during transport or handling shall, be straightened before being used on work and shall not be heated to facilitate straightening.

**8.0 PLACING OF REINFORCEMENT**

**8.1** The reinforcement cage should generally be fabricated in the yard at ground level, and then shifted and placed in position. The reinforcement shall be placed strictly, in accordance with the drawings and shall be assembled in position, only when structure is otherwise ready for placing of concrete. Prolonged time gap, between assembling of reinforcements and casting of concrete, which may result in rust formation on the surface, shall not be permitted.

**8.2** Reinforcement bars shall be [placed accurately in position as shown on the drawings. The bars, crossing one another shall be tied together at every intersection with binding wire (annealed), conforming to IS:280 to make the skeleton of the reinforcement rigid such that the reinforcement does not get displaced during placing of concrete, or any other operation. The diameter of binding wire shall not be less than 1 mm.

**8.3** Bars shall be kept in position usually by the following methods :  
In case of beam an slab be placed between the bars and formwork subject to Satisfactory evidence that th polymer composition is not harmful to concrete and reinforcement. Cover blocks made of concrete may be permitted by the Engineer, provided they have the same strength and specification as those of the member.

**8.4** In case of dowels for Columns and walls the vertical reinforcement shall be kept in position by means of timber templates with slots in them accurately, or with cover blocks

tied to the Reinforcement. Timber templates shall be removed after the concreting has progressed up to a level just below their location.

- 8.5** Layers of reinforcements shall be separated by spacer bars at approximately one meter intervals. The minimum diameter of spacer bars shall be 12 mm or : equal to maximum size of main reinforcement or maximum size of coarse aggregate, whichever is greater. Horizontal reinforcement shall not be, allowed to sag between supports.
- 8.6** Necessary stays, blocks, metal chairs, spacers, metal hangers supporting wires etc, or other subsidiary, reinforcement shall be provided to fix the reinforcements firmly in its correct position.
- 8.7** Use of pebbles, broken stone, metal pipe, brick, mortar or wooden blocks etc as devices for positioning reinforcement shall not be permitted.
- 8.8** Bars coated with epoxy or any other approved protective coating shall be placed on supports that do not damage the coating. Supports shall be installed in a manner such that planes of weakness are not created in hardened concrete. The coated reinforcing steel shall be held in place by use of plastic or plastic coated binding wires especially manufactured for the purpose.
- 8.9** Placing and fixing of reinforcement shall be inspected and approved by the Engineer before concrete is deposited.
- 9.0 Lapping**
- 9.1** All reinforcement shall be furnished in full lengths as indicated on the drawing. No splicing of bars, except where shown on the drawing: will be permitted without approval of the Engineer. The lengths of the splice shall be as indicated on drawing or as approved by the Engineer. Where practicable, overlapping bars shall not touch each other, and shall be kept apart by 25 mm or 1 1/4 times the maximum size of coarse aggregate, whichever is greater, if this is not feasible, overlapping bars shall be bound with annealed steel binding wire, not less than 1 mm diameter and twisted tight in such a manner as to maintain minimum clear cover to the reinforcement from the concrete surface. Lapped splices shall be staggered or located at points, along the span where stresses are low.
- 10.0 Welding**
- 10.1** Splicing by welding of reinforcement will be permitted only if detailed on the drawing or approved by the Engineer. Weld shall develop an ultimate strength equal to or greater than that of the bars connected.
- 10.2** While welding may be permitted for T.M.T. reinforcing bars conforming to IS : 432, welding of deformed bars conforming to IS:1786 shall in general be prohibited. Welding grade of S 415 grade bars conforming to IS : 1786, for which necessary chemical analysis has been secured and the carbon equivalent (CE) calculated from the chemical composition using the formula :

$$CE = C \frac{Mn}{6} + \frac{Cr + Mg + V}{5} + \frac{Ni + Cu}{15}$$

is 0.4 or less.



- 10.3** The method of welding shall conform to IS:2751 and IS:9417 and to any supplemental specifications to the satisfaction of the Engineer.
- 10.4** Bars shall be bent could to the specified shape and dimensions or as directed by Principal using the proper bender tool, operated by hand or power to attain proper radius of bends. Bars shall not be bend or straightened in a manner that will injure the material. Bars bent during transport or handling shall be straightened before being used in the work. Bars shall not be heated to facilitate bending.
- 10.5** Unless otherwise specified a 'U' type hook at the end of each bar shall invariably be provided to main reinforcement. The radius of the bane shall not be less then twice the diameter of the round bar and the length of the straight part of the bar beyond the end of the curve shall be at least four times of the diameter of the round bar. In case of bars which are not round and in case of deformed bars, the diameter shall be taken as the diameter of circle having an equivalent effective area. The hooks shall be suitably encased to prevent any spiting of the concrete.
- 10.6** All reinforcement bars shall be accurately placed in exact position shown on the drawings and shall be securely held in position during placing of concrete by annealed binding wire not less than 1 mm in size and by using say blocks or metal chairs spacers, metal hangers, supporting wires or other approved devices at sufficiently close intervals. Bars shall not be allowed to sag between supports not displaced during concreting or any other operations of the work. All devices used for positioning shall be of not corrodible material wooden and metal supports shall not extended to the surface of the concrete, except where shown in drawings. Placing bars on layes of freshly laid concrete as the work progresses for adjusting bars spacing shall not be allowed. Pieces of broken stone or brick and wooden blocks shall not be used. Layers of bars shall be separated by spacer bars pre-cast mortar blocks or other approved devices. Reinforcement after bending placed in position shall be maintained in a clean condition until completely embedded in concrete, special care shall be exercised to prevent any displacement of reinforcement in concrete already placed. To prevent reinforcement form corrosion, concrete cover shal be provided as indicated on drawings. All bars protruding from concrete and to which other bars are to be sliced and which are likely to be exposed for a period exceeding 10 days shall be protected by a thick coat of neat cement grout.
- 10.7** Bars crossing each other where required shall be secured by binding wire (annealed) of size not less than 1 mm in such a manner that they do not slip over at the time of fixing and concreting.  
As far possible bars of full length shall be used in case this is not possible, overlapping of bars shall be done as directed by the Engineer in charge When practicable overlapping bars shall not touch each other, but be kept apart by 25 mm Where no feasible overlapping bars shall be bound with annealed wires not less than 1 mm thick twisted tight. The overlaps shall be staggered for different bars and located at points along the span where neither sheer not bending moments is maximum.
- 10.8** Whenever indicated on drawing or desired the Engineer in charge bars shall be jointed by coupling which shall have a cross section sufficient to transmit the full stresses of bars. The end of the bars that are jointed by coupling shall be upset for sufficient length so that the effective cross section at the base of threads is not less than the normal cross section of the bar. Threads shall be standards threads Steel threads Steel for coupling shall conform to IS : 225.



**10.9** When permitted or specified on the drawings joints of reinforcement bars shall bult-welded so as to transmit their full stresses Welded joints shall preferably be located at points when steel will not be subject to more than 75 percent of the maximmm permissible stresses and welds so staggered that at any one section not more than 20 percent of the rods are welded only electric are welding using a process which excludes air form the molten metal and conforms to any or other special provisions for the work shall be accepted Suitable means shall be provided for holding bars securely in position during welding it shall be ensured that no voids are left in welding and when welding is done in two or three stages previous surface shall be cleaned properly Ends of bars shall be cleaned of all loose scale rust stages paint and other foreign matter before welding only competent welders shall be employed on the work. The M.S. electrodes used for welding shall conform IS : 814 Welded pieces of reinforcement shall be tested. Specimen shall be taken form the actual site and their number shall frequency to test shall be as directed by the Engineer in charge.

**11.0 MODE OF MEASUREMENTS & PAYMENT**

**11.1** For the purpose of payment the bar shall be measured correct up to 10 mm length and weight payable works out at the rate specified below.

Sr. No.	Diameter of Steel	Weight of steel per running meter	Sr. No.	Diameter of Steel	Weight of steel per running meter
1	6 mm	0.22 Kg / Rmt	8	20 mm	2.47 Kg/ Rmt
2	8 mm	0.39 Kg / Rmt	9	22 mm	2.98 Kg/ Rmt
3	10 mm	0.62 Kg/ Rmt	10	25 mm	3.85 Kg/ Rmt
4	12 mm	0.89 Kg/ Rmt	11	28 mm	4.83 Kg/ Rmt
5	14 mm	1.21 Kg/ Rmt	12	32 mm	6.31 Kg/ Rmt
6	16 mm	1.58 Kg/ Rmt	13	36 mm	7.99 Kg/ Rmt
7	18 mm	2.00 Kg/ Rmt	14	40 mm	9.86 Kg/ Rmt

**11.1** Excess consumption over 5 % will be charged at penal rate.

**11.2** Reinforcement shall be measured in length including hooks. If any, separately for different diameters as actually used in work, excluding overlaps. From the length so measured, the weight of reinforcement shall be calculated in tones on the basis of IS:1732. Wastage, Overlaps, couplings, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire or other methods for bidning and placing shall not be measured and cost of these itmes shall be deemed to be included in the rates for reinforcement.

**11.3** The contract unit rate for coated / uncoated reinforcement shall cover the cost of material, fabricating, transporting, storing, bending, placing binding and fixing in position as shown on the drawings as per these specifications and as directed by the Engineer, including all labour, equipment, supplies incidentals, sampling, testing and supervision.

**11.4** The rate shall be for a unit of **One Kg.**

**Item No. :- 9**

Providing and fixing window having extruded aluminum Colour anodized section frame main outer size 95mm x 24mm x 1.17mm (of Jindal Section no:2459 @ wt.of 0.738 Kg/mt), horizontal Three track member size 92mm x 31.75mm x 1.30mm (of Jindal Section no:8688,@ Wt.1.07 Kg/mt), vertical member of size 92mm x 31.75mm x 1.50mm (of Jindal Section no:8933,@ Wt. 1.06 Kg/mt) with sliding shutters of horizontal member size 40 mmx18mm x1.29mm (of Jindal Section no:8947@ wt.of 0.456 Kg/mt), vertical member of size 40mm x 18mm x 1.29 mm (of Jindal Section no:8949 @ wt.of 0.456Kg/mt/ with 5 mm thick transparent bronze colour tinted float glass with powder coated aluminum fittings and fixtures and transparent silicon sealant glass fixing to frame as per details etc.

**1.0 MATERIAL**

1.1 Aluminum standard section

Aluminum alloy used in the manufacture of extruded Window section shall confirm to I S designation HEA-WP of I S 733-1975 and also Designation WVG –WP of I S 1285-1975 section shall be as specified in the drawing and design.

All sections shall be Free from any scratches or holes or any damages on surface. All section shall have finished luster surface on all sides

1.1.1. Frame four track outer size shall be 95 mm x 24 x 1.17mm size having minimum weight 1.384 Kg/t.

1.1.2. Horizontal four track member size shall be 92 mm x 31.75 x 1.30mm size having minimum weight 1.205 Kg/t.

1.1.3. Vertical Member size shall be 92mm x 31.75 x 1.50 having minimum weight 1.06 Kg/mt.

1.1.4 Horizontal member size of Sliding shutter shall be 40x18x1.29mm having minimum weight 0.450 respectively.

1.1.5 Vertical member size of Sliding shutter shall be 40x18x1.29mm having minimum weight 0.456 and 0.457 respectively.

1.2 Glass

The glass shall be of approved make having thickness of 5 mm thick transparent bronze colour tinted floor glass of copper tint ( structural glass) fixed with transparent silicon gasket The glass shall be clear and free form scratches and cracks The glass shall be provided on the top

### 1.3. Glassing clips

Glazing clips shall be of size 0.90mm thick having wt. 0.111 Kg / Rmt. shall be Free from any scratches or holes or any damages on surface.

### 1.4. Rubber Gasket

Rubber gasket shall be of approved make. shall be Free from any scratches or holes or any damages on surface. and shall have finished luster surface on all sides

## **1.5. Fixtures**

### **1.5.1 Hinges,**

Hinges shall be of approved make and shall have finished surface on all sides

### **1.5.2 Handles,**

handles shall be of approved make. shall be Free from any damages on surface, and shall have finished surface on all sides

### **1.5.3 Bolts,**

All bolts shall be of approved make.

## **2.0 WORKMANSHIP**

The Work of aluminum window shall be done with extreme finishing. The glass shall be fitted on panel as directed by Engineer in charge using glazing clips and rubber gaskets as required All the fixtures and fastenings shall be fitted at right place and as directed by Engineer in charge. Rollers shall be fitted properly so as to align the shutters properly and shall be given trial of opening and closing properly.

## **3.0 Mode of Measurement & payment :**

3.1. The unit rate of aluminum window shall include the cost of all materials, cost of anodizing, cost of all necessary fixtures and fastenings, labour charges for fixing frames, shutters and fixing the window in wall at the place shown in drawing and as instructed by Engineer in charge, all tools and plant required for assembling and fixing in position, finishing as per direction of the Principal, and all other incidental expenses for preparing window frame and shutter of specified size to complete the window structure or its components as shown on the drawings and according to these specifications. They shall also include the cost of making, fixing and making walls good by plaster patch colour etc as required

3.2. The window shall be measured for its width and height, limiting dimensions to those specified on plan or as directed.

3.3. The rate shall be for a unit of one square meter.